

RESSOURCES DU LABORATOIRE DE CHIMIE PHYSIQUE INDUSTRIELLE

CATEGORIE : Activité de l'eau, WATER ACTIVITY

1. Wolf, W., et al., Mikrokristalline Zellulose als Referenzmaterial zum Bestimmen des Wasserdampf-Sorptionsverhaltens von Lebensmitteln. Zeitschrift für Lebensmittel-Technologie und -Verfahrenstechnik, 1980: p. 148-154.
2. Wolf, W., et al., The water-vapour sorption isotherms of microcrystalline cellulose (MCC) and of purified potato starch. Results of a collaborative study. Journal of food engineering, 1984. 3: p. 51-73.
3. Weisser H., B. R., and L. M., Messen von Sorptionsisothermen bei höheren Temperaturen. Z.L.F., 1978. 29(8): p. 310-314.
4. Weisser H. and H. H.P., Fortschritte beim Anwenden der Kern-resonanz-Spektroskopie in der Lebensmittelverfahrenstechnik. Zeitschrift für Lebensmittel-Technologie und -Verfahrenstechnik, 1983. 1: p. 21-28.
5. Weisser H., Schnellmethoden zum Messen des Wassergehaltes in Lebensmitteln. Rapid methods for the determination of moisture content of foods. Zeitschrift für Lebensmittel-Technologie und -Verfahrenstechnik, 1985. 36(5): p. 318-326.
6. Weisser, H., J. Weber, and M. Loncin, Wasserdampf-Sorptionisothermen von Zuckeraustauschstoffen im Temperaturbereich von 25 bis 80°C. ZFL, 1982. 33(2): p. 89-97.
7. Weisser, H., T. Roth, and H.P. Harz, Spezielle Methoden zum Bestimmen der Wasseraktivität. Special methods to determine water activity. Z.F.L., 1985. 3: p. 170-179.
8. Weisser, H. and T. Roth. Einfluss der Wasseraktivität auf die Haltbarkeit von Lebensmitteln. in Sammlung von Vorträgen des Hans Joachim Bielig Gedenk-Symposiums. 1986. Berlin.
9. Weisser, H., Influence of temperature on sorption isotherms, in Food engineering and process applications, M.P. Le Maguer, P, Editor. 1986, Elsevier applied science publishers: London, New York. p. 189-199.
10. **Watt, I.C., The theory of water sorption by biological materials. p. 27-41.
11. *Warmbier H.C., S. R.A., and L. T.P., Nonenzymatic browning kinetics in an intermediate moisture model system. J. of food science, 1976. 41: p. 981-983.
12. Tubert, A.H. and H.A. Iglesias, Water sorption isotherms and prediction of moisture gain during storage of packaged cereal crackers. Lebensm. Wiss. U. Technol., 1986. 19: p. 365-368.
13. Troller J.A., Statistical analysis of aw measurements obtained with the sina scope. Journal of Food Science, 1977. 42: p. 86.
14. Tome, D., J. Nicolas, and R. Drapon, Influence of water activity on the reaction catalysed by polyphenoloxidase (E.C.1.14.18.1.) from mushrooms in organic liquid media. Lebensm. Wiss. U. Technol., 1978. 11: p. 38-41.
15. Starzack, M. and S.D. Peacock, Water activity coefficient in aqueous solutions of sucrose. A comprehensive data analysis. Zuckerind, 1997. 122(5): p. 380-387.

16. Spiess, W.E., P. Solé, and B.F. Pritzwald-Stegmann, Wasserdampf-Sorptionsisothermen und spezifische Oberfläche einiger wichtiger Lebensmittel. Deutsche Lebensmittel.Rundschau, 1965. 4: p. 115-120.
17. Sperber, W.H., Influence of water activity on foodborne bacteria.
A review. Journal of food protection, 1983. 46(2): p. 142-150.
18. Sloan, A.E., P.T. Waletzko, and T.P. Labuza, Effect of order-of-mixing on aw lowering ability of food humectants. Journal of Food Science, 1976. 41: p. 536-540.
19. Sloan, A.E. and T.P. Labuza, Prediction of water activity lowering ability of food humectants at high aw. Journal of Food Science, 1976. 41: p. 532-535.
20. Sherman F.B., S. G.N., and K. B.M., Sorption of water vapour and gases by biopolymers.
IV. Effect of previous sorption of hydrogen chloride on the hydration of dextran. Russian J. of Physical Chemistry, 1987. 61(5): p. 688-689.
21. Seow, C.C. and T.T. Teng, The prediction of water activity of some supersaturated non-electrolyte aqueous binary solutions from ternary data. Journal of Food Science, 1981. 16: p. 597-607.
22. Schneeberger, R., A. Voilley, and H. Weisser, Activity of water in frozen systems. International Journal of Refrigeration, 1978. 1(4): p. 201-206.
23. Ryazanov, M.A., Effect of non-electrolytes on the structure of free water in aqueous solutions. Russian J. of Physical Chemistry, 1978. 52(5): p. 754-755.
24. Rüegg, M. and B. Blanc, The water activity of honey and related sugar solutions. Lebensm. Wiss. U. Technol., 1981. 14: p. 1-6.
25. Rüegg, M. and B. Blanc, The water activity of honey and related sugar solutions. Lebensm. Wiss. U. Technol., 1981. 14: p. 1-6.
26. Rüegg, M. and B. Blanc, Influence of water activity on the manufacture and aging of cheese, in water activity: influences on food quality. 1981, Academic press Inc. p. 791-811.
27. Rüegg, M. and B. Blanc, Effect of pH on water vapor sorption by caseins. Journal of dairy science. 59(6): p. 1019-1024.
28. Rudolph, F.B., Prediction of shelf life of packaged water-sensitive foods. Lebensm. Wiss. U. Technol., 1987. 20: p. 19-21.
29. Rotstein, E. and A.R.H. Cornish, Prediction of the sorptional equilibrium relationship for the drying of foodstuffs. AIChE Journal, 1978. 24(6): p. 956-966.
30. Roth, T. and m. Loncin, Fundamentals of diffusion of water and rate of approach of equilibrium Aw, in Properties of water in foods, D.M. Simatos, J L, Editor. 1985, Martinus Nijhoff publishers: Dordrecht. p. 331-342.
31. Ross, K.D., Definition of bound water by activity depression. Lebensm. Wiss. U. Technol., 1979. 12: p. 172-176.
32. Roa, V. and M.S. Tapia de Daza, Evaluation of water activity measurements with a dew point electronic humidity meter. Lebens.Wiss.U.Technol., 1991. 24: p. 208-213.
33. Riedel L., Kalorimetrische Bestimmung der Hydratationswärme von Lebensmitteln. Chem; Mikrobiol. Technol. Lebensm., 1977. 5: p. 97-101.

34. Richardson, S.J., I.C. Baianu, and M.P. Steinberg, Mobility of water in sucrose solutions determined by deuterium and oxygen-17 nuclear magnetic resonance measurements. *Journal of Food Science*, 1987. 52(3): p. 806-812.
35. Pollio M.L., et al., Prediction and measurement of the water activity of selected saturated salt solutions at 5°C and 10°C. *Journal of Food Science*, 1987. 52(4): p. 1118-1119.
36. *Patel K.N. and N. T.A., Influence of sucrose, glucose and lactose on loss of water from solutions. *J. of Food Science.*, 1971. 36: p. 495-497.
37. Pan, C.F., Determination of hydration number of an electrolyte by vapor pressure measurements. *The journal of physical chemistry*, 1978. 82(25): p. 2699-2703.
38. Paik, S.W. and S.G. Gilbert, Water sorption isotherms on sucrose and starch by modified inverse frontal gas chromatography. *Journal of chromatography*, 1986. 351: p. 417-423.
39. *Oswin C.R., *Emballistics and small computers*. Compupac 86, Teaneck, N.J., 1986(1-4).
40. Noguchi H., Hydration around hydrophobic groups, in *Water activity: influences on food quality*, R.L.S. GF, Editor. 1981, Academic press. p. 281-293.
41. *Niediek E.A., Effect of processing on the physical state and aroma sorption. *Properties of carbohydrates*. *Food Technol.*, 1988: p. 81-84.
42. Nawar W.W., Some variables affecting composition of headspace aroma. *J.Agr.Food.Chem.*, 1971. 19(6): p. 1057-1059.
43. Murphy, W.F. and H.J. Bernstein, Raman spectra and an assignment of the vibrational stretching region of water. *The journal of physical chemistry*, 1972. 76(8): p. 1147-1152.
44. Miracco, J.L., et al., On the water activity of lactose solutions. *Journal of Food Science*, 1981. 46: p. 1612-1613.
45. **Millan, R., et al., Water activity of apple, grape and orange juice. NP: p. 1-10.
46. Mathlouthi M., M. J.F., and M. P.C., Study of some factors affecting water vapor sorption of gruyere cheese. *I. Proteolysis*. *I.W.T.*, 1981. 14(3): p. 163-165.
47. Mathlouthi, M., et al., Water vapor sorption of gruyere cheese. *Lebensm. Wiss. U. Technol.*, 1980. 13: p. 264-268.
48. *Marshall, Modified raoult's law included the solvent structural constant and solute solvation; aqueous sodium chloride solutions, 25 to 300°; other electrolytes and urea, 25°C. *J. of Solution Chemistry*, 1986. 15(5): p. 439-452.
49. Lüscher-Mattli, M., Thermodynamic functions of biopolymer hydration. I. Their determination by vapor pressure studies, discussed in an analysis of the primary hydration process. *Biopolymers*, 1982. 21: p. 403-418.
50. **Ludwicki, M. and P. Wawro, Alternative measurement of dry matter content in sugar factory solutions. p. 1-6.
51. Loncin M., B. J.J., and L. J., Influence of the activity of water on the spoilage of foodstuffs. *Journal of Food Technology*, 1968. 3: p. 131-142.
52. Loncin M. and W. H., Die Wasseraktivität und ihre Bedeutung in der Lebensmittelverfahrenstechnik. *Chem. Ing. Tech.*, 1977. 49(4): p. 312-319.

53. Lomauro C.J., B. A.S., and L. T.P., Evaluation of food moisture sorption isotherm equations Part II: Milk, coffee, tea, nuts, oilseeds, spices and starch foods. *Lebensm. Wiss. U. Technol.*, 1985. 18: p. 118-124.
54. Lomauro C.J., B. A.S., and T.P. Labuza, Evaluation of food moisture sorption isotherm equations Part I: Fruit, vegetable and meat products. *Lebensm. Wiss. U. Technol.*, 1985. 18: p. 111-117.
55. Lewin, S., Some aspects of the influence of water on biological conformation /deconformation processes, in *L'eau et les systèmes biologiques*. 1974, Colloques Internationaux du C.N.R.S. p. 35-41 .
56. *Lerici C.R., P. M., and D.R. M., Water activity and freezing point depression of aqueous solutions and liquid foods. *J.of Food Science*, 1983. 48: p. 1667-1669.
57. Larreta- Garde, V., et al., Lysozyme kinetics in low water activity media. A possible hydration memory. *Biochemical and biophysical research communications*, 1988. 155(2): p. 816-822.
58. Lang K.W. and M.P. Steinberg, Linearization of the structure of the water sorption isotherm for homogeneous ingredients over a_w 0.30-0.95. *Journal of Food Science*, 1981. 46: p. 1450-1452.
59. Lang K.W. and S. M.P., Calculation of moisture content of a formulated food system to any given water activity. *Journal of Food Science*, 1980. 45: p. 1228-1230.
60. Laird, D.A., C. Shang, and M.L. Thompson, Hysteresis in crystalline swelling of smectites. *Journal of colloid and interface science*, 1995. 171: p. 240-245.
61. Labuza, T.P. and M. Rutman, The effect of surface active agents on sorption isotherms of a model food system. *The canadian journal of chemical engineering*, 1968. 46: p. 364-368.
62. Labuza, T.P. and R. Contreras-Medellin, Prediction of moisture Protection requirements for foods. *Cereal foods world*, 1981. 26(7): p. 335-343.
63. Labuza, T.P., Moisture gain and loss in packaged foods. *Food Technology*, 1982. April: p. 92-97.
64. Labuza, T.P., The properties of water in relationship to water binding in foods: a review. *Journal of food processing and preservation*, 1977. 1: p. 167-190.
65. **Labuza, T.P., Water activity in foods.
66. Labuza T.P. and S. M., Kinetics of browning and protein quality loss in whey powders during steady state and nonsteady state storage conditions. *Journal of Food Science*, 1981. 47: p. 92-96.
67. Labuza T.P., A theoretical comparison of losses in foods under fluctuating temperature sequences. *J. of Food Science*, 1979. 44: p. 1162-1168.
68. Klemm, W.R., Dehydration: a new alcohol theory. *Alcohol*, 1990. 7: p. 49-59.
69. Karmas E. and C. C.C., Relationship between water activity and water binding in high and intermediate moisture foods. *Journal of Food Science*, 1975. 40: p. 800-801.
70. *Karel M., Water activity and food preservation.
71. **Karel, M., Effects of water activity and water content on mobility of food components, and their effects on phase transitions in food systems, in *Properties of water in food*, D.M. Simatos, J L, Editor. 1985, Martinus Nijhoff Publishers: Dordrecht. p. 153-167.
72. **Kapsalis, J.G., Chap.9: Influences of hysteresis and temperature on moisture sorption isotherms. p. 173-213.

73. Kamper, S.L. and O. Fennema, Use of an edible film to maintain water vapor gradients in foods. *Journal of Food Science*, 1985. 50: p. 382-384.
74. Iglesias H.A. and J. Chirife, Mathematical description of isotherms, in *Handbook of food isotherms*. 1982, Academic press.
75. Iglesias H.A. and J. Chirife, Water sorption parameters for food and food components, in *Handbook of food isotherms*. 1982, Academic press.
76. Hüttenrauch R. and F. S., Zur Korrelation zwischen Grenzflächenspannung und Ordnungszustand des Wassers. *Molekulargalenik* 67, 1982. 37: p. 300-302.
77. Heiss H.C.R. and E. K., Vergleich des Verpackungseinflusses auf die Qualitätserhaltung wasserdampf- bzw. sauerstoffempfindlicher Lebensmittel. *Verpackungs-Rundschau*, 1978. 1: p. 1-7.
78. Hearle J.W.S., Capacity, dielectric constant, and power factor of fiber assemblies. *Textile research journal*, 1954. April: p. 307-321.
79. *Harz H.P., W. H., and Karlsruhe, Einsatz von kernsonanz-spektrometern in der lebensmittelindustrie. *Z.F.L.*, 1986: p. 278-281.
80. Hahn-Hägerdal, B., Water activity: a possible external regulator in biotechnical processes. *Enz microb technol*, 1986. 8: p. 322-327.
81. Guilbert S., O. Clément, and J.C. Cheftel, Efficacité comparée d'agents dépresseurs de l'aw en solution et dans des aliments à humidité intermédiaire. *Lebensm. Wiss. U. Technol.*, 1981. 14: p. 245-251.
82. Guilbert S. and R.-W. A.L., Séchage partiel des fruits et légumes par immersion dans des solutions concentrées. *I.A.A.*, 1990. Octobre.
83. *Greenspan L., Humidity fixed points of binary saturated aqueous solutions. *J. of Res.*, 1977. 81 A(1): p. 89-96.
84. **Gal, S., The need for, and practical applications of, sorption data. p. 13-25.
85. Flom, W.D., et al., Improved procedure for determining water activity in a high range. *J.assoc.anal.chem*, 1986. 69(6): p. 952-956.
86. Favetto, G.J. and J. Chirife, Simplified method for the prediction of water activity in binary aqueous solutions. *Journal of Food Technology*, 1985. 20: p. 631-636.
87. F.B.; S., S. G.N., and K. B.M., Sorption of water vapour and gases by biopolymers.IW . Effect of previous sorption of hydrogen chloride on the hydration of dextran. *Russian J. of Physical Chemistry*, 1987. 61(5): p. 688-689.
88. Emmerich, A., B. Prowe, and K.J. Rosenbruch, Die Abhängigkeit der Brechzahl vom Massengehalt wässriger Lösungen von Glucose, Fructose und Invertzucker. *Zuckerind*, 1984. 109(6): p. 525-537.
89. Emmerich, A. and L. Emmerich, Die Dichte wässriger Lösungen von Glucose, Fructose und Invertzucker sowie ihre Messung. *Zuckerind*, 1986. 111(5): p. 441-448.
90. Eichner, K. and M. Karel, The influence of water content and water activity on the sugar-amino browning reaction in model systems under various conditions. *J. Agr. Food Chem.*, 1972. 20(2): p. 218-223.
91. Dobry A., La notion d'activité dans les solutions colloïdales. II. L'activité et la pression osmotique. *J. Ch. Phys.*, 1955. 52: p. 447-451.
92. Delmer, F., L'humidité relative d'équilibre HRE et son rôle dans la conservation des produits de confiserie. *NP*: p. 1-33.

93. *Del Pilar Buera M., et al., Nonenzymatic browning in liquid model systems of high water activity: Kinetics of color changes due to reaction between glucose and glycine peptides. *J. of Food Science*, 1987. 59(4): p. 1068-1070.
94. *Del Pilar Buera M., et al., Nonenzymatic browning in liquid model systems of high water activity: kinetics of color changes due to maillard's reaction between different single sugars and glycine and comparison with caramelization browning. *J. of Food Science*, 1987. 52(4): p. 1063-1067.
95. Chirife, J. and S.L. Resnik, Unsaturated solutions of sodium chloride as reference sources of water activity at various temperatures. *Journal of Food Science*, 1984. 49: p. 1486-1488.
96. Chirife, J., G. Favetto, and C. Ferro Fontan, The water activity of fructose solutions in the intermediate moisture range. *Lensbensm. Wiss. U. Technol.*, 1982. 15: p. 159-160.
97. Chinachoti, P. and M.P. Steinberg, Crystallinity of sucrose by X-ray diffraction as influenced by adsorption versus desorption, waxy maize starch content, and water activity. *Journal of Food Science*, 1986. 51(2): p. 456-463.
98. Chinachoti, P. and M.P. Steinberg, Moisture hysteresis is due to amorphous sugar. *Journal of Food Science*, 1986. 51(2): p. 453-455.
99. Chinachoti, P., Water mobility and its relation to functionality of sucrose-containing food systems. *Food Technology*, 1993. January: p. 134-140.
100. Cassells, J.M. and P.J. Halling, Effect of thermodynamic water activity on thermolysin-catalysed peptide synthesis in organic two-phase systems. *Enz microb technol*, 1998. 10: p. 486-491.
101. Cardoso, G. and T.P. Labuza, Prediction of moisture gain and loss for packaged pasta subjected to a sine wave temperature/humidity environment. *NP*: p. 1-19.
102. Bressan C., M.M., Thermodynamic activity of water and sucrose and the stability of crystalline sugar. *Association AVH*, 1995.
103. Boquet, R., J. Chirife, and H.A. Iglesias, Equations for fitting water sorption isotherms of foods. III. Evaluation of various three-parameter models. *Journal of Food Technology*, 1979. 14: p. 527-534.
104. Bonelli, P., et al., Residual moisture content as related to collapse of freeze-dried sugar matrices. *Journal of Food Science*, 1997. 62(4): p. 693-695.
105. Bolin, H.R., Relation of moisture to water activity in prunes and raisins. *Journal of Food Science*, 1980. 45: p. 1190-1192.
106. Bluestein, P.M. and T.P. Labuza, Kinetics of water vapor sorption in a model freeze-dried food. *AIChE Journal*, 1972. 18(4): p. 706-712.
107. Bizot, H., A. Buléon, and N. Riou, Study of native starch hydration: influence of sorption hysteresis. *Journal de physique*, 1984. 45(suppl. au n°9): p. C7/259 - C7/264.
108. Biquet, B. and T.P. Labuza, Evaluation of the moisture permeability characteristics of chocolate films as an edible moisture barrier. *Journal of Food Science*, 1988. 53(4): p. 989-998.
109. Bimbenet, J.J. and A. Guilbot, Modifications biochimiques et physico-chimiques au cours du séchage. *Chimie industrie-Génie chimique*, 1966. 96(4): p. 2-12.
110. Bidan P., H.F., *Microbiologie des sucres cristallisés*.
111. Bennes, R., Adsorption of neutral molecules for "regular interfacial" solutions. *J of electroanal chem*, 1979. 105: p. 85-95.

112. Benado, A.L. and S.S.H. Rizvi, Water activity calculation by direct measurement of vapor pressure. *Journal of food science*, 1987. 52(2): p. 429-432.
113. Bandyopadhyay, S., H. Weisser, and M. Loncin, Water adsorption isotherms of foods at high temperatures. *Lebensm. Wiss. U. Technol.*, 1980. 13: p. 182-185.
114. Audu, T.O.K., M. Loncin, and H. Weisser, Sorption isotherms of sugars. *Lebens.Wiss.U.Technol.*, 1978. 11: p. 31-34.
115. Anderson, C.B. and L.D. Witter, Water binding capacity of 22 L-amino acids from water activity 0,33 to 0,95. *Journal of Food Science*, 1982. 47: p. 1952-1954.
116. *Acott K.M. and L. T.P., Microbial growth response to water sorption preparation. *J. of Food. Science*, 1975. 10: p. 603-611.
117. **Achard, C., J.B. Gros, and C.G. Dussap, Prédiction de l'activité de l'eau, des températures d'ébullition et de congélation de jus sucrés par un modèle UNIFAC. NP.