

# RESSOURCES DU LABORATOIRE DE CHIMIE PHYSIQUE INDUSTRIELLE

Catégorie : AMIDON

---

1. \*Zeng, M., et al., Sources of variation for starch gelatinization, pasting and gelation properties in wheat. *Cereal Chemistry*, 1997. 74(1): p. 63-71.
2. \*ZeleznaK, K.J. and R.C. HoseneY, The role of water in the retrogradation of wheat starch gels and bread crumb. *Cereal Chemistry*, 1986. 63(5): p. 407-411.
3. ZeleznaK K.J. and H. R.C., The glass transition in starch. *Cereal Chemistry*, 1987. 64(2): p. 121-124.
4. Zakiuddin Ali, S. and K.R. Bhattacharya, Hydration and amylose-solubility behaviour of parboiled rice. *Lebensm.Wiss.u.Technol.*, 1972. 5(6): p. 207-212.
5. \*Yamashita, M., et al., Role of lipid modification on a starch-debranching enzyme, *Klebsiella pullulanase*: comparison of properties of lipid-modified and unmodified pullulanase. *Molecular microbiology*, 1992. 6(3): p. 389-394.
6. \*Wulff, G. and S. Kubik, Circular dichroism and ultraviolet spectroscopy of complexes of amylose. *Carbohydrate Research*, 1992. 237: p. 1-10.
7. Wu, J.Y., R.G. Bryant, and T.M. Eads, Detection of solidlike components in starch using cross-relaxation and Fourier transform wide-line H NMR methods. *J.Agric. Food Chem.*, 1982. 40(449-455).
8. Wootton M. and M. D., Properties of starches from Australian wheats.Part 2:some physico-chemical properties. *Starch*, 1993. 45(9): p. 295-299.
9. Wolters M.G.E. and C. J.W., Prediction of the degradability of starch by gelatinization enthalpy as measured by differential scanning calorimetry. *Starch*, 1992. 44(1): p. 14-18.
10. Wilson R.H., K.M.T., Ring S.G. and Belton P.S., A fourier - transform infrared study of the gelation and retrogradation of waxy-maize starch. *Carbohydrate Research*, 1987. 166: p. 162-165.
11. Wilson R.H. and B. P.S., A Fourier Transform infrared study of wheat starch gels. *Carbohydrate polymer Research*, 1988. 180: p. 339-344.
12. Willet J.L., J.B.K.a.S.C.L., Rheologie of thermoplastic starch:effects of temperature ,moisture content and additives on met viscosity. *Polymer engineering and science*, 1995. 35(2): p. 202-210.
13. Veregin, R.P., et al., Characterization of the crystalline A and B starch polymorphs and investigation of starch crystallization by high-resolution <sup>13</sup>C CP/MAS NMR. *Macromolecules*, 1986. 19: p. 1030-1034.
14. \*Van Soest, J.J.G., D. De Wit, and J.F.G. Vliegthart, Retrogradation of potato starch as studied by Fourier transform infrared spectroscopy. *Starch/Stärke*, 1994. 46(12): p. 453-457.
15. \*Van Soest, J.J.G., et al., Chap. 3: Influence of glycerol on the melting of potato starch, in *Industrial crops and products*. 1995.
16. Urbani R., et al., Enthalpy relaxation and glass transition behaviour of sucrose by static and dynamic DSC.
17. Thorn W. and M. S., Molecular weights,lengths and distribution of side chains in alpha-D-polyglucanes. *Starch*, 1990. 42(10): p. 373-376.
18. Thiewes H.J. and S. P.A.M., The glass transition and the sub-Tg endotherm of amorphous and native potato starch at low moisture content. *Carbohydrate Polymers*, 1997. 32: p. 123-130.
19. Thibault J.F. and C. P., Propriétés fonctionnelles:pectines et amidon. *Les cahiers de l'ensbana*, 1988. 6: p. 157-171.
20. \*Texter, J.A., R. Kellerman, and K. Klier, Water sorption in dextran gel. *Carbohydrate Research*, 1975. 41: p. 191-210.
21. \*Tester, R.F. and W.R. Morrison, Swelling and gelatinization of cereal starches. II. Waxy rice Starches. *Cereal Chemistry*, 1990. 67(6): p. 558-563.
22. \*Tester, R.F. and W.R. Morrison, Swelling and gelatinization of cereal starches. I. Effects of amylopectin, amylose and lipids. *Cereal Chemistry*, 1990. 67(6): p. 551-557.
23. \*Teo, C.H. and C.C. Seow, A pulsed NMR method for the study of starch retrogradation. *Starch/Stärke*, 1992. 44(8): p. 288-292.
24. Takeda Y. , T.C., Suzuki A. and Hizukuri S., Structures and properties of sago starches with low and high viscosities on amylography. *Journal of Food Science*, 1989. 54(1): p. 177-182.
25. \*Svegmark, K. and A.M. Hermansson, Changes induced by shear and gel formation in the viscoelastic behaviour of potato, wheat and maize starch dispersions. *Carbohydrate Polymers*, 1991. 15: p. 151-169.

26. Stute R., Properties and applications of pea starches /Part 1:properties. *Starch*, 1990. 42(5): p. 178-184.
27. Storey, B.T. and E.W. Merrill. The rheology of aqueous solutions of amylose and amylopectin with reference to molecular configuration and intramolar association. in 16th international congress of pure and applied chemistry. 1957. Paris.
28. Stein T.M. and G. V., Amino-acids as plasticizers for starch-based plastics. *Starch*, 1997. 43(6): p. 245-249.
29. \*Steeneken, P.A.M., Rheological properties of aqueous suspensions of swollen starch granules. *Carbohydrate Polymers*, 1989. 11: p. 23-42.
30. \*Sreenath, H.K. and J. Be Miller, Effect of pullulanase and  $\alpha$ -amylase on hydrolysis of waxy corn starch. *Starch/Stärke*, 1990. 42(41): p. 482-486.
31. \*Spies, R.D. and R.C. Hosney, Effect of sugars on starch gelatinization. *Cereal Chemistry*, 1982. 59(2): p. 128-131.
32. Seow, C.C. and K. Thevamalar, Internal plasticization of granular rice starch by hydroxypropylation: effects on phase transitions associated with gelatinization. *Starch/Stärke*, 1993. 45(3): p. 85-88.
33. \*Seow, C.C. and C.H. Teo, Annealing of granular rice starches. Interpretation of the effect on phase transitions associated with gelatinization. *Starch/Stärke*, 1993. 45(10): p. 345-351.
34. Schweiser Y.F. and R. S, Contribution to the analysis of starch hydrolysates. *Lebensmittel-Untersuchung und Forschung*, 1982. 174(23): p. 23-28.
35. Schroeter, J. and M. Hobelsberger, On the mechanical properties of native starch granules. *Starch/Stärke*, 1982. 44(7): p. 247-252.
36. Rustschmann M.A. and S. J., Formations of inclusion complexes of starch with different organic compounds .IV.Ligand binding and variability in helical conformations of V amylose complexes. *Lebensm-Wiss.,u. Technol.*, 1990. 23: p. 84-87.
37. \*Russell, P.L. and G. Oliver, The effect of pH and NaCl content on starch gel ageing. A study by differential scanning calorimetry and rheology. *Journal of Cereal science*, 1989. 10: p. 123-138.
38. \*Russell, P.L., The ageing of gels from starches of different amylose/amylopectin content studied by differential scanning calorimetry. *Journal of Cereal science*, 1987. 6: p. 147-158.
39. \*Russell, P.L., Gelatinisation of starches of different amylose/amylopectin content. A study by differential scanning calorimetry. *Journal of Cereal science*, 1987. 6.
40. \*Roussel, L., et al., Sequential heat gelatinization hydrolysis of corn starch in an extrusion reactor. Optimization for a maximum dextrose equivalent. *Lebensm-Wiss.,u. Technol.*, 1991. 24: p. 449-458.
41. Role A. and L.M. M., Thermomechanical behavior of concentrated Starch-water preparations. *Cereal Chemistry*, 1997. 74(5): p. 581-588.
42. Robin J.P., Comportement du grain d'amidon à l'hydrolyse acide ménagée. Etude physico-chimique et enzymatique de la fraction insoluble. Contribution à la connaissance de la structure de l'amylopectine., in Paris VI. 1975, Paris VI: Paris.
43. \*Ring, S.G., Some studies on starch gelation. *Starch/Stärke*, 1985. 37(3): p. 80-83.
44. Ring S.G. , C.P., L'Anson K.J., Kalichevsky M.Y., Miles M.J., Lorris V.J., Oxford P.D., The gelation and cristallisation of amylopectin. *Carbohydrate Research*, 1987. 162: p. 277-293.
45. \*Richardson, S.J., I.C. Baianu, and M.P. Steinberg, Mobility of water in starch powders determined by NMR. *Starch/Stärke*, 1987. 36(6): p. 198-203.
46. \*Rappenecker, G. and P. Zugenmaier, Detailed refinement of the crystal structure of Vh-amylose. *Carbohydrate Research*, 1981. 89: p. 11-19.
47. Raphaelides S.N., Flow behaviour of starch -fatty acid systems in solution. *Lebensm.Wiss.u.Technol.*, 1992. 25: p. 95-101.
48. \*Rao, M.A., et al., Rheological behavior of heated starch dispersions in excess ware: role of starch granule. *Carbohydrate Polymers*, 1997. 33: p. 273-283.
49. Radosta S., et al., Studies on the rye starch properties and modification.Part II:Swelling and solubility behaviour of the rye starch granules. *Starch*, 1991. 44(1): p. 8-14.
50. Poutanen K. and ForsellP., Modification of starch properties with plasticizers. *Trip*, 1996. 4(4): p. 128-132.
51. Pierzgaliski, T., Physico-chemical properties of starch hydrolysates. *Acta alimentaria Polonica*, 1985. 11(1): p. 63-70.
52. Pessa, E., et al., Molecular weight characterization and gelling properties of acid-modified maize starches. *Starch/Stärke*, 1992. 44(2): p. 64-69.
53. Peleg M., Mathematical characterization of the plasticizing and antiplasticizing effects of fructose and amylopectin. *Cereal Chemistry*, 1996. 73(6): p. 712-715.

54. Paton D., Differential scanning calorimetry of Oat starch pastes. *Cereal Chemistry*, 1987. 64(6): p. 394-399.
55. \*Paris, M., et al., Crystallinity and structuring role of water in native and recrystallized starches by <sup>13</sup>C CP-MAS NMR spectroscopy. 1: Spectral decomposition. *Carbohydrate Polymers*, 1999. 39: p. 327-339.
56. Oxford P.D., P.R., Ring S.G. and Smith A.C., Effect of water as a diluent on the glass transition behaviour of malto-oligosaccharides, amylose and amylopectin. *Int. J. Biol. Macromol.*, 1989. 11(4): p. 91-96.
57. Onteniente J.P., E.F., Bureau G. and Prudhomme J.C., Amidons thermoplastiques lubrifiés entièrement biodégradables: propriétés mécaniques et rhéologiques d'un grade d'injection. *Matériaux et techniques*, 1996. 3-4: p. 31-38.
58. Obanni M. and B. J.N., Properties of some starch blends. *Cereal Chemistry*, 1997. 74(4): p. 431-436.
59. \*Oates, C.G. and W.P. Lee, Flow behaviour of mung bean starch pastes. *Starch/Stärke*, 1992. 44(2): p. 48-53.
60. Noel T.R. and W. M.A., Kinetic aspects of the glass-transition behaviour of maltose-water mixtures. *Carbohydrate Research*, 1991. 212: p. 109-117.
61. Nishinari, K., R.K. Cho, and M. Iwamoto, Near infra-red monitoring of enzymatic hydrolysis of starch. *Starch/Stärke*, 1989. 41(3): p. 110-112.
62. Nicholls R.J., et al., Glass transitions and the fracture behaviour of gluten and starches within the glassy state. *Journal of Cereal science*, 1995. 21: p. 25-36.
63. Neszmelyi A., L.E. a.H.J., Biomolecular modelling: an interactive program for the visualisation and modeling of carbohydrate (starch and oligosaccharide) complexes in solution. *Starch*, 1987. 39(11): p. 393-396.
64. Nakamura N, et al., Characterization of pullulanase and alpha amylase activities of thermus sp AMD 33. *Starch*, 1989. 41(3): p. 112-117.
65. \*Nakajima, M., et al., Continuous hydrolysis of soluble starch by free  $\beta$ -amylase and pullulanase using an ultrafiltration membrane reactor. *Starch/Stärke*, 1990. 54(11): p. 2793-2799.
66. Morrison, W.R., D.C. Scott, and J. Karkalas, Variation in the composition and physical properties of barley starches. *Starch/Stärke*, 1986. 38(11): p. 374-379.
67. Morrison W.R. and L. B., An improved colorimetric procedure for determining apparent and total amylose in cereal and other starches. *Journal of Cereal science*, 1983. 1: p. 9-20.
68. \*Morales-Sanchez, E., et al., Determination of the temperature of gelatinization and energy of transformation of starch by dielectric dissipation induced changes. *Starch/Stärke*, 1997. 49(7/8): p. 268-278.
69. Milliane R.P. and A. S., Ordered water in hydrated solid-state polysaccharide systems, in *Water relationship in Food*, Levine H. and S. L., Editors. 1991, Plenum Press: N.Y. p. 785-803.
70. Millard M.M., D.F.R., Willet J.L. and Klavons J.A, Light-scattering molecular weights and intrinsic viscosities of processed waxy maize starches in 90% dimethyl sulfoxide and H<sub>2</sub>O. *Cereal Chemistry*, 1997. 74(5): p. 687-691.
71. \*Miles, M.J., et al., The roles of amylose and amylopectin in the gelation and retrogradation of starch. *Carbohydrate Research*, 1985. 135: p. 271-281.
72. Manners D.J. and M. N.K., The fine structure of amylopectin. *Carbohydrate Research*, 1981. 90: p. 99-110.
73. Manners D.J., Recent developments in our understanding of amylopectin structure. *Carbohydrate Polymers*, 1989. 11(2): p. 87-112.
74. Mackey K.L. and O. R.Y., Rheological modeling of corn starch doughs at low to intermediate moisture. *Journal of Food Science*, 1990. 55(2): p. 417-423.
75. Lugay J.C., a.J.B.O., Crystallinity of rice starch and its fractions in relation to gelatinization and pasting characteristics. *Journal of Applied Polymer Science*, 1965. 9: p. 3775-3790.
76. Lu S., C. L.N., and L. C.Y., Correlation between the fine structure, physicochemical properties, and retrogradation of amylopectins from Taiwan rice varieties. *Cereal Chemistry*, 1997. 74(1): p. 34-39.
77. Lourdin D., et al., Influence of equilibrium relative humidity and plasticizer concentration on the water content and glass transition of starch materials. *Polymer*, 1997. 38(21): p. 161-166.
78. Lourdin D., B. H., and C. P., Antiplasticization in starch-glycerol films. 1996.
79. Lourdin D., D.V. G., and C. P., Influence of amylose content on starch films and foams. *Carbohydrate Polymers*. 27: p. 261-270.
80. Lourdin D, B. H., and C. P., Correlation between static Mechanical properties of starch-glycerol materials and low-temperature relaxation. *Macromol. Symp.*, 1997. 114: p. 179-185.
81. \*Liu, H. and J. Lelièvre, A differential scanning calorimetry study of glass and melting transitions in starch suspensions and gels. *Carbohydrate Research*, 1991. 219: p. 23-32.

82. Lindborg K.M., et al., Time-resolved shear viscosity of wheat flours doughs-effect of mixing, shear rate and resting on the viscosity of doughs of different flours. *Cereal Chemistry*, 1997. 77(1): p. 49-55.
83. Likimani T.A., M. J.A., and S. J.N., The rate of starch hydrolysis in extruded corn/soybean products. *Lebensm.Wiss.u.Technol.*, 1990. 23: p. 226-228.
84. \*Lii, C.Y., Y.Y. Shao, and K.-H. Tseng, Gelation mechanism and rheological properties of rice starch. *Cereal Chemistry*, 1995. 72(4): p. 393-400.
85. Lii C.Y., L.M.F., Liu K.F. and Chang W.H., Influences of polyols on thermal and dynamic viscoelastic properties of rice starches during gelatinization. *starch*, 1997. 49(9): p. 346-354.
86. Levine H. and S. L., A polymer physico-chemical approach to the study of commercial starch hydrolysis products SHPs. *Carbohydrate Polymers*, 1986. 6: p. 213-244.
87. Leloup, V.M., P. Colonna, and S.G. Ring, Studies on probe diffusion and accessibility in amylose gels. *Macromolecules*, 1990. 23: p. 862-866.
88. Leloup V.M., et al., Microstructure of amylose gels. *Carbohydrate Polymers*, 1992. 18: p. 189-197.
89. Leloup V.M., C. P., and B. A., Influence of amylose-amylopectin ration on gel properties. *Journal of Cereal science*, 1991. 13: p. 1-13.
90. Lelièvre J., Thermal analysis of carbohydrates as illustrated by aqueous starch system, in *Development in Carbohydrate Chemistry*, Alexander R.J. and Z. H.F., Editors. 1992, American Association of Cereal Chemists. p. 137-161.
91. \*Le Bail, P., et al., Polymorphic transitions of amylose-ethanol crystalline complexes induced by moisture exchanges. *Starch/Stärke*, 1995. 47(6): p. 229-232.
92. Lasseran, J.C. Chemical and physical changes in maize components affecting quality for the wet-milling industry. in *Uniformity by 2000. Highlights of an international workshop on maize and soybean quality: Scherer communications*.
93. Lai L.S. and K. J.L., Physicochemical changes and rheological properties of starch during extrusion (a review). *Biotechnol.Prog.*, 1991. 7: p. 251-266.
94. Kurtz, F.A. and M.A. Eliason, Corn syrup composition-refractive index-dry substance relation: development of a general equation. *Journal of chemical and engineering data*, 1979. 24(1): p. 44-45.
95. Kubic S. and W. G., Characterization and chemical modification of amylose complexes. *Starch*, 1993. 45(6): p. 220-225.
96. Kobayashi S., S.S.J.a.L.D.R., Comparison of the structures of amylopectins from different wheat varieties. *Cereal Chemistry*, 1986. 63(2): p. 71-74.
97. Klinger R.W. and Z. M., Molecular characterization of amylose of different origins. *starch*, 1992. 44(11): p. 414-418.
98. \*Kitamura, S., S. Yoneda, and T. Kuge, Study on the retrogradation of starch. I. Particle size and its distribution of amylose retrograded from aqueous solutions. *Carbohydrate Polymers*, 1984. 4: p. 127-136.
99. Kirby K. W., Non-Food uses of starch, in *Developments in Carbohydrate Chemistry*, A. R.J. and Z. H.F., Editors. 1992, American Association of Cereal Chemists. p. 371-386.
100. \*Kim, S.S. and C.S. Setser, Wheat starch gelatinization in the presence of polydextrose or hydrolyzed barley  $\beta$ -glucan. *Cereal Chemistry*, 1992. 69(4): p. 447-452.
101. Kim K. and H. M.K., Depolymerization of starch by high pressure extrusion. *Journal of Food Science*, 1987. 52(5): p. 1387-1390.
102. \*Karkalas, J., An improved enzymic method for the determination of native and modified starch. *J sci food agric*, 1985. 36: p. 1019-1027.
103. Kano Y., A comparison of the amylose content of large and small starch granules from barley and malt. *Bulletin Of Brewing Science*, 1997. 23: p. 1-8.
104. Kano, Y., et al., Structural changes in starch molecules during the malting of barley. *Agric.Biol.Chem.*, 1981. 45(9): p. 1969-1975.
105. Kano, Y. and T. Karakawa, Importance of the residual starch in the spent grains for wort run-off. *Bulletin Of Brewing Science*, 1979. 25: p. 1-7.
106. Kano, Y., Properties of the residual starch in the fine particles of spent grains. *Bulletin Of Brewing Science*, 1975. 21: p. 1-7.
107. Kalichevsky M.T., J.E.M., Ablett S., Blanshard J.M.V. and Lillford P.J., The glass transition of amylopectin measured by DSC, DMTA and MNR. *Carbohydrate Polymers*, 1992. 18: p. 77-88.
108. Kalichevsky M.T., J. E.M., and B. J.M.V., A study of the glass transition of amylopectin-sugar mixtures. *Polymer*, 1993. 34(2): p. 346-358.
109. Jane, J.L. and J.J. Shen, Internal structure of the potato starch granule revealed by chemical gelatinization. *Carbohydrate Research*, 1993. 247: p. 279-290.
110. Jane J.L. and I. A., Mechanism of starch gelatinization in neutral salt solution. *Starch*, 1993. 45(5): p. 161-166.

111. Jacobson M.R. and B. J.N., Method for determining the rate extend of accelerated starch retrogradation. *Cereal Chemistry*, 1998. 75(1): p. 22-29.
112. \*Imberty, A., et al., The double-helical nature of the crystalline part of A-starch. *J. Mol. Biol.*, 1988. 201: p. 365-378.
113. \*Imberty, A., et al., Recent advances in knowledge of starch structure. *Starch/Stärke*, 1991. 43(10): p. 375-384.
114. Huang V.T., et al., Glass transitions in starch;gluten and bread as measured:dielectric pectroscopy and TMA methods. *Journal of Thermal Analysis*, 1996. 47: p. 1289-1298.
115. Honig D.H. and C. M.E., Preparation and characterization of copolymers of modofied starches and polyacrylonitrile. *Starch*. 44: p. 268-271.
116. Hayashi A., K.K.a.M.Y., The conformation of amylose in solution. *Polymer journal*, 1981. 13(6): p. 537-541.
117. \*Hayashi, A., et al., Gelation and its related \*changes in amylose solution. *Agric.Biol.Chem.*, 1983. 47(8): p. 1699-1704.
118. Hauber R.J. , B.J.N.a.F.J.E., Swelling and reactivity of maize starch granules. *starch*, 1992. 44(9): p. 323-327.
119. \*Hari, P.K., A.K. Agarwala, and S. Garg, Moisture accessibility of hydrophilic sites in starch and modified starch. *Starch/Stärke*, 1998. 40(6): p. 221-223.
120. \*Hansen, L.M., C.S. Setser, and J.V. Paukstelis, Investigations of sugar-starch interactions using carbon-13 nuclear magnetic resonance. I. Sucrose. *Cereal Chemistry*, 1989. 66(5): p. 411-415.
121. \*Hansen, L.M., J.V. Paukstelis, and C.S. Setser, <sup>13</sup>C nuclear magnetic resonance spectoscopic methods for investigating sucrose-starch interactions with increasing temperature. *Cereal Chemistry*, 1989. 64(6): p. 449-451.
122. Haase N.U. and K. W., Ein Beitrag zur Biosynthese amylosereicher Erbsenstärken. *Starch/Stärke*, 1997. 43(1): p. 2-5.
123. Haase N.H. and K. W., Notes on the quality of pea starch. *Starch*, 1989. 41(2): p. 49-54.
124. Guerrieri N. , et al., Interactions of protein and starch studied through amyloglucosidase action. *Cereal Chemistry*, 1997. 74(6): p. 846-850.
125. Gudmundsson M. and E. A.C., Comparison of thermal and viscoelastic properties of four waxy starches and the effect of added surfactant. *Sarch*, 1992. 44(10): p. 379-385.
126. Grehlinger M., Thermal mechanical characterization of viscoelastic materials using an integrated data analysis package rheometrics.
127. \*Gorinstein, S., Kinetics studies during enzyme hydrolysis of potato and cassava starches. *Starch/Stärke*, 1993. 45(3): p. 91-95.
128. \*Gorinstein, S., The effects of enzyme hydrolysis on the properties of potato, cassava and amaranth starches. *Starch/Stärke*, 1992. 44(12): p. 461-466.
129. Goodfellow B.J. and W. R.H., A Fourier Transform IR study of the gelation of amylose and amylopectin. *Biopolymers*, 1990. 30: p. 1183-1189.
130. \*Godbillot, L. and M. Mathlouthi, Water-native wheat starch. Small molecules interactions. *Biopolymer science: food and non-food applications*, 1998. Septembre: p. 131-135.
131. Gloyna D. , et al., On the thermal behaviour of glucanes .Part 1:studies with starches and starch containing systems. *Stach*, 1991. 43(11): p. 431-437.
132. \*Gidley, M.J., Nuclear magnetic resonance analysis of cereal carbohydrates, A.R.J.a.Z. H.F., Editor. 1992, American association of cereal chemists. p. 163-191.
133. Gidley M.J. and B. P.V., Aggregation of amylose in aqueous systems: the effect of chain length on phase behavior and aggregation kinetics. *Macromolecules*, 1989. 22: p. 341-346.
134. Gidley M.J., Molecular mechanisms underlying amylose aggregation and gelation. *Macromol.*, 1989. 22: p. 351-358.
135. \*Ghiasi, K., E. Varriano-Marston, and R.C. Hosenev, Gelatinization of wheat starch. IV. Amylograph viscosity. *Cereal Chemistry*, 1982. 59(4): p. 262-265.
136. German M.L. , et al., Structure formation in systems containing amylose ,amylopectin,and their mixtures. *Carbohydrate Polymers*, 1992. 18: p. 27-34.
137. \*Gerdes, D.L., E.E. Burns, and L.S. Harrow, Some effects of gelling agents and sweeteners on high and low sugar content carbohydrate gels. *Lenbensm-Wiss.,u. Technol.*, 1987. 20: p. 282-286.
138. \*\*Garry, M.C., Rapid analysis of economically important parameters corn syrup production using an at-line FTIR analyzer.
139. Gaines, C.S., Use of a spindle-type viscometer (Brookfield) to measure the apparent viscosity of acidulated flour-water suspensions. *Cereal foods world*, 1990. 35(8): p. 741-747.

140. \*Fuwa, H., et al., Scanning electron-microscopy of starch granules, with or without amylase attack. *Carbohydrate Research*, 1979. 70: p. 233-238.
141. French D., *J.Jap. Soc. Starch Science*, 1972: p. 8-25.
142. \*Fredriksson, H., et al., The influence of amylose and amylopectin characteristics on gelatinization and retrogradation properties of different starches. *Carbohydrate Polymers*, 1998. 35: p. 119-134.
143. \*Franco, C.M.L., et al., Factors that affect the enzymatic degradation of natural starch granules. Effect of the size of the granules. *Starch/Stärke*, 1992. 44(11): p. 422-426.
144. Forsell P., et al., Plasticization of barley starch with glycerol and water. *Pure Appl. Chem.*, 1996. 33(5): p. 703-715.
145. \*Fisher, D.K. and D.B. Thompson, Retrogradation of maize starch after thermal treatment within above the gelatinization temperature range. *Cereal Chemistry*, 1997. 74(3): p. 344-351.
146. \*Farhat, I.A., et al., The effect of sugars on the diffusion of water in starch gels: a pulsed field gradient NMR study. *International journal of food science and technology*, 1997. 32: p. 377-387.
147. Fahrat, I.A., et al., A pulsed <sup>1</sup>H NMR study of the hydration properties of extruded maize-sucrose mixtures. *Carbohydrate Polymers*, 1996. 30: p. 219-227.
148. \*Evans, I.D. and A. Lips, Viscoelasticity of gelatinized starch dispersions. *Journal of Texture Studies*, 1992. 23: p. 69-86.
149. Endres H.J., K. H., and H. M., Plastification behaviour of different native starches. *starches*, 1994. 46(12): p. 474-480.
150. Elmgren H., Helical conformation of amylose in aqueous solution .I. Viscosity measurements. *Biopolymers*, 1984. 23: p. 2525-2542.
151. \*Eliasson, A.C., et al., On the structure on native starch. An analogue to the quartz structure. *Starch/Stärke*, 1987. 39(5): p. 147-152.
152. Eliasson A.C., A calorimetric investigation of the influence of sucrose on the gelatinization of starch. *Carbohydrate Polymers*, 1992. 18: p. 131-138.
153. Eliasson A.C., Viscoelastic behaviour during the gelatinization of starch .I Comparison of wheat,maize ;potato and waxy barley starches. *Journal of Texture Studies*, 1986. 17: p. 253-265.
154. \*Doublier, J.-L., D. Paton, and G. Llamas, A rheological investigation of oat starch pastes. *Cereal Chemistry*, 1987. 64(1): p. 21-26.
155. \*Doublier, J.-L., G. Llamas, and M. Le Meur, A rheological investigation of cereal starch pastes and gels. Effect of pasting procedures. *Carbohydrate Polymers*, 1987. 7: p. 251-275.
156. Doublier, J.-L., A rheological comparizon of wheat ,maize,faba,bean and smooth pea starches. *Journal of Cereal science*, 1987. 5: p. 247-262.
157. Doublier J.L. and C. L., A rheological description of amylose gelation. *Carbohydrate Research*, 1989. 193: p. 215-226.
158. Doublier J.L. and L. G., A rheological description of amylose - amylopectin mixtures. *Spec. Publ. R. Soc .Chem.*, 1993. 113: p. 138-146.
159. Doublier J.L. , L. B., and C. G., *Viscoelasticity properties of food gels*, R.M.A.a.S. J.F., Editor. 1992, Elsevier Applied Food Science.
160. Dormann K., Employment of starch and starch-containing raw materials in the manufacture of biologically degradable foil and packaging:possibilities and problems. *Zuckerind*, 1991. 116(7): p. 620-623.
161. Dormann K., Möglichkeiten und probleme beim einsatz von stärke und stärkehaltigen rohnstoffen für die herstellung von biologisch abbaubaren folien und verpackungen. *Zuckerindustry*, 1991. 116(7): p. 620-623.
162. Dolan K.D. and S. J.F., Modeling rheological behavior of gelatinizing starch solutions using mixer viscometry data. *Journal of Texture Studies*, 1990. 21: p. 265-294.
163. Denison, R.F., J.M. Fedders, and C.B.S. Tong, Amyloglucosidase hydrolysis can overestimate starch concentration of plants. *Agronomy journal*, 1990. 82: p. 361-364.
164. Dengate, H.N., D.W. Baruch, and P. Meredith, The density of wheat starch granules: a tracer dilution procedure for determining the density for an immiscible dispersed phase. *Starch/Stärke*, 1978. 30(3): p. 80-84.
165. Della Valle G., et al., The extrusion behavior of potato starch. *Carbohydrate Polymers*, 1995. 28: p. 255-264.
166. \*Conde-Petit, B. and F. Escher, Influence of starch-lipid complexation on the ageing behaviour of high concentration starch gels. *Starch/Stärke*, 1994. 46(5): p. 172-177.
167. Colonna P. and M. C., Macromolecular structure of wrinkled-andsmooth-pea starch components. *Carbohydrate Research*, 1984. 126: p. 233-247.

168. \*Colas, B., Flow behaviour of crosslinked corn starches. *Lebensm-Wiss.,u. Technol.*, 1986. 19: p. 308-311.
169. \*Clark, A.H., et al., Rheological studies of aqueous amylose gels: the effect of chain length and concentration on gel modulus. *Macromolecules*, 1989. 22: p. 346-351.
170. \*Chungcharoen, A. and D.B. Lund, Influence of solutes and water on rice starch gelatinization. *Cereal Chemistry*, 1987. 64(4): p. 240-243.
171. \*Christianson, D.D., E.M. Casiraghi, and E.B. Bagley, Deformation and fracture of wheat, corn and rice starch gels in lubricated and bonded uniaxial compression. *Carbohydrate Polymers*, 1986. 6: p. 335-348.
172. \*Chinachoti, P., et al., Gelatinization of wheat starch in the presence of sucrose and sodium chloride: correlation between gelatinization temperature and water mobility as determined by Oxygen-17 NMR. *Cereal Chemistry*, 1991. 68(3): p. 245-248.
173. \*Chinachoti, P., Isotherm equations for starch, sucrose and salt for calculation of high system water activities. *Journal of Food Science*, 1990. 55(1): p. 265-266.
174. \*Cheetham, N.W.H., Oxygen-17 NMR relaxation studies on gelatinization temperature and water mobility in maize starches. *Carbohydrate Polymers*, 1998. 35: p. 279-286.
175. Cheetham N.W.H., Amylose conformational transitions in binary DMSO/Water mixtures. *Carbohydrate Polymers*, 1998. 35: p. 287-295.
176. Charbonnière, R., et al., Etude diffractométrique des amidons de maïs à teneur variable en amylose. *Die Stärke*, 1968. 3(20): p. 75-78.
177. \*Casset, F., et al., Molecular modelling of the interaction between the catalytic site of pig  $\alpha$ -amylase and amylose fragments. *Eur J Biochem*, 1995. 232: p. 284-293.
178. Cameron R.E., D. C.M., and D. A.M., Gelation of amylopectin without long range order. *Starch*, 1994. 46(8): p. 285-287.
179. \*Burt, D.J. and P.L. Russell, Gelatinization of low water content wheat starch. *Water mixtures. Starch/Stärke*, 1983. 35(10): p. 354-360.
180. \*\*Bulkin, B.J., Y. Kwak, and I. Dea, Retrogradation kinetics of waxy corn and potato starches. A rapid Raman spectroscopic study. p. 1-21.
181. Buleon A., C. P., and L. V., Les amidons et leurs dérivés dans les industries des céréales. *IAA*, 1990. 6: p. 515-532.
182. Bryant C.M. and H. B.R., Effect of lime on gelatinization of corn flour and starch. *Cereal Chemistry*, 1997. 74(2): p. 171-175.
183. \*Bonice, A. and N. Verçosa de Médeiros Roposo, Variation of starch and soluble sugars in selected sections of poplar buds during dormancy and post-dormancy. *Plant physiol biochem*, 1990. 28(5): p. 577-586.
184. Bizot H., et al., Calorimetric evaluation on the glass transition in hydrated, linear and branched polyanhydroglucose compounds. *Carbohydrate Polymers*, 1997. 32: p. 33-50.
185. Bircan, C. and S.A. Barringer, Salt-starch interactions as evidenced by viscosity and dielectric property measurements. *Journal of Food Science*, 1998. 63(6): p. 983-986.
186. \*Biliaderis, C.G. and J. Zawistowski, Viscoelastic behavior of aging starch gels: effects of concentration, temperature, and starch hydrolysates on network properties. *Cereal Chemistry*, 1990. 67(3): p. 240-246.
187. \*Biliaderis, C.G., C.M. Page, and T.J. Maurice, Non-equilibrium melting of amylose-V complexes. *Carbohydrate Polymers*, 1986. 6: p. 269-288.
188. \*Biliaderis, C.G., et al., Effects of hydrocolloids on gelatinization and structure formation in concentrated waxy maize and wheat starch gels. *Starch/Stärke*, 1997. 49(7/8): p. 278-283.
189. \*Biliaderis, C.G., The structure and interactions of starch with food constituents. *Can. J. Physiol. Pharmacol*, 1991. 69: p. 60-78.
190. Biliaderis C.G., Characterization of starch networks by small strain dynamic rheometry, in *Developments in Carbohydrate Chemistry*, Alexander R.J. and Z. H.F., Editors. 1992, American Association of Cereal Chemists. p. 87-135.
191. Bhattacharya M. and H. M.A., Viscosity modelling of dough in extrusion. *Journal of Food Technology*, 1986. 21: p. 167-174.
192. Bertoft E., Q. Z., and M. R., Studies on the structure of pea starches. Part 3: amylopectin of smooth pea starch. *Starch*, 1993. 45(11): p. 377-382.
193. Bertoft E., Q. Z., and M. R., Studies on the structure of pea starches. Part 4: Intermediate material of wrinkled pea starch. *Starch*, 1993. 45(12): p. 420-425.
194. \*Bertoft, E., R. Manelius, and Z. Qin, Studies on the structure of pea starch. Part 2: a-amylolysis of granular wrinkled pea starch. *Starch/Stärke*, 1993. 45(8): p. 258-263.
195. \*Bertoft, E., R. Manelius, and Z. Qin, Studies on the structure of pea starch.

- Part 1: Initial stages in  $\alpha$ -amylolysis of granular smooth pea starch. *Starch/Stärke*, 1993. 45(7): p. 215-220.
196. Bello-Perez L.A. and P.-I. O., Effects of solutes on retrogradation of stored starches and amylopectins: a calorimetric study. *Starch*, 1995. 47(3): p. 83-86.
197. \*Beleia, A., R.A. Miller, and R.C. Hosney, Starch gelatinization in sugars solutions. *Starch/Stärke*, 1996. 48(7/8): p. 259-262.
198. \*Barrett, A., et al., Effect of sucrose on the structure, mechanical strength and thermal properties of corn extrudates. *Carbohydrate Polymers*, 1995. 26: p. 261-269.
199. Banks W. and G. C.T., *Starch and its components*. 1975, Edinburg: Edinburg University Press.
200. Bagley E.B. and C. D.D., Swelling capacity of starch and its relationship to suspension viscosity-effect of cooking time, temperature and concentration. *J. Texture Stud.*, 1982. 13: p. 115-126.
201. Bader, H.G. and D. Göritz, Investigations on high amylose corn starch films. Part 1: Wide angle X-ray scattering (WAXS). *Starch/Stärke*, 1994. 46(6): p. 229-232.
202. Azudin M.N. and M. W.R., NON-starch lipids and starch lipids in milled rice. *Journal of Cereal science*, 1986. 4: p. 23-31.
203. \*Autio, K., Rheological and microstructural changes of oat and barley starches during heating and cooling. *Food Structure*, 1990. 9: p. 297-304.
204. Augusta J., M. R.J., and W. H., Biodegradable polymers: test methods and assessment standards. *Chem.ing. Tech.*, 1992. 62(5): p. 410-415.
205. Arvanitoyannis I., et al., Biodegradable films made from low density polyethylene(LDPE), ethylene acrylic acid (EAA), polycaprolactone (PCL) and wheat starch for food packaging applications: part 3. *Starch*, 1997. 49(7/8): p. 306-322.
206. \*Alloncle, M., et al., A rheological characterization of cereal starch- galactomannan mixtures. *Cereal Chemistry*, 1989. 66(2): p. 90-93.
207. \*Alloncle, M. and J.-L. Doublier, Viscoelastic properties of maize starch/hydrocolloid pastes and gels. *Food Hydrocolloids*, 1991. 5(5): p. 455-467.
208. Aggour, Y.A., Chemical modification, cross-linking and characterization of some starch hydrogels. *Starch/Stärke*, 1993. 45(2): p. 55-59.
209. Abraham T.E., Stabilization of paste viscosity cassava starch by heat moisture treatment. *Starch*, 1993. 45(4): p. 131-135.
210. \*Abdulmola, N.A., et al., Effect of xanthan on the small-deformation rheology of crosslinked and uncrosslinked waxy maize starch. *Carbohydrate Polymers*, 1996. 31: p. 65-78.