

RESSOURCES DU LABORATOIRE DE CHIMIE PHYSIQUE INDUSTRIELLE

Catégorie : ENZYMES

1. Adrian, J. and R. Frangne, Comportement thermique des microorganismes alimentaires: levures et algues spirulines. Industries alimentaires et agricoles, 1975: p. 1365-1375.
2. Almarsson, O. and A.M. Klivanov, Remarkable activation of enzymes in nonaqueous media by denaturing organic cosolvents. Biotechnology and bioengineering, 1996. 49: p. 87-89.
3. Anisimova, V.V., et al., Proteinase-catalyzed peptide synthesis in concentrated solutions of urea and other denaturing agents. INT J peptide protein res, 1996. 47: p. 28-35.
4. Ann, Y.G., et al., Preparation and some properties of active monomer of sweet potato α -amylase. Agric.biol.chem, 1990. 54(3): p. 769-774.
5. Antonini, E., G. Carrera, and P. Cremonesi, Enzyme catalyzed reactions in water-organic solvent two-phase systems. Enzyme and microbial technology, 1981. 3: p. 291-296.
6. Ara, K., K. Saeki, and S. Ito, Purification and characterization of an alkaline isoamylase from alkalophilic strain of Bacillus. Journal of general microbiology, 1993. 139: p. 781-786.
7. Asp, E.H., Laboratory methods for α -amylase analysis. Cereal foods world, 1990. 35(9): p. 941-946.
8. Asther, M. and J.C. Meunier, Increased thermal stability of Bacillus licheniformis α -amylase in the presence of various additives. Enzyme and microbial technology, 1990. 12: p. 902-905.
9. Ayberbe, A., Valorisation de la charge organique des effluents par transformation en protéines microbiennes. Industries alimentaires et agricoles, 1978(151-159).
10. Azhari, R., et al., Purification and characterization of endo- and exo-inulinase. Biotechnology and applied biochemistry, 1989. 11: p. 105-117.
11. Baret, J.L., Progrès technologique dans le domaine des enzymes immobilisées. Industries alimentaires et agricoles, 1978: p. 957-962.
12. Baumgartner, S. and W. Praznik, Purification of exo- and endoinulinas from crude inulinase extract for the analysis of fructans. Int J Biol Macromol, 1995. 17(5): p. 247-250.
13. Berg, O.S., et al., Thermodynamic and kinetic basis of interfacial activation: resolution of binding and allosteric effects on pancreatic phospholipase A2 at zwitterionic interfaces. Biochemistry, 1997. 36: p. 14512-14530.
14. Berkowitz, D.B. and S.A. Benner, Anomeric specificity of L-fucose dehydrogenase: a stereochemical imperative in aldopyranose dehydrogenase. Biochemistry, 1987. 26(9): p. 2606-2611.
15. Biellmann, J.F., Chemistry and structure of alcohol dehydrogenase: some general considerations on binding mode variability. Accounts of chemical research, 1986. 19: p. 321-328.
16. Bille, V. and J. Remacle, Simple-kinetic descriptions of alcohol dehydrogenase after immobilization on tressyl-chloride-activated agarose. Eur.J.Biochem, 1986. 160: p. 343-348.
17. Boland, W., C. Frössl, and M. Lorenz, Esterolytic and lipolytic enzymes in organic synthesis. Synthesis. Journal of synthetic organic chemistry, 1991. 12: p. 1049-1072.

18. Boze, H., et al. Kinetics of the amyloglucosidase of *Schwanniomyces castelli*. in seventh international symposium on yeasts. 1988. Perugia.
19. Boze, H., G. Moulin, and P. Galzy, A comparison of growth yields obtained from *Schwanniomyces castelli* and an alcohol dehydrogenase mutant. *Biotechnology letters*, 1987. 9(7): p. 461-466.
20. Boze, H., G. Moulin, and P. Galzy, Influence of culture conditions on the cell yield amyloses biosynthesis in continuous culture by *Schwanniomyces castelli*. *Arch microbiol*, 1987. 148: p. 162-166.
21. Breckenridge, R.J. and C.J. Suckling, Enzyme inhibition by electrophilic cyclopropane derivatives. *Tetrahedron*, 1986. 42(20): p. 5665-5677.
22. Breierova, E., M. Kacurakova, and E. Stratilova, The effects of higher concentration of NaCl in the cultivation medium on changes in the composition of extracellular yeast glycoproteins. *System.Appl.Microbiol.*, 1997. 20: p. 348-355.
23. Breuil, C. and J.N. Saddler, Comparison of the 3,5-dinitrosalicylic acid and Nelson-Somogyi methods of assaying for reducing sugars and determining cellulase activity. *Enzyme and microb. technol*, 1985. 7: p. 327-332.
24. Bull, H.B. and K. Breese, Interaction of alcohols with proteins. *Biopolymers*, 1978. 17: p. 2121-2131.
25. Bustos, R.O. and C.R. Romo, Stabilisation of trypsin-like enzymes from antarctic krill: effect of polyols, polysaccharides and proteins. *J.Chem.Tech.Biotechnol*, 1996. 65: p. 193-199.
26. Butler, L.G., Enzymes in non-aqueous solvents. *Enzyme and microbial technology*, 1979. 1: p. 253-259.
27. CBN, IUPAC, and IUB, Nomenclature des formes multiples des enzymes. *Biochimie*, 1972. 54: p. 123-125.
28. Cleland, W.W. and M.M. Kreevoy, Low-barrier hydrogen bonds and enzymic catalysis. *Science*, 1994. 264: p. 1887-1890.
29. Coleman, P.M., J.N. Jansonius, and B.W. Matthews, The structure of thermolysin: an electron density map at 2.3 Å resolution. *J.Mol.Biol*, 1972. 70: p. 701-724.
30. de la Guerivière, J.F., J. Lallemand, and S. Achache, Texturation de protéines végétales par cuisson-extrusion. *Industries alimentaires et agricoles*, 1978: p. 173-178.
31. Degn, H., S. Bohatka, and D. Lloyd, Enzyme activity in organic solvent as a function of water activity determined by membrane inlet mass spectrometry. *Biotechnology techniques*, 1992. 6(2): p. 161-164.
32. Dewar, M.J.S., New ideas about enzyme reactions. *Enzyme*, 1986. 36: p. 8-20.
33. Diefenbach, R., H. Keweloh, and H.J. Rehm, Fatty acid impurities in alginate influence the phenol tolerance of immobilized *Escherichia coli*. *Appl microbiol biotechnol*, 1992. 36: p. 530-534.
34. **Endo, S., Studies on protease produced by thermophilic bacteria. p. 346-353.
35. Ettalibi, M. and J.C. Baratti, Molecular and kinetic properties of *Aspergillus ficuum* inulinases. *Agric.biol.chem*, 1990. 54(1): p. 61-68.
36. Fassina, G., et al., Autolysis of thermolysin. Isolation and characterization of a folded three-fragment complex. *Eur.J.Biochem*, 1986. 156: p. 221-228.
37. Feder, J., N. Aufderheide, and B.S. Wildi, Studies on the inhibition of thermolysin. (41-54).

38. Feder, J. and J.M. Shuck, Studies on the Bacillus subtilis neutral-protease- and Bacillus thermoproteolyticus thermolysin-catalysed hydrolysis of dipeptide substrates. *Biochemistry*, 1970. 9(14): p. 2784-2791.
39. **Fontana, A., E. Boccu, and F.M. Veronese, Effect of EDTA on the conformational stability of stability of thermolysin. p. 55-59.
40. Freudenreich, C., et al., Designed inhibitors of horse liver dehydrogenase. Effect of active-site metal ion substitution. *FEBS letters*, 1986. 196(1): p. 160-162.
41. Friboulet, A., M.H. Remy, and A. Roseto, Les abzymes, anticorps catalytiques. *Biofutur*, 1991. Septmbre: p. 45-54.
42. Fujita, K., et al., Purification and some properties of b-fructofuranosidase I from Arthrobacter sp.K-1. *Agric.biol.chem*, 1990. 54(4): p. 913-919.
43. Fukuda, M. and S. Kunugi, Pressure dependence of thermolysin catalysis. *Eur.J.Biochem*, 1984. 142: p. 565-570.
44. Gekko, K. and S.N. Timasheff, Mechanism of protein stabilization by glycerol: preferential hydration in glycerol-water mixtures. *Biochemistry*, 1981. 20: p. 4667-4676.
45. Gekko, K. and S.N. Timasheff, Thermodynamic and kinetic examination of protein stabilization by glycerol. *Biochemistry*, 1981. 20: p. 4677-4686.
46. **Gendrand, M., Les dosages enzymatiques par mesure de bioluminescence. p. 1-14.
47. Gonzalez, R.D., A simple and sensitive method detection of pullulanase and isoamylase activities in polyacrylamide gels. *Biotechnology techniques*, 1994. 8(9): p. 659-662.
48. Griebnow, K. and A.M. Klibanov, On protein denaturation in aqueous-organic mixtures but not in pure organic solvents. *Journal of the american chemical society*, 1996. 118(47): p. 11695-11700.
49. Grochulski, P., et al., Insights into interfacial activation from an open structure of Candida rugosa lipase. *The journal of biological chemistry*, 1993. 268(17): p. 12843-12847.
50. Grossman, L., Enzymes involved in the repair of damaged DNA. *Archives of biochemistry and biophysics*, 1981. 211(2): p. 511-522.
51. Hamada, H., et al., Effects of ethanol of the induction of respiration-deficient mutants in yeast by metal ions. *Chem pharm bull*, 1985. 33(8): p. 3507-3509.
52. Han, D., P. Walde, and P.L. Luisi, Dependence of lipase activity on water content and enzyme concentration in reverse micelles. *Biocatalysis*, 1990. 4: p. 153-161.
53. Hanguaer, D.G., A.F. Monzino, and B.W. Marththews, An interactive computer graphics study of thermolysin-catalyzed peptide cleavage and inhibition by N-carboxymethyl dipeptides. *Biochemistry*, 1984. 23(24): p. 5730-5741.
54. Hara, K. and M. Kasai, The mechanism of increase in the ATPase activity of sarcoplasmic reticulum vesicles treated with n-alcohols. *J Biochem*, 1977. 82: p. 1005-1017.
55. Hennig, J., et al., Molecular mechanism of regulation of the pyruvate dehydrogenase complex from E.coli. *Biochemistry*, 1997. 36: p. 15772-15779.
56. Hofer, P., U.P. Fringeli, and W.H. Hopff, Activation of acetylcholinesterase by monovalent (Na⁺, K⁺). *Biochemistry*, 1984. 23: p. 2730-2734.

57. Hoggett, J.G. and G.L. Kellett, Kinetics of the cooperative binding of glucose to dimeric yeast hexokinase P-I. *Biochem J*, 1995. 305: p. 405-410.
58. **Holcomb, D.N. and K.E. Van Holde, Ultracentrifugal and viscosimetric studies of the reversible thermal denaturation of ribonuclease. 1966. 62: p. 1999-2006.
59. Holland, D.R., et al., Structural analysis of zinc substitutions in the active site of thermolysin. *Protein science*, 1995. 4: p. 1955-1965.
60. Holmes, M.A. and B.W. Matthews, Binding of hydroxamine acid inhibitors to crystalline thermolysin suggests a pentacoordinate zinc intermediate in catalysis. *Biochemistry*, 1981. 20(24): p. 6912-6920.
61. Hughes, W.L., A simple micromethod for measuring enzyme activities which release tritium as tritium water. *Analytical biochemistry*, 1987. 161: p. 529-532.
62. Hultin, H.O., Symposium: immobilized enzymes in food systems. Characteristics of immobilized multi-enzymic systems. *Journal of food science*, 1974. 39: p. 647-652.
63. Imanaka, T., M. Shibazaki, and M. Takagi, A new way of enhancing the thermostability of protease. *Nature*, 1986. 324: p. 695-697.
64. Inagaki, T., K. Tadasa, and H. Kayahara, Modification effects of organic solvents on microenvironment of the enzyme in thermolysin-catalyzed peptide synthesis of N-(benzyloxycarbonyl)-L-phenylalanyl-L-phenylalanine methyl ester. 58, 1994. 8(1439-1442).
65. Inagaki, T., K. Tadasa, and H. Kayahara, Effects of normal and their branched alcohols with structurally minimal variation on kinetic parameters in thermolysin-catalyzed peptide hydrolysis and synthesis of N-(benzyloxycarbonyl)-L-phenylalanyl-L-phenylalanine and its methyl ester. *Biosci Biotech Biochem*, 1995. 59(3): p. 535-537.
66. Inouye, K., Effects of salts on thermolysin: activation of hydrolysis and synthesis of N-carbobenzoxy-L-aspartyl-L-phenylalanine methyl ester, and a unique change in the absorption spectrum of thermolysin. *J Biochem*, 1992. 112: p. 335-340.
67. Inouye, K., et al., Effects of pH, temperature, and alcohols on the remarkable activation of thermolysin by salts. *J Biochem*, 1997. 122: p. 358-364.
68. Inouye, K., S.B. Lee, and B. Tonomura, Effect of aminoacid residues at the cleavable site of substrates on the remarkable activation of thermolysin by salts. *Biochem J*, 1996. 315: p. 133-138.
69. Israilides, C., et al., A novel rapid coupled enzyme assay for the estimation of pullulan. *Biotechnology and applied biochemistry*, 1994. 19: p. 285-291.
70. Iwamoto, H., et al., Interaction between pullulanase from *Klebsiella pneumoniae* and cyclodextrins. *J Biochem*, 1993. 113(1): p. 93-96.
71. Izquiero, M.C. and R.L. Stein, Mechanistic studies of thermolysin. *J.Am.Chem. Soc*, 1990. 112: p. 6054-6062.
72. Jongeneel, C.V., J. Bouvier, and A. Bairoch, A unique signature identifies a family of zinc-dependent metallopeptidases. *FEBS letters*, 1989. 242(2): p. 211-214.
73. Kahn, P.C., M. Bassompierre, and M. Waks, Hydration memory of lysozyme: a misinterpretation. *Biochemical and biophysical research communications*, 1990. 166(2): p. 1039-1046.

74. Kambourova, M.S. and E.I. Emanuilova, Purification and general biochemical properties of thermostable pullulanase from *Bacillus stearothermophilus* G-82. *Applied biochemistry and biotechnology*, 1992. 33: p. 193-203.
75. Kidokoro, S.I., et al., Remarkable activity enhancement of thermolysin mutants. *FEBS letters*, 1995. 367: p. 73-76.
76. Klaushofer, H., B. Abraham, and G. Leichtfried, Hydrolaseaktivität bei Topinambur und Zichorie. *Zuckerindustrie*, 1988. 113(3): p. 209-215.
77. Klibanov, A.M., Enzymes that work in organic solvents. *ChemTech*, 1986. 16: p. 354-359.
78. Klibanov, A.M., Enzymatic catalysis in anhydrous organic solvents. *TIBS*, 1989. 14: p. 141-144.
79. Kobayashi, T. and K. Laidler, Theory of the kinetics of reactions catalyzed by enzymes attached to membranes. *Biotechnology and bioengineering*, 1974. 16: p. 77-97.
80. Komolprasert, V. and R.Y. Ofoli, Effect of shear on thermostable α -amylase activity. *Lebensm.Wiss.U.Technol*, 1990. 23: p. 412-417.
81. Koren, R. and A.S. Mildvan, Magnetic resonance and kinetic studies of the role of the divalent cation activator of RNA polymerase from *Escherichia coli*. *Biochemistry*, 1977. 16(2): p. 241-249.
82. Kotylak, Z. and M. Raafat El-Gewely, A genetic analysis of an alpha-amylase super-secretor in yeast; implications for the regulatory pathway. *Curr genet*, 1991. 20: p. 181-184.
83. Kunugi, S., H. Hirohara, and N. Ise, pH and temperature dependences of thermolysin catalysis. Catalytic role of zinc-coordinated water. *Eur.J.Biochem*, 1982. 124: p. 157-163.
84. Kunugi, S., et al., The effect of high pressure on thermolysin. *Eur.J.Biochem*, 1997. 248: p. 567-574.
85. **Larreta-Garde, V., Z.F. Xu, and D. Thomas, Behaviour of enzymes in the presence of additives: influence of alcohols, polyols, and sugars on activity of yeast alcohol dehydrogenase.
86. Latt, S.A., B. Holmquist, and B.L. Vallee, Thermolysin: a zinc metalloenzyme. *Biochemical and biophysical research communications*, 1969. 37(2): p. 333-339.
87. Lavery, R. and Pullman, A theoretical model study of the mechanism of action of the enzyme glyoxylase I. *International journal of quantum chemistry: quantum symposium 6*, 1979: p. 469-474.
88. Lee, L.L.Y. and J.C. Lee, Thermal stability of proteins in the presence of poly(ethylene glycols). *Biochemistry*, 1987. 26: p. 7813-7819.
89. Lee, Y.Y. and G.T. Tsao, Symposium: immobilized enzymes in food systems. Mass transfer characteristics of immobilized enzymes. *Journal of food science*, 1974. 39: p. 667-672.
90. Legin, E., et al., Thermostable amylolytic enzymes of thermophilic microorganisms from deep-sea hydrothermal vents. *Animal biology*, 1997. 320: p. 893-898.
91. Lesk, A.M. and D.R. Boswell, Does protein structure determine amino acid sequence? *Bioessays*, 1992. 14(6): p. 407-410.
92. Ligné, T., et al., Additional data about thermolysin specificity in buffer- and glycerol-containing media. *Biochimica et biophysica acta*, 1997. 1337: p. 143-148.
93. Luonteri, E., M. Tenkanen, and L. Viikari, Substrate specificities of *Penicillium simplicissimum* α -galactosidases. *Enzyme and microbial technology*, 1998. 22: p. 192-198.
94. **Lüscher, M. and M. Rüegg, DSC Untersuchungen an Protein-Wasser Systemen. p. 217-226.

95. Mac Gregor, A.W. and L. Dushnicky, α -amylase in developing barley kernels. A reappraisal. *J.Inst.Brew*, 1989. 95: p. 29-33.
96. Mandenius, C.F., B. Danielson, and B. Mattiasson, Enzyme thermistor control of the sucrose concentration at a fermentation with immobilized yeast. *Acta chem scand*, 1980. B34(6): p. 463-465.
97. Mares-Guia, M. and E. Shaw, Studies on the active center of trypsin. The binding of amidines and guanidines as models of the substrate side chain. *The journal of biological chemistry*, 1965. 240(4): p. 1579-1584.
98. Matsubara, H., Observations on the specificity of thermolysin with peptides. *Biochemical and biophysical research communications*, 1966. 24(3): p. 427-430.
99. Matsubara, H., et al., Specific nature of hydrolysis of insulin and tobacco mosaic virus protein by thermolysin. *Archives of biochemistry and biophysics*, 1996. 115: p. 324-331.
100. Matsubara, H., et al., Observations on the specificity of a thermostable bacterial protease " thermolysin ". *Biochemical and biophysical research communications*, 1965. 21(3): p. 242-247.
101. Matthews, B.W., L.H. Weaver, and W.R. Kester, The conformation of thermolysin. *The journal of biological chemistry*, 1974. 243(24): p. 8030-8044.
102. Mc Elfresh, K.C. and J.F. Mc Donald, The effect of temperature on biochemical and molecular properties of *Drosophila* alcohol dehydrogenase. *Biochemical genetics*, 1986. 24(11/12): p. 873-889.
103. Mejri, M., et al., Effect of polyhydroxylic additives on the catalytic activity of thermolysin. *Enzyme and microbial technology*, 1998. 23: p. 392-396.
104. Mellouli, L., et al., Characterization and molecular cloning of thermostable α -amylase from *Streptomyces* sp.T01. *Biotechnology letters*, 1996. 18(7): p. 809-814.
105. Mikuni, K., M. Monma, and K. Kainuma, Alcohol fermentation of corn starch digested by *Chalara paradoxa* amylase without cooking. *Biotechnology and bioengineering*, 1987. 29: p. 729-732.
106. Mock, W.L. and M. Aksamawati, Binding to thermolysin of phenolate-containing inhibitors necessitates a revised mechanism of catalysis. *Biochem J*, 1994. 302: p. 57-68.
107. Monod, J., Quelques réflexions sur les relations entre structures et fonctions dans les protéines globulaires. *Année biologique*, 1965. 4(3/4): p. 231-240.
108. Monzingo, A.F. and B.W. Matthews, Binding of N-carboxymethyl dipeptide inhibitors to thermolysin determined by X-ray crystallography: a novel class of transition-state analogues for zinc peptidases. *Biochemistry*, 1984. 23: p. 5724-5729.
109. Nakamura, K., T. Hoshino, and H. Ariyama, Adsorption of carbon dioxide on proteins in the supercritical region. *Agric.biol.chem*, 1991. 55(9): p. 2341-2347.
110. **Noble, J., La récupération des protéines. p. 689-694.
111. Nurul Alam, M., K. Tadesa, and H. Kayahara, Kinetic behavior of activation of thermolysin by normal alcohols. *Biotechnology letters*, 1996. 18(1): p. 45-50.
112. O'Donohue, M.J. and A. Beaumont, The role of the prosequence of thermolysin in enzyme inhibition and folding in vitro. *The journal of biological chemistry*, 1996. 271(43): p. 26477-26481.
113. O'Donohue, M.J., B.P. Roques, and A. Beaumont, Cloning and expression in *Bacillus subtilis* of the npr gene from *Bacillus thermoproteolyticus* Rokko coding for the thermostable metalloprotease thermolysin. *Biochem J*, 1994. 300: p. 599-603.

114. Okitani, A., R. Kwang Cho, and H. Kato, Polymerization of lysozyme and impairment of its amino acid residues caused by reaction with glucose. *Agric.biol.chem*, 1984. 48(7): p. 1801-1808.
115. Olson, N.F. and T. Richardson, Symposium: immobilized enzymes in food systems. *Immobilized enzymes in food processing and analysis. Journal of food science*, 1974. 39: p. 653-659.
116. Oteng-Gyang, G., G. Moulin, and P. Galzy, Effect of medium composition on excretion and biosynthesis of the amylases of *Schwanniomyces castelli*. *European J appl microbiol biotechnol*, 1980. 9: p. 129-132.
117. Pauthe, E., et al., Structural studies of a small (linear, cyclic) peptide as a synthetic substrate for thermolysin. *Journal of molecular structure*, 1998.
118. Plantner, J.J., A microassay for proteolytic activity. *Analytical biochemistry*, 1991. 195: p. 129-131.
119. Polgar, L., Effects of ionic strength on the catalysis and stability of prolyl oligopeptidase. *Biochem J*, 1995. 312: p. 267-271.
120. Quinquampoix, H., P. Chassin, and R.G. Ratcliffe, Enzyme activity and cation exchange as tools for the study of the conformation of proteins adsorbed on mineral surfaces. *Progress in colloid and polymer science*, 1989. 79: p. 59-63.
121. Rayas-Duarte, P., D. Bergeron, and S. Nielsen, Screening of heat-stable trypsin inhibitors in dry beans and their partial purification from great northern beans (*Phaseolus vulgaris*) using anhydrotrypsin-sepharose affinity chromatography. *J agric food chem*, 1992. 40: p. 32-43.
122. Reddy, A.V., R. Mac Coll, and F. Maley, Effect of oligosaccharides and chloride on the oligomeric structures of external, internal, and deglycosylated invertase. *Biochemistry*, 1990. 29(10): p. 2482-2487.
123. Roberts, I.M., P. Jacobson, and J. Cornette, Secondary structures of rat lipolytic enzymes: circular dichroism studies and relation to hydrophobic moments. *Biochemical and biophysical research communications*, 1989. 162(1): p. 95-101.
124. Roderick, S.L., et al., Thiorphan and retro-thiorphan display equivalent interactions when bound to crystalline thermolysin. *Biochemistry*, 1989. 28: p. 1493-1497.
125. Röhm, K.H., Chloride as allosteric effector of yeast aminopeptidase I. *Archives of biochemistry and biophysics*, 1985. 239(1): p. 216-225.
126. Ross, N.W. and H. Schneider, Activities of *Candida rugosa* lipase and other esterolytic enzymes coated on glass beads and suspended in substrate and water vapor: enzymes in thin liquid films. *Enzyme and microb. technol*, 1991. 13: p. 370-377.
127. Rutherford, P.P. and A.C. Deacon, b-fructofuranosidases from roots of Dandelion (*Taraxacum officinale* Weber). *Biochem J*, 1972. 126: p. 569-573.
128. Rutherford, P.P. and A.C. Deacon, The mode of action of Dandelion root b-fructofuranosidases on inulin. *Biochem J*, 1972. 129: p. 511-512.
129. Sadana, A. and J.P. Henley, Single-step unimolar non-first-order enzyme deactivation kinetics. *Biotechnology and bioengineering*, 1987. 30: p. 717-723.
130. Saha, B.C., et al., Characterization of an endo-acting amylopullulanase from *Thermoanaerobacter* strain B6A. *Applied and environmental microbiology*, 1990. 56(4): p. 881-886.
131. Saha, B.C., et al., New thermostable α -amylase-like pullulanase from thermophilic *Bacillus* sp.3183. *Enzyme and microbial technology*, 1989. 11: p. 760-764.

132. Saitoh, Y., H. Yokosawa, and S. Ishii, Sodium dodecyl sulfate-induced conformational and enzymatic changes of multicatalytic proteinase. *Biochemical and biophysical research communications*, 1989. 162(1): p. 334-339.
133. Samama, J.P., K.M. Lee, and J.F. Biellmann, Enzymes and microemulsions. Activity and kinetic properties of liver alcohol dehydrogenase in ionic water-in-oil microemulsions. *Eur.J.Biochem*, 1987. 163: p. 609-617.
134. Samanta, S.R. and G.E. Walrafen, Raman intensities and interactions in aqueous lysozyme solutions. *The journal of chemical physics*, 1978. 68(7): p. 3313-3315.
135. Sandstedt, R.M., E. Kneen, and M.J. Blish, A standardized wohlgemuth procedure for alpha-amylase activity. *Cereal foods world*, 1939. 951: p. 712-723.
136. Sasaki, J., et al., Activation mechanism of NADPH oxidase by SDS in intact guinea pig neutrophils. *Archives of biochemistry and biophysics*, 1994. 315(1): p. 16-23.
137. **Schiller, P.W., Conformational aspects of the enkephalin-opiate receptor interaction. p. 601-608.
138. **Schmid, F.X. and R. Jaenike, Effect of the carbohydrate moiety on the stability folding and association of glycoproteins. p. 115-120.
139. Siebert, K.J., A. Carasco, and P.Y. Lynn, Formation of protein-polyphenol haze in beverages. *J agric food chem*, 1996. 44: p. 1997-2005.
140. Sierks, M. and B. Svensson, Protein engineering of the relative specificity of glucoamylase from *Aspergillus awamori* based on sequence similarities between starch-degrading enzymes. *Protein engineering*, 1994. 7(12): p. 1479-1484.
141. **Sikorski, Z.E., Protein changes in muscle foods due to freezing and frozen storage. p. 1-10.
142. Slominska, L., Studies on modification of enzymatic saccharification process. *Starch/Stärke*, 1993. 45(3): p. 88-90.
143. Smith, M.C., T.C. Furman, and C. Pidgeon, Immobilized iminodiacetic acid metal peptide complexes. Identification of chelating peptide purification handles for recombinant proteins. *Inorg chem*, 1987. 26: p. 1965-1969.
144. Spurway, T.D., et al., Calcium protects a mesophilic xylanase from proteinase inactivation and thermal unfolding. *The journal of biological chemistry*, 1997. 272(28): p. 17523-17530.
145. Stanley, W.L. and A.C. Olson, Symposium: immobilized enzymes in food systems The chemistry of immobilizing enzymes. *Journal of food science*, 1974. 39: p. 660-666.
146. Staron, T., Les microorganismes producteurs de protéines alimentaires. *Recherches sur la production de protéines d'organismes pluricellulaires (POP)*. 1977.
147. Stein, M. and R.A. Wolosiuk, The effect of chaotropic anions on the activation and the activity of spinach chloroplast fructose-1,6-bisphosphatase. *The journal of biological chemistry*, 1987. 262(33): p. 16171-16179.
148. Stein, R., Transition-state structural features for the thermolysin-catalyzed hydrolysis of N-(3-[furyl]acryloyl)-gly-leuNH₂. *J.Am.Chem. Soc*, 1988. 110: p. 7907-7908.
149. Tams, J.W. and K.G. Welinder, Unfolding and refolding of *Coprinus cinereus* peroxidase at high pH, in urea, and at high temperature. Effect of organic and ionic additives on these processes. *Biochemistry*, 1996. 35: p. 7573-7579.

150. Tapia, O. and H. Eklund, On the molecular mechanism of liver alcohol dehydrogenase: Monte Carlo simulations and X-ray studies of water in the substrate channel. *Enzyme*, 1986. 36: p. 101-114.
151. Tarentino, A.L., T.H.J. Plummer, and F. Maley, The release of oligosaccharides from specific glycoproteins by endo-b-N-acetylglucosaminidase H. *The journal of biological chemistry*, 1974. 249(3): p. 818-824.
152. Thonart, P., et al., Les enzymes: produits de la biotechnologie pour l'agro-alimentaire. *Annales de Gembloux*, 1989. 95: p. 225-235.
153. Titani, K., et al., Amino acid sequence of thermolysin. Isolation and characterization of the fragments obtained by cleavage with cyanogen bromide. *Biochemistry*, 1972. 11(13): p. 2427-2435.
154. Toma, S., et al., Grafting of a calcium-binding loop of thermolysin to *Bacillus subtilis* neutral protease. *Biochemistry*, 1991. 30(1): p. 97-106.
155. Touzi, A., et al., Production of food yeast from starchy substrates. *European J appl microbiol biotechnol*, 1982. 15: p. 232-236.
156. Travers, F. and T. Barman, Cryoenzymology: how to practice kinetic and structural studies. *Biochimie*, 1995. 77: p. 937-948.
157. Valivety, R.H., P.J. Halling, and A.R. Macrae, *Rhizomucor miehei* lipase remains highly active at water activity below 0.0001. *FEBS letters*, 1992. 301(3): p. 258-260.
158. Veera Reddy, A., Thermolysin: a peptide forming enzyme. *Indian journal of biochemistry and biophysics*, 1991. 28: p. 10-15.
159. Voordouw, G., C. Milo, and R.S. Roche, Role of bound calcium ions in thermostable, proteolytic enzymes. Separation of intrinsic and calcium ion contributions to the kinetic thermal stability. *Biochemistry*, 1976. 15(17): p. 3716-3723.
160. Weaver, L.H., et al., The structure and sstability and stability of thermolysin. p. 31-39.
161. Westover, C.J. and M.H. Dresden, Collagen hydration: pulsed nuclear magnetic resonance studies of structural transitions. *Biochimica et biophysica acta*, 1974. 365: p. 389-399.
162. Wilson, J.J., G.C. Khachatourians, and W.M. Ingledew, Schwanniomyces: SCP and ethanol from starch. *Biotechnology letters*, 1982. 4(5): p. 333-338.
163. Yamashita, I. and S. Fukui, Molecular cloning of a glucoamylase-producing gene in the yeast *Saccharomyces*. *Agric.biol.chem*, 1983. 47(11): p. 2689-2692.
164. Yue, K.T., et al., Raman spectroscopy of liver alcohol dehydrogenase. *Biochemical and biophysical research communications*, 1984. 122(1): p. 225-229.
165. Zaks, A. and A.M. Klibanov, Enzymes catalysis in organic media at 100°C. *Science*, 1984. 224: p. 1249-1251.
166. Zaks, A. and A.M. Klibanov, Enzyme-catalysed processes in organic solvents. *Proc.Natl.Acad.Sci USA*, 1985. 82: p. 3192-3196.
167. Zaks, A. and A.M. Klibanov, Substrate specificity of enzymes in organic solvents vs. Water isreversed. *J.Am.Chem. Soc*, 1986. 108: p. 2767-2768.

168. Zaks, A. and A.M. Klibanov, Enzymatic catalysis in nonaqueous solvents. *The journal of biological chemistry*, 1988. 263(7): p. 3194-3201.