

RESSOURCES DU LABORATOIRE DE CHIMIE PHYSIQUE INDUSTRIELLE

Catégorie : CARBOHYDRATES

1. Chap.6: Properties of poly(ethylene oxide). p. 105-149.
2. Aldehydes and ketones, in The infra-red spectra of complex molecules. p. 149-182.
3. Chap.6: Carbohydrates. p. 100-141.
4. Symbols for specifying the conformation of polysaccharides chains. 1981: p. 1-8.
5. Properties and applications of sucralose, isomalt, crystalline maltitol, and cyclodextrins discussed by company spokesmen. Food technology, 1988. january: p. 60-64.
6. Abate, V., et al., Interactions in aqueous solutions of urea and monosaccharides. J. Chem. Soc. Faraday Trans 1, 1984. 80: p. 759-768.
7. Abbate, M., et al., Thermodynamics of monosaccharides in water in presence of other non electrolytes at 298 K. 1984: p. 69-74.
8. Ablett, S., M.J. Izzard, and P.J. Lillford, Differential scanning calorimetric study of frozen sucrose and glycerol solutions. J. Chem. Soc. Faraday Trans 1, 1992. 88(6): p. 789-794.
9. Abraham, R.J., E.J. Chambers, and W.A. Thomas, Conformational analysis of 6-deoxy-6-fluoro-D-glucopyranose, 6-deoxy-6-fluoro-D-galactopyranose and 4-deoxy-4-fluoro-D-glucopyranose in solution by H nmr spectroscopy. Carbohydrate research, 1992. 226: p. C1-C5.
10. Abrahams, R.J. and E.J. Chambers, Conformational analysis of 6-deoxy-6-fluoro-D-glucopyranose, 6-deoxy-6-fluoro-D-galactopyranose in solution by H-NMR spectroscopy. Carbohydrate research, 1992. 226: p. C1-C5.
11. Acheson, K.J., et al., Comparison of carbohydrate utilization during slow infusions of glucose, fructose, sorbitol, xylitol and a 1:2:1 combination of glucose, fructose and xylitol. p. 49-51.
12. Adriaanse, A. and W. Klop, Simultaneous determination of sugars in jam and fruit juices II. Determination of glucose using a combined enzymatic-iodometric method. Lebens.Wiss.U.Technol., 1970. 3: p. 74-76.
13. Ahluwalia, R., S.J. Angyal, and M.H. Randall, Synthesis of the methyl D-allopyranosides and of D-allose from 1,2:5,6-di-O-isopropylidene-3-O-p-tolylsulfonyl-x-D-glucofuranose. Carbohydrate research, 1967. 4: p. 478-485.
14. Albersheim, P. and A.G. Darvill, Oligosaccharins. p. 44-50.
15. Alexander, J.K., Synthesis of 4-O-beta-D-glucopyranosyl-D-xylose, 4-O-beta-D-glucopyranosyl-D-arabinose, 4-O-beta-D-glucopyranosyl-2-deoxy-D-glucose, 4-O-beta-D-glucopyranosyl-D-mannose and 4-O-glucopyranosyl-D-glucosamine by cellobiose phosphorylase from clostridium thermocellum. Archives of Biochemistry and Biophysics, 1968. 123(2): p. 240-246.
16. Altona, C., C. Knobler, and C. Romers, The conformation of non-aromatic ring compounds. VII. Crystal structure of trans-2,5-dichloro-1,4-dioxane at -125°C. Acta Cryst., 1963. 16: p. 1217-1225.

17. Altona, C. and M. Sundaralingam, Conformational analysis of the sugar ring in nucleosides and nucleotides. A new description using the concept of pseudorotation. *J am chem soc*, 1972. 94(23): p. 8205-8212.
18. Altona, C. and M. Sundaralingam, Conformational analysis of the sugar ring in nucleosides and nucleotides. Improved method for the interpretation of proton magnetic resonance coupling constants. *Journal of American chemical society*, 1973. 95(7): p. 2333-2344.
19. Amidon, G.L., S. Anik, and J. Rubin, An energy partitioning analysis of base-sugar intramolecular CH...O hydrogen bonding in nucleosides and nucleotides, in *Structure and conformation of nucleic acids and protein-nucleic acid interactions*, M.R. Sundaralingam, S T, Editor. 1975, University park press: Baltimore. p. 729-744.
20. *Amstrong, N.A., A. Patel, and T.M. Jones, The compressional properties of dextrose monohydrate and anhydrous dextrose of varying water contents. *Drug Development and Indus. Pharmacy*, 1986. 12(11-13): p. 1885-1901.
21. Andrianov, V.M., R.G. Zhabankov, and V.G. Dashevskii, A theoretical study of the vibrational spectrum of cellobiose within the framework of the additive model interatomic interactions. 1980: p. 320-324.
22. Andrianov, V.M., R.G. Zhabankov, and V.G. Dashevskii, Calculation of the conformation and vibrational spectrum of b-D-glucose within the frame work of the additive model of interatomic interactions. *Zhurnal Strukturnoi Khimii*, 1980. 21(1): p. 35-41.
23. Angyal, S.J., Conformations of sugars, in *The carbohydrates, chemistry and biochemistry*, W.H. Pigman, D, Editor, Academic press.
24. Angyal, S.J., Conformational analysis in carbohydrate chemistry
I. Conformational free energies. The conformations and x:: B ratios of aldopyranoses in aqueous solution. *Aust. J. Chem.*, 1968. 21: p. 2737-2746.
25. Angyal, S.J., Sugar-cation complexes structure and applications. *Chemical society reviews*, 1981: p. 415-428.
26. Angyal, S.J. and G.S. Bethell, Conformational analysis in carbohydrate chemistry.
III. The ¹³C N.M.R spectra of the hexuloses. *Aust. J. Chem.*, 1976. 29: p. 1249-1265.
27. Angyal, S.J. and K. Dawes, Conformational analysis in carbohydrate chemistry .
II. Equilibria between reducing sugars and their glycosidic anhydrides. *Aust. J. Chem.*, 1968. 21: p. 2747-2760.
28. Angyal, S.J. and R. Le Fur, The ¹³C N.M.R. spectra of alditols. *Carbohydrate research*, 1980. 84: p. 201-209.
29. Angyal, S.J. and V.A. Pickles, Equilibria between pyranoses and furanoses.
II. Aldoses. *Aust. J. Chem.*, 1972. 25: p. 1695-1710.
30. Angyal, S.J. and V.A. Pickles, Equilibria between pyranoses and furanoses.
III. Deoxyaldolases. The stability of furanoses. *Aust. J. Chem.*, 1972. 25: p. 1711-1718.
31. Antonov, J.A., V.J. Grinberg, and V.B. Tolstoguzov, Thermodynamische Aspekte der Verträglichkeit von Eiweissen und Polysacchariden in wässrigen Medien.
2. Mitt. Phänomenologie der thermodynamischen Unverträglichkeit von Eiweissen und Polysacchariden in wässrigen Medien. *Die Nahrung*, 1979. 23(6): p. 597-610.

32. *Aplin, J.D., et al., Magnetic resonance studies of the rotational and translational motion of mono- and oligo-polysaccharides. p. 11-14.
33. Arihantana, M.B. and K.A. Buckle, Effect of non-enzymic browning, starch and sugars on total cyanide determination in cassava by an enzymic assay. *Journal of food technology*, 1986. 21: p. 189-197.
34. Arita, H., N. Ueda, and y. Matsushima, The reduction of chlorodeoxy sugars by tributyltin hydride. *Bulletin of the chemical society of Japan*, 1972. 45: p. 567-569.
35. Arnott, S. and D.W.L. Hukins, The dimensions and shapes of the furanose rings in nucleic acids. *Biochem J*, 1972. 130: p. 453-465.
36. Aspinall, G.O., The selective degradation of carbohydrate polymers. *Pure & applied chemistry*, 1977. 49: p. 1105-1134.
37. **Assoumani, M.B., Incidence de la concentration en sucres sur la perte en lysine lors du traitement thermique. p. 19-32.
38. Assoumani, M.B., D. Maxime, and N.P. Nguyen, Evaluation of a mysine-glucose Maillard model system using three rapid analytical methods, in *Maillard reactions in chemistry, food and health*. 1994. p. 43-50.
39. Atalla, R.H. Raman spectral studies of polymorphy in cellulose. Part I: Celluloses I and II. in *Applied polymer symposium*. 1976: Applied polymer symposium.
40. Atalla, R.H. and B.E. Dimick, Raman-spectral evidence for differences between the conformations of cellulose I and cellulose II. *Carbohydrate research*, 1975. 39: p. C1-C3.
41. Atalla, R.H., R.E. Whitmore, and C.J. Heimbach, Raman spectral evidence for molecular orientation in native cellulosic fibers. *Macromolecules*, 1980. 13: p. 1717-1719.
42. Avenel, D., A. Neuman, and H. Gillier-Pandraud, O23 M compared conformational study of melezitose and related oligosaccharides. p. 237-239.
43. Avenel, D., A. Neuman, and H. Gillier-Pandraud, Structure cristalline du Mélézitose monohydraté. *Acta .Cryst.*, 1976. B 32: p. 2598-2605.
44. Avram, M. and G. Mateson, Chap. 10: Carbohydrates, in *Spectroscopie infra-rouge. Applications*, Dunod, Editor. 1970.
45. Azis, B.H., et al., Size and shape of inulin in dimethyl sulphoxide solution. *Carbohydrate polymers*, 1999. 38: p. 231-234.
46. *Back, K., C. Pedersen, and H. Pedersen, Carbon-13 nuclear magnetic resonance data for oligosaccharides. *Adv. in Carbohydrate CHem. and Biochem.* 42: p. 193-225.
47. Baker, D.A. and K. Norris, Near-infrared reflectance measurement of total sugar content of breakfast cereals. *Applied spectroscopy*, 1985. 39(4): p. 618-621.
48. Balk, R.W. and G. Somsen, Preferential solvation and hydrophobic hydration of polyols in mixtures of water and N,N-dimethylformamide. *J. Phys. Chem.*, 1985. 89: p. 5093-5097.
49. Balza, F. and A.S. Perlin, Some stereochemical characteristics of C-1H-C-2H exchange-reactions with Raney nickel catalyst in deuterium oxide. *Carbohydrate research*, 1982. 107: p. 270-278.
50. Banipal, P.K., et al., Partial molar heat capacities and volumes of some mono-, di- and tri-saccharides in water at 298.15, 308.15 and 318.15 K. p. 1-46.
51. Barker, S.A., et al., Infra-red spectra of carbohydrates.

- Part I. Some derivatives of D- glucopyranose. 1954: p. 171-176.
52. Barker, S.A., et al., Infra-red spectra of carbohydrates.
- Part II. Anomeric configuration of some hexo- and pento-pyranoses. 1954: p. 3468-3473.
53. Barker, S.A., et al., Infra-red spectra of carbohydrates.
- Part III. Characterisation of deoxy-compounds. 1954: p. 4211-4215.
54. Barker, S.A. and R. Stephens, Infra-red spectra of carbohydrates.
- Part IV. Characterisation of furanose derivatives. 1954: p. 4550-4555.
55. Barone, G., et al., Excess enthalpies of aqueous solutions of polyols at 25°. *Journal of solution chemistry*, 1981. 10(11): p. 803-809.
56. Barone, G., et al., Excess thermodynamic properties of myo-inositol and polyhydric alcohols in water at 25°. *Carbohydrate research*, 1983. 119: p. 1-11.
57. Barone, G., et al., Excess enthalpies of aqueous solutions of methyl alpha-D-aldopyranosides at 25°. *Carbohydrate research*, 1983. 115: p. 15-22.
58. Barone, G., et al., Thermodynamics of aqueous solutions of isomeric sugars. *Fluide phase equilibria*, 1985. 20: p. 177-182.
59. Barone, G., et al., Excess enthalpies of aqueous solutions of mono- and oligosaccharides at 25°. *Carbohydrate research*, 1981. 91: p. 101-111.
60. Barone, G., et al., Excess enthalpies of aqueous solutions of monosaccharides at 298.15 K: pentoses and 2-deoxy sugars. *J. Phys. Chem.*, 1983. 87: p. 1931-1937.
61. Barone, G., et al., Thermodynamic and spectroscopic properties of 2-deoxy-sugars in water. Comparison with the crystal structures. *Thermochimica acta*, 1985. 85: p. 447-450.
62. Barone, G., et al., Excess free energies and entropies of aqueous solutions of methyl-D-pyranosides at 25°. *Journal of solution chemistry*, 1984. 13(3): p. 209-219.
63. Barone, G., et al., Thermodynamics of alcohols and monosaccharides in aqueous solutions of thiourea at 25°. *Journal of solution chemistry*, 1986. 15(2): p. 199-210.
64. Basedow, A.M. and K.H. Ebert. Production, characterization, and solution properties of dextran fractions of narrow molecular weight distributions. in *Polymer symposium*. 1979: *Journal of polymer science*.
65. Baugh, P.J., K. Kershaw, and G.O. Philipps, Radiation chemistry of carbohydrates.
- Part XVII. Radical processes following gamma-irradiation of frozen concentrated solutions of sucrose and D-glucose at 77 K. *J.Chem.Soc.*, 1970: p. 1482-1489.
66. Beale, J.M.J., C.A. Steginsky, and B.M. Mamiya, The structural analysis of the components of alginic acid and the effects of their metal ion complexation as determined by NMR, in *Secondary-metabolite biosynthesis and metabolism*, Petroski/McCormick, Editor. 1992, Plenum press: New York. p. 209-225.
67. Beaupère, D., et al., Azidation sélective du L-sorbose. Application à la synthèse rapide de la 1-désoxynojirimycine. *Carbohydrate research*, 1989. 191: p. 163-166.
68. Beck, R.H.F. and W. Praznic, Inulinhaltige Pflanzen als Rohstoffquelle *Biochemische und pflanzenphysiologische Aspekte*. *Starch/Stärke*, 1986. 38(11): p. 391-394.
69. *Beck, R.H.F. and W. Praznic, 1. Chromatographische Analyse mittels Gelpermeationschromatographie(GPC), Hochdruckgelpermeationschromatographie(HPGPC) und Hochdruck flüssigkeits Chromatographie(HPLC). *Zuckerind*, 1987. 122(9): p. 796-799.

70. Beck, R.H.F. and W. Praznic, Inulin als Rohstoff
1. Chromatographische analyse mittels Gelpermeationschromatographie(GPC), Hochdruckgelpermeationchromatographie (HPGPC) und Hochdruckflüssigkeiteschromatographie (HPLC). Zucherindustrie, 1987. 112(9): p. 796-799.
71. Beckel, C.L. and A. Hashemi-Attar, Theoretical energy gradient study of ribose and deoxyribose analogs. p. 305-309.
72. *Beenackers, J.A.W.M., F.M. Ben Kuster, and H.S. Van der Baan, Ionisation and solvation of D-glucose. Carbohydrate research, 1985. 140: p. 169-183.
73. Beetz, C.P. and G. Ascarelli, Interpretation of the infrared linear dichroism of oriented nucleic acid films and a calculation of some effective partial charges of the ribose phosphate carbons. Biophys J, 1979. 28: p. 15-26.
74. Benazza, M., et al., Selective chlorination of pentitols. Carbohydrate research, 1991. 218: p. 75-81.
75. Benazza, M., et al., Direct regioselective chlorination of unprotected hexitols and pentitols by Vilsmeier's salt. Tetrahedron letters, 1992. 33(22): p. 3129-3132.
76. Ben-Naim, A., Statistical mechanical study of hydrophobic interaction.
II. Interaction among a set of non-identical, spherical, and non-polar solute particles. The journal of chemical physics, 1971. 54(9): p. 3696-3711.
77. Bergmeyer, J., 1.5 Inulin, in Methods of enzymatic analysis, Bergmeyer/Grassl, Editor: Basel. p. 41-45.
78. Bernal, P.J. and W.A. Van Hook, Apparent molar volumes, isobaric expansion coefficients, and isentropic compressibilities, and their H/D isotope effects for some aqueous carbohydrate solutions. J. Chem. Thermodynamics, 1986. 18: p. 955-968.
79. Bernal, P.J. and W.A. Van Hook, Apparent molar volumes, isobaric expansion coefficients, and isentropic compressibilities for some non-aqueous carbohydrate solutions. J. Chem. Thermodynamics, 1986. 18: p. 969-978.
80. Bernan, H.N., S.S.C. Chu, and G.A. Jeffrey, Anomeric bond-character in the pyranose sugars. Science, 1967. 157: p. 1576-77.
81. Berthod, H. and A. Pullman, Quantum-mechanical exploration of the properties of the sugar rings. I. Electrostatic molecular potential, hydration and cation binding scheme of C3'-endo-gg-ribose. Theoret chim acta, 1978. 47: p. 59-66.
82. Beylot, M. and J.P. Riou, Structure et métabolisme du glycogène. Fonction glycogénique du foie 1ère partie. Cahier Med., 1978. 4(8): p. 591-598.
83. Birlouez-Aragon, I. and P. Scalbert, Le point sur le rôle des oses dans le processus de vieillissement et d'opacification du cristallin. Age et nutrition, 1996. 7(2): p. 121-125.
84. Blackett, B.N., et al., The deuterium isotope effect for the boron trifluoride catalysed rearrangement of 2-methyl-1,2-epoxypropane. Aust. J. Chem., 1970. 23: p. 839-840.
85. Blackwell, J. Infrared and raman spectroscopy of polysaccharides. in Extracellular microbial polysaccharides. 1977.
86. Blackwell, J., P.D. Vasko, and J.L. Koenig, Infrared and Raman spectra of the cellulose from the cell wall of *Valonia ventricosa*. Journal of applied physics, 1970. 41(11): p. 4375-4379.

87. Blanc, M., La racine de chicorée torréfiée. Evolution de la composition en fructose au cours de traitements technologiques. LWT, 1978. 11(1): p. 19-22.
88. Bleha, T., J.F. Revol, and R.H. Marchessault. Molecular and crystal structure of poly/ethylene oxide/analogous with fructose moiety. in International conference: modified polymers. 1979. Bratislava.
89. *Bock, K., et al., Steric and electronic effects in the formation of dihexulose dianhydrides. Reaction of racemic sorbose in anhydrous hydrogen fluoride and a facile synthesis of D-sorbose. p. 1-12.
90. Bock, K., C. Pedersen, and H. Pedersen, Carbon-13 nuclear magnetic resonance data for oligosaccharides. Adv. in Carbohydrate Chem. and Biochem. 42: p. 193-225.
91. Bockstanz, G.L., M. Buffa, and C.T. Lira, Solubilities of α -anhydrous glucose in ethanol / water mixtures. J. Chem. Eng.Data, 1989. 34: p. 426-429.
92. Bollenback, G.N. and F.W. Parrish, Selective esterification of methyl α -D-glucopyranoside. Carbohydrate research, 1971. 17: p. 431-438.
93. Bolton, B.A., Ethanol sorption and partial molar volume in cellulose acetate films. J. Phys. Chem., 1986. 90: p. 1207-1211.
94. Bondietti, E., J.P. Martin, and K. Haider, Stabilization of amino sugar units in humic-type polymers. Soil sci soc am proc, 1972. 36: p. 597-602.
95. Booth, H., A. Khedhair, and S.A. Readshaw, Experimental studies of the anomeric effect. Part.I: 2-substituted tetrahydropyrans. Tetrahedron, 1987. 43(20): p. 4699-4723.
96. Bosiek, S.P. and F. Franks, Proton exchange in aqueous solution of glucose. J. Chem. Soc. Farad. 1979. 1(2): p. 262-270.
97. Brady, J.W. and R.K. Schmidt, The role of hydrogen bonding in carbohydrates: molecular dynamics simulations of maltose in aqueous solution. p. 1-42.
98. Bragg, P.D., J.K.N. Jones, and J.C. Turner, The reaction of sulphuryl chloride with glycosides and sugar alcohols. Part I. Canadian journal of chemistry, 1959. 37: p. 1412-1415.
99. Brown, G.M. and H.A. Levy, α -D- glucose: precise determination of crystal and molecular structure by neutron-diffraction analysis. Science, 1965. February: p. 1038-1039.
100. Brown, G.M. and H.A. Levy, α -D glucose:further refinement based on neutron-diffraction data. Acta Cryst., 1979. B35: p. 656-659.
101. Bugner, E. and M. Feinberg, Determination of mono- and disaccharides in foods by interlaboratory study: quantitation of bias components for liquid chromatography. Journal of AOAC international, 1992. 75(3): p. 1-22.
102. *Bulkin, B.J., Y. Kwak, and L. Dea, Retrogradation kinetics of waxy corn and potato starches- a rapid raman spectroscopic study. 1986: p. 1-21.
103. Bunow, M.R. and I.W. Levin, Molecular conformations of cerebrosides in bilayers determined by Raman spectroscopy. Biophys J, 1980. 32: p. 1007-1022.
104. Buttler, J.A.V., C.N. Ramchandani, and D.W. Thomson, The solubility of non- electrolytes. Part I.The free energy of hydration of some aliphatic alcohols. J.Chem.Soc., 1935: p. 280-285.
105. Cabassi, F., B. Casu, and A.S. Perlin, Infrared absorption and Raman scattering of sulfate groups of heparin and related glycosaminoglycans in aqueous solution. Carbohydrate research, 1978. 63: p. 1-11.

106. Cael, J.J., et al., Polarized infrared spectra of crystalline glycosaminoglycans. *Carbohydrate research*, 1976. 50: p. 169-179.
107. Carcano, M., et al., Synthesis of 1-(α -D-glucopyranosyl)-1-deoxy-D-fructose, a non-metabolisable analogue of sucrose. *J.Chem.Soc.*, 1989. Chem commun: p. 642-643.
108. Casu, B., et al., Hydrogen bonding and conformation of glucose and polyglucoses in dimethylsulphoxide solution. *Tetrahedron*, 1966. 22: p. 3061-3083.
109. Casu, B., et al., Infrared spectra of glycosaminoglycans in deuterium oxide and deuterium chloride solution: quantitative evaluation of uronic acid and acetamidodeoxyhexose moieties. *Carbohydrate research*, 1978. 63: p. 13-27.
110. Cesàro, A., Chapter 6: Thermodynamics of carbohydrate monomers and polymers in aqueous solution. p. 178-206.
111. *Cesàro, A., F. Delben, and S. Paoletti, Physical chemistry of the interaction of divalent cations with carbohydrate ligands. p. 80-85.
112. Chai-fu, P., Determination of hydration number of an electrolyte by vapor pressure measurements. *Journal of physical chemistry*, 1978. 82: p. 2699-2703.
113. Chalk, R.C., D.H. Ball, and I.J. Long, Selective mesylation of carbohydrates. II 1a. Some mesyl esters of methyl α and β -D-glucopyranosides, methyl α and β -D-galactopyranosides, and of methyl α -D-mannopyranoside. 1966. 31: p. 1509-1514.
114. Chalk, R.C., et al., Infrared spectra of sulfonic esters of carbohydrates. *Carbohydrate research*, 1978. 61: p. 549-552.
115. Chandramouly, T. and P.L. Polavarapu, Fourier transform infrared vibrational circular dichroism of sugars. *np*: p. 15-21.
116. Chaplin, D., et al., Conversion of 2-acetamido-2-deoxy-B-D-glucopyranose (N-acetylglucosamine) into 2-acetamido-2-deoxy-B-D-galactopyranose (N-acetylgalactosamine) using a biotransformation to generate a selectively deprotected substrate for S_N2 inversion. *J chem soc Perkin Trans 1*, 1992(235-237).
117. Charley, P.J., et al., Chelation of iron by sugars. *Biochimica et Biophysica acta*, 1963. 69: p. 313-321.
118. Chatteraj, D.K. and H.B. Bull, Calorimetric study of water-DNA interactions. *Journal of colloid and interface science*, 1971. 35(2): p. 220-226.
119. Cheng, D.M. and R.H. Sarma, Intimate details of the conformational characteristics of deoxyribonucleoside monophosphate in aqueous solutions. *Journal of American chemical society*, 1971. 99(22): p. 7333-7348.
120. Chistyakov, Y.V., I.V. Egorova, and G.A. Krestov, The thermodynamics of the structural changes in mixed-water alcohol $C_3H_8O_n$ ($n=1-3$) solvents in the solvation of a stoichiometric mixture of ions K^+ , Cl^- . *Zhurnal Strukturnoi Khimii*, 1980. 21(5): p. 629- 635.
121. *Christensen, J.J., J.H. Rytting, and R.M. Izatt, Thermodynamics of proton dissociation in dilute aqueous solution. Part XV. Proton dissociation from several monosaccharides at 10 and 40°C. *J.Chem.Soc.*, 1970: p. 1646-48.
122. Chronakis, I.S., On the molecular characteristics, compositional properties, and structural-functional mechanisms of maltodextrins: a review. *Critical reviews in food science*, 1998. 38(7): p. 599-637.

123. Chu, S.S.C. and G.A. Jeffrey, The refinement of the crystal structures of B-D glucose and cellobiose. *Acta crystal*, 1968. B 24: p. 830-838.
124. Churms, S.C., E.H. Merrifield, and A.M. Stephen, Regularity within the molecular structure of arabinogalactan from Western larch (*Larix occidentalis*). *Carbohydrate research*, 1978. 64: p. C1-C2.
125. Clarke, M.A., J. Bergeron, and F. Cole, A rapid dextran screening test. NP.
126. Clarke, M.A., et al. Near infrared (NIR) analysis in sugar factories. in *Conference on sugar processing research*. 1992. New Orleans.
127. Combes, C.L. and G.G. Birch, Interaction of D-glucono-1,5-lactone with water. *Food chemistry*, 1988. 27: p. 283-298.
128. Combes, D., P. Monsan, and M. Mathlouthi, Enzymic hydrolysis of sucrose. *Carbohydrate research*, 1981. 93: p. 312-316.
129. Cornillon, R., et al., Influence of the sugar configuration on the structure of DNA by conformational analysis of the deoxyribose-phosphate unit. *Biopolymers*, 1975. 14: p. 1515-1529.
130. Coulet, P.R. Immobilisation des biomolécules. *Application aux bioréacteurs et aux électrodes à enzymes*. in *Principes et applications des techniques enzymatiques d'analyse dans les industries agroalimentaires*. 1981. Lyon.
131. Dahlborg, U. and V. Dimic, Study on the hydration of oriented DNA by the neutron scattering technique. *Physica scripta*, 1980. 22: p. 179-187.
132. Dahlqvist, A., Intestinal absorption of sucrose. *Acta med scand. suppl.*542(13-18).
133. Dangre, A.J., Sugar-metal ion alcoholates, adducts and complexes. NP: p. 75-79.
134. *Daniel, P.F., et al., Quantitative microanalysis of oligosaccharides by high- performance liquid chromatography. *Carbohydrate research*, 1981. 97: p. 161-180.
135. Davis, H.B. and C.J.B. Mott, Interaction of boric acid and borates with carbohydrates and related substances. *J. Chem. Soc. Faraday Trans 1*, 1980. 76: p. 1991-2002.
136. de Leeuw, F.A.A.M. and C. Altona, Conformational analysis of b-D-ribo-, b-D-deoxyribo-, b-D-arabino-, b-D-xylo- and b-D-lyxo-nucleosides from proton-proton coupling constants. *J. Chem. Soc. Perkin Trans.II*, 1982: p. 375-384.
137. De Leeuw, H.P.M., C.A.G. Haasnoot, and C. Altona, Empirical correlations between conformational parameters in b-D-furanoside fragments derived from a statistical survey of crystal structures of nucleic acid constituents. *Israel journal of chemistry*, 1980. 20: p. 108-126.
138. De Wolf, N., C. Romers, and C. Altona, The conformation of non-aromatic ring compounds. XXXIV. The crystal structure of trans-2,3-dichloro-1,4-thioxane at -185°C. 1967. 22: p. 715-719.
139. Defaye, J., h. Driguez, and S. Poncet, Synthesis of 1-thiosucrose and anomers, and the behavior of levansucrase and invertase with this substrate analog. *Carbohydrate research*, 1984. 130: p. 299-315.
140. Defaye, J., A. Gadelle, and C. Pedersen, The behaviour of D-fructose and inulin towards anhydrous hydrogen fluoride. *Carbohydrate research*, 1985. 136: p. 53-65.
141. Delwiche, S.R., R.E. Pitt, and K. Norris, Examination of starch-water and cellulose-water interactions with near infrared (NIR) diffuse reflectance spectroscopy. *Starch/Stärke*, 1991. 43(11): p. 415-422.
142. Depew, R.E. and J.C. Wang, Conformation fluctuations of DNA helix. *Proceedings of the national academy of science*, 1975. 72(11): p. 4275-4279.

143. Desiraju, G.R., The C-H...O hydrogen bond in crystals: what is it? *Acc. Chem. Res.*, 1991. 24: p. 290-296.
144. Detmold, P.V., Die ¹³C-NMR Spektroskopie als Methode zur Aufklärung von Strukturfragen in der Kohlenhydratchemie. *Starch/Stärke*, 1979. 31: p. 404-409.
145. Dhingra, M.M. and A. Saran, Correlation between sugar pucker and the orientation around the C3'-O3' bond (θ) in 3'-mononucleotides. *Biopolymers*, 1982. 21: p. 859-872.
146. Di Verdi, J.A. and S.J. Opella, N-H bond lengths in DNA. *Journal of American chemical society*, 1982. 104: p. 1761-1762.
147. Doddrell, D. and A. Allerhand, Study of anomeric equilibria of ketoses in water by natural-abundance carbon-13 Fourier transform nuclear magnetic resonance. D-fructose and D-turanose. *Journal of the American chemical society*, 1971. 93(11): p. 2779-2781.
148. Dodson, A.G., Saturation solubilities of sugar systems. The British Food Manufacturing Industries Research Association, 1975. 84: p. 1-46.
149. Dorman, D.E. and R. J.D., Nuclear magnetic resonance spectroscopy carbon-13. *Spectra O /some common*. *J. Amer. Chem. Soc.*, 1971. 93: p. 4463-4472.
150. D'Souza, S.F. and G.B. Nadkarni, Continuous conversion of sucrose to fructose and gluconic acid by immobilized yeast cell multienzyme complex. *Biotechnology and Bioengineering*, 1980. 22: p. 2179-2189.
151. Dyer, U.C. and Y. Kishi, Synthesis of C-sucrose. *J org chem*, 1988. 53: p. 3384-3386.
152. *Earl, W.L. and F.W. Parrish, A cross-polarization -magic-angle sample spinning N.M.R. study of several crystal forms of lactose. *Carbohydrate Research*, 1983. 115: p. 23-32.
153. Elango, N. and S. Parthasarathy, A note on a geometrical method for characterizing the nature of puckering in pyrrolidine and furanose rings. *Acta Cryst.*, 1984. B 40: p. 166-168.
154. Eliel, E.L., Recent advances in stereochemical nomenclature. *Journal of chemical education*, 1971. 48(3): p. 163-167.
155. Eliel, E.L., Stereochemical non-equivalence of ligands and faces (heterotopicity). *Journal of chemical education*, 1980. 57(1): p. 52-55.
156. Elmgren, H., The concentration dependence of the sedimentation rate of amylose, cellulose, and dextran in aqueous solution. *Carbohydrate research*, 1987. 160: p. 227-241.
157. Elyakova, L.A. and T.N. Zvyagintseva, A study of the laminarins of some far-eastern brown seaweeds. *Carbohydrate research*, 1974. 34: p. 241-248.
158. Emerson, J. and M. Sundaralingam, Zwitterionic character of guanosine 5'-monophosphate (5'-GMP): redetermination of the structure of 5'-GMP trihydrate. *Acta Cryst.*, 1980. B36: p. 1510-1513.
159. Englyst, H.N. and J.H. Cummings, Simplified method for the measurement of total non-starch polysaccharides by gas-liquid chromatography of constituent sugars as alditol acetates. *Analyst*, 1984. 109: p. 937-942.
160. Eriksson, A. and K. Hermansson, Analysis of the thermal parameters of the water molecule in crystalline hydrates studied by neutron diffraction. *Acta Cryst.*, 1983. B 39: p. 703-711.
161. **Falk, M., K.A. Hartman, and R.C. Lord, Hydration of deoxyribonucleic acid. I. A gravimetric study. 1962. 84: p. 3843-3846.

162. Fang, K.N., et al., Proton magnetic resonance study on adenosine dideoxynucleoside monophosphate with emphasis on furanose conformation. *Journal of American chemical society*, 1971. 93(24): p. 6647-6656.
163. Fernandez-Mayoralas, A. and M. Martin-Lomas, Synthesis of 3- and 2'-fucosyl-lactose and 3-2'-difucosyllactose from partially benzylated lactose derivatives. *Carbohydrate research*, 1986. 154(93-101).
164. Ferrier, W.G., The crystal and molecular structure of B-D-glucose. *Acta Cryst.*, 1963. 16: p. 1023-1031.
165. Fialeyre, M., F. Lafuma, and C. Quivoron, Etude, par spectroscopie infrarouge, des chélation dans les mono-, disaccharides et leurs molécules modèles en solution dans des mélanges DMSO/CCl₄. *Journal de chimie physique*, 1977. 74(6): p. 701-706.
166. Fleming, S.E. and J.W.D. GrootWassink, Preparation of high-fructose syrup from the tubers of the Jerusalem artichoke (*Helianthus tuberosus*L.). *Critical reviews in food science*, 1979. November: p. 1-28.
167. Fleury, N., Obtention, composition chimique et propriétés physico-chimiques de fibres alimentaires issues de co-produits de l'extraction des alginates, in Nantes. 1993, UFR sciences et techniques: Nantes. p. 25-34.
168. Flink, J.M., Structure and structure transitions in dried carbohydrate materials, in *Physical properties of foods*, M.B. Pelegrand, E B, Editor. 1983. p. 473-517.
169. Flink, J.M., Nonenzymatic browning of freeze-dried sucrose. *Journal of food science*, 1983. 48: p. 539-542.
170. Flood, A.E., M.R. Johns, and E.T. White, Mutarotation of D-fructose in aqueous-ethanolic solutions and its influence on crystallisation. *Carbohydrate research*, 1996. 288: p. 45-56.
171. Fornès, J.A., et al., Influence of the hydrogen on the p electrons for the adenine-thymine pair. *Z.Phys Chemie*, 1972. 250(1/2): p. 23-33.
172. Franks, F., Solvation and conformational effects in aqueous solutions of biopolymer analogues. *Phil.Trans. R Soc.Lond.B.*, 1977. 278: p. 33-57.
173. Franks, F., Chap. 3: Solvent interactions and the solution behaviour of carbohydrates, in *Polysaccharides in Foods*, J.M.M. Blanshard, J R, Editor. 1979: London. p. 33-50.
174. *Franks, F., et al., The effect of cations on the anomeric equilibrium of D-glucose in aqueous solutions- a Raman spectral study. 1985: p. 1-21.
175. *Franks, F., D.S. Reid, and A. Suggett, Conformation and hydration of sugars and related compounds in dilute aqueous solution. *Journal of solution chemistry*, 1973. 2: p. 99-108.
176. Friebolin, H., et al., ¹³C-NMR-Untersuchungen zur Strukturaufklärung von Polysacchariden und deren Methylderivaten. *Organic magnetic resonance*, 1979. 12(4): p. 216-222.
177. Friedman, H.L. and C.V. Krishnan, Studies of hydrophobic bonding in aqueous alcohols: enthalpy measurements and model calculations. *Journal of solution chemistry*, 1973. 2(2/3): p. 119-140.
178. Fries, D.C., S.T. Rao, and M. Sundaralingam, Structural chemistry of carbohydrates. III. Crystal and molecular structure of 4-O-B-D- galactopyranosyl-X-D-glucopyranose monohydrate (x-lactose monohydrate). *Acta Cryst.*, 1971. B 27: p. 994-1005.
179. Friese, P., Analytische Charakterisierung von Verdickungsmitteln auf Polysaccharidbasis. *Fresenius Z Anal Chem*, 1981. 305: p. 337-346.

180. Fu, D., M.E. Slodki, and J.F. Robyt, Specificity of acceptor binding to *Leuconostoc mesenteroides* B-512F dextansucrase: binding and acceptor-product structure of α -methyl-D-glucopyranoside analogs modified at C-2, C-3 and C-4 by inversion of the hydroxyl and by replacement of hydroxyl with hydrogen. *Archives of Biochemistry and Biophysics*, 1990. 276(2): p. 460-465.
181. Fujihara, M., et al., Purification and chemical and physical characterization of an antitumour polysaccharide from the brown seaweed *Sargassum fulvellum*. *Carbohydrate research*, 1984. 125: p. 97-106.
182. Fulton, W.S. and E.D.T. Atkins, The gelling mechanism and relationship to molecular structure of microbial polysaccharide curdlan. *ACS symposium series*, 1980. 141: p. 385-410.
183. Funkle, W., C. Von Sonntag, and C. Triantaphylides, Detection of the open-chain forms of D-fructose and L-sorbose in aqueous solution by using ^{13}C -NMR spectroscopy. *Carbohydrate research*, 1979. 75(305-309).
184. Furberg, S., C.S. Petersen, and C. Romming, A refinement of crystal structure of cytidine. *Acta Cryst.*, 1965. 18: p. 313-320.
185. Furuharata, K.-I., et al., Chlorination of cellulose with N-chlorosuccinimide-triphenylphosphine under homogeneous conditions in lithium chloride-N,N-dimethylacetamide. *Carbohydrate research*, 1992. 230: p. 151-164.
186. Gabel, N.W. and C. Ponnamperna, Model for origin of monosaccharides. *Nature*, 1967. 216: p. 453-455.
187. Gabor, R., Determination of wheat protein by a new spectrophotometric method. *Acta Alimentaria*, 1989. 18(1): p. 31-35.
188. Gaffney, S.M., et al., Homotactic and heterotactic interactions in aqueous solutions containing some saccharides. Experimental results and an empirical relationship between saccharide solvation and solute-solute interactions. *J. Chem. Soc. Faraday Trans 1*, 1988. 84(8): p. 2545-2552.
189. Gagua, A.V., B.N. Belintsev, and Y.L. Lyubchenko, Effect of base-pair stability on the melting of superhelical DNA. *Nature*, 1981. 294: p. 662-663.
190. Gait, M.J., *Biological chemistry*. Part (ii) b: Oligonucleotides and polynucleotides. *Ann rep prog chem sect B*, 1980. 77: p. 310-322.
191. Galat, A., Study of the Raman scattering and infrared absorption spectra of branched polysaccharides. *Acta biochimica polonica*, 1980. 27(2): p. 135-142.
192. Galea, C.F. and P.A. Inkerman, Dextran analysis of raw sugar. Part I. A specific method for total dextran. *Int sugar jnl*, 1993. 95(1136): p. 309-313.
193. Galema, S.A., M.J. Blandamer, and J.B.F.N. Engberts, Stereochemical aspects of the hydration of carbohydrates. Kinetic medium effects of monosaccharides on a water-catalysed hydrolysis reaction. *J. Am. chem. Soc.*, 1990. 112: p. 9665-9666.
194. Galema, S.A., M.J. Blandamer, and J.B.F.N. Engberts, Stereochemical aspects of hydration of carbohydrates in aqueous solutions. 2. Kinetic medium effects. *J org chem*, 1992. 57: p. 1995-2001.

195. Galema, S.A., et al., The effect of stereochemistry upon carbohydrate hydration. A molecular dynamics simulation of beta-D-galactopyranose and (alpha, beta)- D-talopyranose. Carbohydrate research, 1994. 265: p. 215-225.
196. Garrod, J.E. and T.M. Herrington, Apparent molar volumes and temperatures of maximum density of dilute aqueous sucrose solutions ? Journal of physical chemistry, 1970. 74: p. 363-370.
197. Gekko, K. and S. Koga, Increased thermal stability of collagen in the presence of sugars and polyols. J biochem, 1983. 94: p. 199-205.
198. Gerlt, J.A. and A.V. Younblood, The solution conformational preferences of the sugar phosphate constituents of the RNA and DNA. J am chem soc, 1980. 102: p. 7433-7438.
199. Golding, R.M., Infra-red spectra of deuterium-labelled carbohydrates. Nature, 1960. 186(4721): p. 307-308.
200. **Good, W., et al., Enthalpy-entropy relations in the fluid kinetics of aqueous solvent systems. p. 942-952.
201. Goodacre, B.C. Pectin and polysaccharides.
202. **Goodwin, D.C. and J. Brahms, Form of DNA in chromatin and in nucleosomes. p. 347-357.
203. Goodwin, D.C. and J. Brahms, Form of DNA and the nature of interactions with proteins in chromatin. Nucleic acids research, 1978. 5(3): p. 835-841.
204. Gorin, P.A.J., Carbon-13 nuclear magnetic resonance spectroscopy of polysaccharides, in Advances in carbohydrate chemistry and biochemistry. 1981, Academic press Inc. p. 15-37.
205. Görtz, H.H. and H. Seliger, New hydrophobic protecting groups for the chemical synthesis of oligonucleotides. Angewandte Chemie. International edition in english, 1981. 20(8): p. 681-683.
206. Grasdalen, H., B. Larsen, and O. Smidrod, A PMR study of the composition and sequence of uronate residues in alginates. Carbohydrate research, 1979. 68: p. 23-31.
207. Gray, G.R., Solution structures of the keto sugars and their biologically important phosphate esters. Accounts of Chemical Research, 1976. 9: p. 418-424.
208. Green, J.L. and C.A. Angell, Phase relations and vitrification in saccharide-water solutions and the trehalose anomaly. J. Phys. Chem., 1989. 93: p. 2880-2882.
209. Greenwald, S.M., et al., Analogs of natural lipids.
- II. Polymorphic behavior of the tris-homoacyl derivatives of cyclopentane-1,2,3-triols. 1977.
210. Gress, M.E. and G.A. Jeffrey, A neutron diffraction refinement of the crystal structure of B-maltose monohydrate. Acta Cryst., 1977. B.33: p. 2490-2495.
211. Gritsan, V.N., V.G. Kachur, and R.G. Zhabankov, Theoretical determination of the hydrogen-bond system in the x-D-galactopyranose crystal. Journal of molecular structure, 1982. 88: p. 383-385.
212. Gruber, E., R. Gruber, and J. Schurz, Nachweis der Ausbildung übermolekularer Teilung in Lösungen von DNA durch Messung der Lichtstreuung und Viskosität. Monatshefte für Chemie, 1978. 109: p. 1115-1137.
213. Hall, L.D. and C.M. Preston, Longitudinal relaxation-times of the anomeric protons of oligosaccharides. Carbohydrate research, 1973. 29: p. 522-524.
214. Hanessian, S., M.M. Ponpidom, and P. Lavallée, Procedures for the direct replacement of primary hydroxyl groups in carbohydrates by halogen. Carbohydrate research, 1972. 24: p. 45-56.

215. Harata, K., The structure of the cyclodextrin complex.
XX. Crystal structure of uncomplexed hydrated α -cyclodextrin. Bulletin of chemical society of Japan, 1987. 60: p. 2763-2767.
216. Harrington, R.E., Intrinsic viscosity of DNA: salt dependence and current polyelectrolyte theory. Biopolymers, 1980. 19: p. 449-451.
217. Harris, M.J. and J.R. Turvey, Sulphates of monosaccharides and derivatives. Part IX. The conformations of glycoside sulphates in solution determined by N.M.R spectroscopy. Carbohydrate research, 1970. 15: p. 57-63.
218. Hary, G.E., et al., Triboluminescence-structure relationships in polymorphs of hexaphenylcarbodiphosphorane and anthranilic acid, molecular crystals and salts. Journal of American chemical society, 1981. 103: p. 1074-1079.
219. Hatakeyama, H., C. Nagasaki, and T. Yurugi, Relation of certain infrared bands to conformational changes of cellulose and cellulose oligosaccharides. Carbohydrate research, 1976. 48: p. 149-158.
220. Hawkes, G.E. and D. Lewis, ^1H nuclear magnetic resonance spectra and conformations of alditols in deuterium oxide. J. Chem. Soc. Perkin Trans. II, 1984: p. 2073-2078.
221. Heitz, F., Crystallising qualities of sugar solutions. p. 1-8.
222. Henry, R.J., Near-infrared reflectance of carbohydrates and its application to the determination of (1-3),(1-4)- β -D-glucan in barley. Carbohydrate research, 1985. 141: p. 13-19.
223. Herrington, T.M., et al., Apparent molar volumes of aqueous cellobiose solutions. J. Chem. Soc. Faraday Trans 1, 1983. 79: p. 845-852.
224. Hervé du Penhoat, C., et al., Conformational behavior of sucrose and its deoxy analogue in water as determined by NMR and molecular modeling. Journal of the American chemical society, 1991. 113(10): p. 3720-3727.
225. Heyde, M.E., et al., Resonance-enhanced Raman spectra of iodine complexes with amylose and polyvinyl alcohol and of some iodine-containing trihalides. Journal of the American chemical society, 1972. 94(15): p. 5222-5227.
226. Heyraud, A. and M. Rinaudo, Liquid chromatography applied to oligosaccharide fractionation. Journal of liquid chromatography, 1981. 4(suppl.2): p. 175-293.
227. Heyraud, A. and M. Rinaudo, Hydrolysis of oligosaccharides by polyelectrolytes. European polymer journal, 1981. 17: p. 181-189.
228. Heyraud, A., M. Rinaudo, and F.R. Taravel, Isolation and characterization of oligosaccharides containing D-fructose from juices of the Jerusalem artichoke. Kinetic constants for acid hydrolysis. Carbohydrate research, 1984. 128: p. 311-320.
229. Hicks, K.B. and F.W. Parrish, A new method for the preparation of lactulose from lactose. Carbohydrate research, 1980. 82: p. 393-397.
230. Hildebrand, J.H., A criticism of the term "hydrophobic bond". Journal of physical chemistry, 1968. 72(5): p. 1841-1842.
231. Hine, J. and R.D.J. Weimar, Carbon basicity. Journal of American chemical society, 1965. 87(15): p. 3387-3395.

232. Hineno, M. and H. Yoshinaga, Far infrared spectra of glucose and saccharose. *Bulletin of the chemical society of Japan*, 1970. 43: p. 3308-3309.
233. Hineno, M. and H. Yoshinga, Far-infrared spectra of beta-D-glucose, cellobiose, galactose, lactose, alpha-D-glucose and saccharose in 50-30 cm⁻¹ at liquid He temperature. *Spectrochimica acta*, 1973. 20A: p. 1575-1578.
234. Hineno, M. and H. Yoshinga, Far-infrared spectra of mono-, di- and tri-saccharides in 50-16 cm⁻¹ at liquid helium temperature. *Spectrochimica acta*, 1974. 30A: p. 411-416.
235. Hoffmann, H., Basen. Nukleoside. Nukleotide. *Pharmazeutische Zeitung*, 1981. 126(29): p. 1441-1446.
236. Hoiland, H. and H. Holvik, Partial molar volumes and compressibilities of carbohydrates in water. *Journal of solution chemistry*, 1978. 7: p. 587-596.
237. Hollenberg, J.L. and D.O. Hall, Hydration numbers by near-infrared spectrophotometry. II. Sugars. *J. Phys. Chem.*, 1983. 87: p. 695-696.
238. Hönig, H. and H. Weidmann, Zur Zuordnung intramolekularer Wasserstoffbrücken in Hexopyranosen. *Carbohydrate research*, 1979. 73: p. 260-266.
239. Horii, F., A. Hirai, and R. Kitamaru, Solid-state ¹³C-NMR study of conformations of oligosaccharides and cellulose. Conformation of CH₂OH group about the exo-cyclic C-C bond. *Polymer bulletin*, 1983. 10: p. 357-361.
240. Horowitz, N.H., The search for life in the solar system. *Accounts of Chemical Research*, 1976. 9(1): p. 1-7.
241. Horton, D., A.E. Luetzow, and O. Theander, Preparation of unsubstituted 6-aldehydocelluloses by photolysis of 6-azido-6-deoxycelluloses. *Carbohydrate research*, 1973. 26: p. 1-19.
242. Hough, L., S.P. Phadnis, and E. Tarelli, The preparation of 4,6-dichloro-4,6-dideoxy-α-D-galactopyranosyl 6-chloro-6-deoxy-β-D-fructopyranoside and the conversion of chlorinated derivatives into anhydrides. *Carbohydrate research*, 1975. 44: p. 37-44.
243. Hough, L. and E. Tarelli, Carbohydrates: aspects of the structure and reactivity. *Sci. Prog. Oxf.*, 1977. 64: p. 569-592.
244. Hoyer, H.W., M. Chow, and V. Gary, Differential scanning calorimetry studies on the dehydration of deoxyribonucleic acid and polyadenylic acid. *Journal of colloid and interface science*, 1981. 80(1): p. 132-135.
245. Hoyle, F. and N.C. Wickramasinghe, Polysaccharides and infrared spectra of galactic sources. *Nature*, 1977. 268: p. 610-612.
246. Huvenne, J.P., G. Vergoten, and G. Fleury, Champ de forces de symétrie locale de molécules cycliques. III. Interprétation des spectres de vibration du glucose cristallisé sous les deux formes alpha et beta. *Journal of molecular structure*, 1981. 74: p. 169-180.
247. Ihnat, M. and A.I. Goring, Shape of the cellodextrins in aqueous solution at 25°C. *Canadian journal of chemistry*, 1967. 45: p. 2353-2367.
248. Imberty, A., et al., Molecular modelling of protein-carbohydrate interactions. Docking of monosaccharides in the binding site of concanavalin A. *Glycobiology*, 1991. 1(6): p. 631-642.

249. Imberty, A. and S. Perez, Crystal structure and conformational features of α -D-glucopyranose. *Carbohydrate research*, 1988. 181: p. 41-55.
250. Imberty, A. and S. Pérez, Molecular modelling of protein-carbohydrate interactions. Understanding the specificities of two legumes lectins towards oligosaccharides. *Glycobiology*, 1994. 4(3): p. 351-366.
251. Immel, S. and F.W. Lichtenthaler, The conformation of sucrose in water: a molecular dynamics approach. *Liebigs ann*, 1995: p. 1925-1937.
252. Imming, R., et al., A new approach to kinetics of colour formation in concentrated carbohydrate solutions. *Starch/Stärke*, 1996. 48(5): p. 163-166.
253. Izatt, R.M., et al., Thermodynamics of proton dissociation in dilute aqueous solution. V. An entropy titration study of adenosine, pentoses, hexoses and related compounds. *Journal of American chemical society*, 1966. 88(12): p. 2641-2647.
254. Jackson, R.F. and C.G. Silsbee, Saturation relations in mixtures of sucrose, dextrose and levulose. *Technologic papers of the bureau of standards*, 1924. 18: p. 277-304.
255. James, T.D., K.R.A. Samankumara Sandanayake, and S. Shinkai, Chiral discrimination of monosaccharides using a fluorescent molecular sensor. *Nature*, 1995. 374: p. 345-347.
256. Jang, L.K., Diffusivity of Cu^{2+} in calcium alginate gel beads. *Biotechnology and Bioengineering*, 1994. 43: p. 183-185.
257. Jarrel, H.C., et al., Manifestation of anomeric form, ring structure and linkage in the ^{13}C N.M.R. spectra of oligomers and polymers containing D-fructose: maltulose, isomaltulose, sucrose, leucrose, 1-kestose, nystose, inulin and grass levan. *Carbohydrate research*, 1979. 76: p. 45-57.
258. Jasra, R.V. and J.C. Ahluwalia, Enthalpies of solution, partial molal heat capacities and apparent molal volumes of sugars and polyols in water. *Journal of solution chemistry*, 1982. 11(5): p. 325-338.
259. Jasra, R.V. and J.C. Ahluwalia, Enthalpies and heat capacities of transfer of some sugars from water to aqueous urea solutions. *J. Chem. Soc. Faraday Trans 1*, 1983. 79: p. 1303-1309.
260. Jasra, R.V. and J.C. Ahluwalia, Enthalpies and heat capacities of dissolution, apparent molar heat capacities, and apparent molar volumes of some mono-, di-, tri-, and tetra-saccharides in water. *J. Chem. Thermodynamics*, 1984. 46: p. 583-590.
261. Jayne, J., Hydration numbers by near-infrared spectrophotometry. Contradictory assumptions. *J. Phys. Chem.*, 1983. 87: p. 527-528.
262. Jeffrey, G.A., Conformational studies in the solid state: extrapolation to molecules in solution, in *Carbohydrates in solution*. p. 177-196.
263. Jeffrey, G.A., Carbohydrate liquid crystals. *Accounts of Chemical Research*, 1986. 19: p. 168-173.
264. Jeffrey, G.A. and S. Bhattacharjee, Carbohydrate liquid-crystals. *Carbohydrate research*, 1983. 115: p. 53-58.
265. Jeffrey, G.A., M.E. Gress, and S.H. Takagi, Some experimental observations on H...O hydrogen-bond lengths in carbohydrate crystal structures. *Journal of the American chemical society*, 1977. 99(2): p. 609-611.
266. Jeffrey, G.A. and K. H.S., Conformations of the alditols. *Carbohydr. Res.*, 1970. 14: p. 207-216.

267. Jeffrey, G.A. and D. Huang, The tetrasaccharide nystose trihydrate: crystal structure analysis and hydrogen bonding. *Carbohydrate research*, 1993. 247: p. 37-50.
268. Jeffrey, G.A. and L. Lewis, Cooperative aspects of hydrogen bonding in carbohydrates. *Carbohydrate research*, 1978. 60: p. 179-182.
269. Jeffrey, G.A., R.K. Mc Mullan, and S. Takagi, A neutron diffraction study of the hydrogen bonding in the crystal structures of methyl alpha-D-mannopyranoside and methyl alpha-D-glucopyranoside. *Acta Cryst.*, 1977. B33: p. 728-737.
270. Jeffrey, G.A. and J. Mitra, The hydrogen-bonding patterns in the pyranose and pyranoside crystal structures. *Acta Cryst.*, 1983. B.89: p. 469-480.
271. Jeffrey, G.A. and R. Nanni, The crystal structure of anhydrous alpha,alpha-trehalose at -150°. *Carbohydrate research*, 1985. 137: p. 21-30.
272. Jeffrey, G.A., et al., Application of ab initio molecular orbital calculations to the structural moieties of carbohydrates. (31). *Journal of the american chemical society*, 1978. 100(2): p. 373-379.
273. Jeffrey, G.A., J.A. Pople, and L. Radom, The application of ab initio molecular orbital theory to the anomeric effect. A comparison of theoretical predictions and experimental data on conformations and bond lengths of some pyranoses and methyl pyranosides. *Carbohydrate research*, 1972. 25: p. 117-131.
274. Jeffrey, G.A., J.A. Pople, and L. Radom, The application of ab initio molecular orbital theory to structure moieties of carbohydrates. *Carbohydrate research*, 1974. 38: p. 81-95.
275. Jeffrey, G.A. and S. Takagi, Hydrogen-bond structure in carbohydrate crystals. *Accounts of Chemical Research*, 1978. 11: p. 264-270.
276. Jeffrey, G.A. and R. Taylor, The application of molecular mechanics to the structures of carbohydrates. *Journal of computational chemistry*, 1980. 1(1): p. 99-109.
277. Jeffrey, G.A. and R. Taylor, Puckering parameters for furanoid rings. *Carbohydrate research*, 1980. 81: p. 182-183.
278. Jeffrey, G.A. and L.M. Wingert, Carbohydrate liquid crystals. *Liquid crystals*, 1992. 12(2): p. 179-202.
279. Jeffrey, G.A., et al., Crystal structure and solid-state NMR analysis of lactulose. *Journal of the american chemical society*, 1983. 105: p. 2128-2133.
280. Jeffrey, G.A. and J.H. Yates, Application of ab initio molecular orbital calculations to the structural moieties of carbohydrates. (41). *Journal of the american chemical society*, 1979. 101(4): p. 820-825.
281. Jeffrey, G.A. and J.H. Yates, Application of ab initio molecular-orbital calculations to the structural moieties of carbohydrates. Part VI. *Carbohydrate research*, 1980. 79: p. 155-163.
282. Jennings, H.J. and J.K.N. Jones, The reaction of sulphuryl chloride with reducing sugars. Part I. *Canadian journal of chemistry*, 1962. 40: p. 1408-1414.
283. Jennings, H.J. and J.K.N. Jones, The reaction of chlorosulphate esters of sugars with pyridine. *Canadian journal of chemistry*, 1963. 41: p. 1151-1159.
284. Jennings, H.J. and J.K.N. Jones, Reactions of sugar chlorosulfates Part V. The synthesis of chlorodeoxy sugars. *Canadian journal of chemistry*, 1965. 43: p. 2372-2385.

285. Jones, A.J., P. Hanisch, and A.K. Mc Phail, Sucrose: an assignment of the ^{13}C NMR parameters by selective decoupling. *Aust. J. Chem.*, 1979. 32: p. 2763-2766.
286. Jones, J.K.N., M.B. Perry, and J.C. Turner, The reaction of sulphudryl chloride with glycosides and sugar alcohols. *Part II. Canadian journal of chemistry*, 1960. 38: p. 1122-1129.
287. Jones, J.K.N. and J.C. Turner, 5-acetamido-5-deoxy-L-arabinose: a sugar derivative containing nitrogen as the hetero-atom in the ring. 1962: p. 4699-4703.
288. Jones, T.M. and P. Albersheim, A gas chromatographic method for the determination of aldose and uronic acid constituents of plant cell wall polysaccharides. *Plant.Physiol.*, 1972. 49: p. 926-936.
289. Jozwiakowski, M.J. and K.A. Connors, Aqueous solubility behavior of three cyclodextrins. *Carbohydrate research*, 1985. 143: p. 51-59.
290. Jyothirmayi, N., C.S. Ramadoss, and S. Divakar, Nuclear magnetic resonance studies of cyclodextrin complexes of linoleic acid and arachidonic acid. *J agric food chem*, 1991. 39: p. 2123-2127.
291. *Kabayama, M.A. and D. Patterson, The thermodynamics of mutarotation of some sugars II . Theoretical considerations. *Canadian journal of chemistry*, 1958. 36: p. 563-573.
292. *Kabayama, M.A., D. Patterson, and L. Piche, The thermodynamics of mutarotation of some sugars. I. Measurement of the heat of mutarotation by microcalorimetry. *Canadian journal of chemistry*, 1958. 36: p. 557-562.
293. **Kacurakova, M. and M. Mathlouthi, Vibrational spectroscopy of the glycosidic bond of some oligosaccharides in aqueous solution.
294. Kacurakova, M. and M. Mathlouthi, FTIR and laser-Raman spectra of oligosaccharides in water: characterization of the glycosidic bond. *Carbohydrate research*, 1996. 284: p. 145-157.
295. Kadlec, P., R. Bretschneider, and Z. Bubnik, Measurement and computation of physico-chemical properties of sugar solutions. *Chem eng comm*, 1983. 21: p. 183-190.
296. Kadlec, P., Z. Bubnik, and A. Dandar, Density of sugar solutions. *La sucrerie belge*, 1982. 101: p. 359-368.
297. Kaipainen, A., et al., Comparison of two techniques for the analysis of headspace aromaprofiles of sugar: thermal desorption GC-MS and electronic nose. *J of high res chromat*, 1992. 15: p. 751-755.
298. Kang, S., Stereochemistry of dytidine: conformational analysis and hydrogen bonding. *Journal of molecular structure*, 1973. 17: p. 127-142.
299. Kano, Y., Properties of the residual starch in the fine partides of spent grains . *Bulletin of Brewing Science*, 1975. 21: p. 1-7.
300. Kano, Y., A comparison of the amylose content of large and small starch granules from barley and malt. *Bulletin of Brewing Science*, 1977. 23: p. 1-8.
301. Kanters, J.A., et al., The crystal and molecular structure of beta-D-fructose, with emphasis on anomeric effect and hydrogen-bond interactions. *Acta Cryst.*, 1977. B33: p. 665-672.
302. **Kaplan, D., D. Christiaen, and S. Arad, Binding of heavy metals by algal polysaccharides. p. 179-187.

303. Karger, N. and H.D. Lüdemann, Temperature dependence of the rotational mobility of the sugar and water molecules in concentrated aqueous trehalose and sucrose solutions. *Z Naturforsch*, 1991. 46c: p. 313-317.
304. Karim, M.T., F.M. Najib, and M.S. Mohammad, Determination of chloride, nitrate and calcium ions in sugar with ion selective-electrodes. *Journal of food technology*, 1986. 21: p. 559-568.
305. *Kato, S., et al., Ultrasonic relaxation in aqueous solutions of dextran. *Macromolecules*, 1980. 13: p. 889-892.
306. Katon, J.E., J.T.J. Miller, and F.F. Bentley, The infrared spectra of carbohydrates at sub-ambient temperatures. *Carbohydrate research*, 1969. 10: p. 505-516.
307. Kawai, H., et al., *Cryobiology*. 29, Hydration of oligosaccharides: anomalous hydration ability of trehalose(599-606).
308. Kawaizumi, F., S. Kushida, and Y. Miyahara, Determination of the specific heat capacities of aqueous solutions of pentose. *Bull. Chem. Soc.Jpn*, 1981. 54(8): p. 2282-2285.
309. Kawaizumi, F., et al., Heat-capacity measurements of aqueous solutions of mono-, di- and tri-saccharides using an isoperibol twin calorimeter. *J. Chem.Thermodynamics*, 1981. 13: p. 89-98.
310. Kawaizumi, F., et al., The specific heat capacities of D-glucose and D-xylose in water-ethanol system. *Bull. Chem. Soc.Jpn*, 1984. 57(11): p. 3258-3261.
311. Kelly, F.H.C., Phase equilibria in sugar solutions.
VIII. The quaternary system sucrose-fructose-glucose-water
IX. The quaternary system glucose-fructose-potassium chloride-water
X. The quinary system sucrose-glucose-fructose-potassium chloride-water. *J appl chem*, 1955. March: p. 120-124/170-172.
312. Kennedy, J.F., A.J. Griffiths, and S.A. Barker, Factors affecting the liberation of alginate and associated polysaccharides from *Durvillea potatorum*. *British polymer journal*, 1987. 19: p. 49-61.
313. Khan, R., et al. Separation and characterisation of polysaccharides from sugar cane impurities: use of NMR techniques. in conference on sugar processing research. 1994. Helsinki.
314. Kim, S.H., et al., Seven basic conformations of nucleic acid structural units. *Acta Cryst.*, 1973. B29: p. 703-710.
315. Kimball, D., Volumetric variations in sucrose solutions and equations that can be used to replace specific gravity tables. *Journal of food science*, 1986. 51(2): p. 529-530.
316. Klaushofer, H. and L. Wolfslehner, Zur Lagerfähigkeit von Zichorienwurzeln. *Zuckerind*, 1983. 108(7): p. 648-650.
317. Klein, J., J. Stock, and K.D. Vorlop, Pore size and properties of spherical Ca-alginate biocatalysts. *Eur J appl microbiol technol*, 1983. 18: p. 86-91.
318. Kochetkov, N.K., O.S. Chizhov, and A.S. Shashkov, Dependence of ¹³C chemical shifts on the spatial interaction of protons, and its application in structural and conformational studies of oligo- and polysaccharides. *Carbohydrate research*, 1984. 133: p. 173-185.
319. Kogan, G.A., et al., Study of hydrogen bonds in crystalline monosaccharides. The spectra of monosaccharides derivatives in the middle- and far-infrared regions. *Carbohydrate research*, 1973. 26: p. 191-200.

320. Kokta, B.V., et al., Influence de la structure de composés modèles de cellulose sur leurs propriétés thermiques. Bulletin de la société chimique de France, 1978(3/4): p. 135-139.
321. Komar, V.P., R.G. Zhabankov, and A.M. Prima, Infrared spectra of carbohydrates and the spatial arrangement of the CH groups. Zhurnal Strukturnoi Khimii, 1967. 8(2): p. 252-257.
322. Kröl, B., Side reactions of acid hydrolysis of sucrose. Acta alimentaria polonica, 1978. 4(4): p. 373-379.
323. *Kroon, J., L.M.J. Batenburg, and J.A. Kanters, Influence of hydrogen bonds on molecular conformation. Molecular-mechanics calculations on α -D-glucose. Acta Cryst., 1983. B39: p. 749-754.
324. Kroon, J., et al., O-H...O hydrogen bonds in molecular crystals. A statistical and quantum-chemical analysis. Journal of molecular structure, 1975. 24: p. 109-129.
325. Kroon-Batenburg, L.M.J. and J. Kroon, Solvent effect on the conformation of the hydroxymethyl group established by molecular dynamics simulations of methyl- β -D-glucoside in water. Biopolymers, 1990. 29: p. 1243-1248.
326. Ku Chwang, A. and M. Sundaralingam, Molecular conformation of guanosine 3',5'-cyclic monophosphate. Nature new biology, 1973. 244: p. 136-137.
327. Ku Chwang, A. and M. Sundaralingam, The crystal and molecular structure of guanosine 3',5'-monophosphate (cyclic GMP) sodium tetrahydrate. Acta Cryst., 1974. B30: p. 1233-1240.
328. Kulbe, K.D., et al., Anwendung von Membranverfahren bei der Simultanen Herstellung von Mannitol und Gluconsäure aus Saccharose durch Konjugierte NAD⁺-Abhängige Dehydrogenasen, in Simultane Herstellung von Mannitol und Gluconsäure. NP. p. 189-200.
329. Kundu, A.B., et al., The role of water in the hydrolysis of cellulose under water-limiting conditions. Carbohydrate research, 1982. 105(288-291).
330. Kuramitsu, S., K. Ikeda, and K. Hamaguchi, Binding of saccharides and related compounds to hen egg-white lysozyme. J biochem, 1973. 74: p. 143-154.
331. Kursar, T. and G. Holzwarth, Backbone conformational change in the A \rightleftharpoons B transition of deoxyribonucleic acid. Biochemistry, 1976. 15(15): p. 3352-3357.
332. *Kuster Ben F.M., The influence of water concentration on the dehydration of D-fructose.
333. Kvam, C., et al., Purification and characterization of hyaluronan from synovial fluid. Analytical biochemistry, 1993. 210.
334. Lafuma, F. and C. Quivoron, Molécules modèles des motifs des poly-1,4-glucosides. II. Etude, par spectroscopie infrarouge, des conformations chélatées des diastéréoisomères modèles et discussion dans le cadre des chélation glucosidiques. Canadian journal of chemistry, 1978. 58: p. 2076-2085.
335. Lafuma, F. and C. Quivoron, Molécules modèles des motifs des poly-1,4-glucosides. I. Synthèse et correspondance configurationnelle de diastéréoisomères avec les motifs de la cellulose et de l'amylose. Canadian journal of chemistry, 1978. 56: p. 2065-2075.
336. Lai, T.F. and R.E. Marsh, The crystal structure of adenosine. Acta Cryst., 1972. B28: p. 1982-1988.
337. Lauer, K., Technische Herstellung von Fructose. Starch/Stärke, 1980. 32(1): p. 11-13.

338. Lelliot, C., et al., Conformation of the gummy polysaccharide from corn sacs of *Watsonia pyramidata*. *Polymer*, 1978. 19: p. 363-369.
339. Lemieux, R.U., The configuration and conformation of thymidine. *Canadian journal of chemistry*, 1961. 39: p. 116-120.
340. Lemieux, R.U., Human blood groups and carbohydrate chemistry, in *Haworth memorial lecture*. 1978, The chemical society: London. p. 423-452.
341. Lemieux, R.U., The binding of carbohydrate structures with antibodies and lectins. *NON PUBLIE*: p. 3-24.
342. Lemieux, R.U., L. Anderson, and A.H. Conner, The mutautation of 2-deoxy-beta-D-erythro-pentose ("2-deoxy-beta-D-ribose). *Carbohydrate research*, 1971. 20: p. 59-72.
343. Lemieux, R.U. and K. Bock, The conformations of the lewis blood group determinants, sucrose and kanamycin A. *The japanese journal of antibiotics*, 1979. 32: p. 163-177.
344. Lemieux, R.U. and K. Bock, The conformational analysis of oligosaccharides by ¹H-NMR and HSEA calculation. *Archives of Biochemistry and Biophysics*, 1983. 221(1): p. 125-134.
345. Lemieux, R.U., et al., The conformations of oligosaccharides related to the ABH and Lewis blood group determinants. *Canadian journal of chemistry*, 1980. 58: p. 631-653.
346. Lemieux, R.U., et al., Binding studies on b-D-galactopyranosyl antibodies. Intramolecular hydrogen bonding effects. *Nouveau Journal de Chimie*, 1978. 2(4): p. 321-329.
347. Lemieux, R.U., D.R. Bundle, and D.A. Baker, The properties of a "synthetic" antigen related to the human blood-group Lewis a. *Journal of American chemical society*, 1975. 97(14): p. 4076-4083.
348. Lemieux, R.U. and H. Driguez, The chemical synthesis of 2-acetamido-2-deoxy-4-O-(a-L-fucopyranosyl)-3-O-(b-D-galactopyranosyl)-D-glucose. The Lewis a blood-group antigenic determinant. *Journal of the american chemical society*, 1975. 97(14): p. 4063-4068.
349. Lemieux, R.U. and H. Driguez, The chemical synthesis of 2-O-(a-L-fucopyranosyl)-3-O-(a-D-galactopyranosyl)-D-galactose. The terminal structure of the blood-group B antigenic determinant. *Journal of the american chemical society*, 1975. 97(14): p. 4069-4075.
350. Lemieux, R.U., et al., Halide ion catalyzed glycosidation reaction. Syntheses of alpha-linked disaccharides. *Journal of the american chemical society*, 1975. 97(14): p. 4056-4062.
351. Lemieux, R.U. and M. Hoffer, Exceptions to Hudson's rules of isorotation. The nuclear magnetic resonance spectra of anomeric pyrimidine 2-deoxy-D-ribonucleosides. *Canadian journal of chemistry*, 1961. 39: p. 110-115.
352. Lemieux, R.U. and A.A. Pavia, Substitutional and solvation effects on conformational equilibria. Effects on the interaction between opposing axial oxygen atoms. *Canadian journal of chemistry*, 1969. 47: p. 4441-4446.
353. Lemieux, R.U., et al., Solvation effects on conformational equilibria. Studies related to the conformational propertie of

- 2-methoxytetrahydropyran and related methyl glycopyranosides. *Canadian journal of chemistry*, 1969. 47: p. 4427-4439.
354. Lesyng, B. and W. Saenger, Influence of the orientation of hydroxyl groups on the puckering modes of furanoid rings. *Carbohydrate research*, 1984. 133: p. 187-197.
355. **Levene, P.A. and R.S. Tipson, The ring structure of thymidine. p. 623-630.
356. **Levene, P.A. and R.S. Tipson, N-methyl uridine and its bearing on the structure of uridine. p. 385-393.
357. **Levene, P.A. and R.S. Tipson, The ring structure of guanosine. (491-495).
358. **Levene, P.A. and R.S. Tipson, The ring structure of normal methylriboside. p. 623-630.
359. **Levene, P.A. and R.S. Tipson, The ring structure of adenosine. p. 809-819.
360. **Levene, P.A. and R.S. Tipson, Phosphorylation of monoacetone adenosine and of diacetyl adenosine. p. 131-153.
361. **Levene, P.A. and R.S. Tipson, The ring structure of uridine. p. 529-534.
362. Levene, P.A. and R.S. Tipson, The ring structure of adenosine. *Science*, 1931. November: p. 521.
363. Levi, G. and M. Karel, Volumetric shrinkage (collapse) in freeze-dried carbohydrates above their glass transition temperature. *Food research international*, 1995. 28(2): p. 145-151.
364. *Levine, H. and L. Slade, Thermodynamical properties of small carbohydrate-water glassers and rubbers: kinetically-metastable systems at subzero temperatures. p. 101-108.
365. Levy, G.C., D.J. Craik, and Y.-C. Chou, ¹³C NMR relaxation and conformation flexibility of the deoxyribose ring. *Nucleic acids research*, 1982. 10(19): p. 6067-6083.
366. Lffler, S., et al., Template activity of calf thymus DNA modified by a dihydrodiol epoxide derivative of benzo[a]pyrene. *Biochemistry*, 1977. 16(14): p. 3133-3136.
367. Libnau, F.O., A.A. Christy, and O.M. Kvalheim, Resolution of infrared spectra and kinetic analysis of mutarotation of D-glucose in water by sequential analysis. *Vibrational spectroscopy*, 1994. 7: p. 139-148.
368. Lichtenthaler, F.W., 100 year "Schlüssel-Schloss-Prinzip": What made Emile Fisher use this analogy ? *Angewandte Chemie. International edition in english*, 1994. 33: p. 2364-2374.
369. Lichtenthaler, F.W., et al., Some disaccharides-derived building blocks of potential utility. *Starch/Stärke*, 1992. 44(12): p. 445-456.
370. Lichtenthaler, F.W., S. Immel, and P. Pokinskyj, Selective 2-O-benzoylation of sucrose: a facile entry to its 2-deoxy- and 2-keto-derivatives and to sucrosamine. *Liebigs ann*, 1995: p. 1939-1947.
371. Lindgren, J. and J. Tegenfeldt, Hydrogen bond studies.
79. Correlation curves for properties of hydrogen bonded water molecules based on AB initio calculations. *Journal of molecular structure*, 1974. 20: p. 335-342.
372. Lipkind, G.M., A.S. Shashkov, and N.K. Kochetkov, Nuclear overhauser effect and conformational states of cellobiose in aqueous solution. *Carbohydrate research*, 1985. 141: p. 191-197.
373. Lipkind, G.M., V.E. Verovsky, and N.K. Kochetkov, Conformational states of cellobiose and maltose in solution: a comparison of calculated and experimental data. *Carbohydrate research*, 1984. 133: p. 1-13.
374. Liskowitz, J.W., C.E. Weill, and B. Carroll, Thermal behavior of some reducing disaccharides. *Carbohydrate research*, 1980. 79: p. 23-28.

375. Lloyd, L., et al., Identification of the fructo-oligosaccharides common to beet medium invert sugar and pyropysed sugar. *Carbohydrate polymers*, 1994. 25: p. 85-93.
376. Longhi, G., et al., Conformational dependence of CH(CD)-stretchings in D-glucose and some deuterated derivatives as revealed by infrared and Raman Spectroscopy. *Carbohydrate research*, 1987. 161: p. 1-22.
377. Loris, R., et al., The monosaccharide binding site of lentil lectin: an X-ray and molecular modelling study. *Glycoconjugate journal*, 1994. 11: p. 507-517.
378. Low, J.N., P. Tollin, and H.R. Wilson, Correlation between glycosyl torsion angle and sugar ring pucker does not always exist. *Nucleic acids research*, 1982. 10(18): p. 5599-5604.
379. Lubas, B. and T. Wilczok, DNA hydration during phase transition. *Studia biophysica*, 1981. 84(1): p. 15-16.
380. Lugovskoi, A.A. and V.G. Dashevskii, Conformations of beta-D-ribose. *Molekulyarnaya biologiya*, 1972. 6(3): p. 440-448.
381. Lugovskoi, A.A., V.G. Dashevskii, and A.I. Kitaigorodskii, Conformations of sugars residues in pyrimidine nucleosides. *Molekulyarnaya biologiya*, 1972. 6(3): p. 449-456.
382. Lüscher-Mattli, M., Thermodynamic functions of biopolymer hydration. II. Enthalpy-entropy compensation in hydrophilic hydration processes. *Biopolymers*, 1982. 21: p. 419-429.
383. Lutz, B., et al., Variable low temperature FT-IR. A method to discriminate non H-bonded and H-bonded hydroxyl groups in carbohydrates. NON PUBLIE.
384. Mabeau, S., B. Kloareg, and J.P. Joseleau, Fractionation and analysis of fucans from brown algae. *Phytochemistry*, 1990. 29(8): p. 2441-2445.
385. Mahendrasingam, A., et al., Conformational transitions in oriented fibres of the synthetic polynucleotide poly[d(AT)].poly[d(AT)] double helix. *Nature*, 1983. 301: p. 535-537.
386. Maleknia, S., et al., Conformational energies of 2-chloroethanol and ethylene glycol in hydrogen bonding solvents. *Spectroscopy letters*, 1980. 13(11): p. 777-784.
387. Malmberg, C.G. and A.A. Maryott, Dielectric constants of aqueous solutions of dextrose and sucrose. *Journal of research of the national bureau of standards*, 1950. 45(4): p. 299-303.
388. *Mandenius, C.F., D. Bengt, and M. Bo, Enzyme thermistor control of the sucrose concentration at a fermentation with immobilized yeast. *Acta Chem. Scand.,B*, 1980: p. 463-465.
389. Manna, V., Effects of piroxicam-beta-cyclodextrin in the treatment of spontaneous migraine attacks and reserpine-induced headache: putative serotonergic involvement in antinociceptive drug activity. *Advances in therapy*, 1998. 15(2): p. 75-84.
390. Marchessault, R.H., et al., Conformation and crystalline structure of (-2-1)-beta-D-fructofuranan (inulin). *Canadian journal of chemistry*, 1980. 58: p. 2415-2422.
391. Marchessault, R.H., F.G. Pearson, and C.Y. Liang, Infrared spectra of crystalline polysaccharides. VI. Effects of orientation on the tilting spectra of chitin. *Biochimica et Biophysica acta*, 1960. 45: p. 499-507.
392. Marcus, D.M. and J.H. Westwood, Fluorinated carbohydrates Part IV. 4-deoxy-4-fluoro-D-galactose. *Carbohydrate research*, 1971. 17: p. 269-274.
393. Maréchal, Y. and H. Chanzy, The hydrogen bond network in Ib cellulose as observed by infrared spectrometry. *Journal of molecular structure*, 2000. 523: p. 183-196.

394. Marsden, A., et al., Derivation of parameters for conformational calculations on carbohydrate systems, including bacterial cell wall peptidoglycan. p. 1-10.
395. **Marsh, R.E., Some comments on hydrogen bonding in purine and pyrimidine bases. p. 484-489.
396. Martens, D.A. and W.T.J. Frankenberger, Determination of saccharides by high performance anion-exchange chromatography with pulsed amperometric detection. *Chromatographia*, 1990. 29(1/2).
397. Martin, B., Configurational and conformational relations among sugars. *J. Chem. Ed.*, 1979: p. 641-642.
398. Martsinovskaya, M.I.A.a., Experimental estimation of the anomer-specific components of the intermolecular interaction forces over a wide range of concentrations of an aqueous solution of D-glucopyranose. *Russian journal of physical chemistry.*, 1980. 54: p.,371-373.
399. Maslova, I.A. and E.G. Martsinovskaya, Detection of intermolecular interaction from concentration dependence of optical activity of aqueous D-glucopyranose. *Russian journal of physical chemistry.*, 1978. 52: p. 1485-88.
400. **Mathlouthi, M., Vibrational spectra of carbohydrates and food products.
401. Mathlouthi, M., Etude de l'état physique du saccharose après lyophilisation 2ème partie: le saccharose lyophilisé. *Industrie Alimentaire et Agricole*, 1975(11).
402. Mathlouthi, M., X-ray diffraction of the molecular association in aqueous solutions of D-fructose, D-glucose and sucrose. *Carbohydrate research*, 1981. 91: p. 113-123.
403. **Mathlouthi, M., et al., FTIR and laser-Raman spectra of sucrose and sucralose in water: characterization of glycosidic bond.
404. Mathlouthi, M., C. Luu, and D.-V. Luu, Contribution à l'étude de l'équilibre conformationnel des solutions aqueuses de fructose par effet Raman-Laser. *C.R. Acad. Sc. Paris*, 1979. 288: p. 359-362.
405. Mathlouthi, M. and A.M. Seuvre, F.T.I.R. and laser-raman spectra of D-ribose and 2-deoxy-D-erythro-pentose("2-deoxy-D-ribose"). *Carbohydrate research*, 1983. 122: p. 31-47.
406. Mathlouthi, M., A.M. Seuvre, and J.L. Koenig, FTIR and laser-Raman spectra of D-ribose and 2-deoxy-D-erythro-pentose ("2-deoxy-D-ribose"). *Carbohydrate research*, 1983. 122: p. 31-47.
407. Matsumoto, A. and M. Takasuka, Intramolecular hydrogen-bonding in phenyl mono-, di- and tri-O-methyl-B-D-glucopyranosides. *Carbohydrate research*, 1985. 137: p. 13-20.
408. Mc Cormick, C.L., T.R. Dawsey, and J. Kent Newman, Competitive formation of cellulose p-toluenesulfonate and chlorodeoxycellulose during homogeneous reaction of p-toluenesulfonyl chloride with cellulose in N,N-dimethyl-acetamide-lithium chloride. *Carbohydrate research*, 1990. 208: p. 183-191.
409. McDonald, E.J., Stability of dextrose solutions of varying pH. *Journal of research of the national bureau of standards*, 1950. 45: p. 200-203.
410. Meffroy-Biget, A.M., Propriétés nouvelles du gel d'acétate de cellulose. *C.R. Acad. Sc. Paris*, 1968. 266: p. 1329-1331.
411. Melsheimer, J. and K. Langner, Einflub von Dimethylsulfoxid, tert-Butanol und Polyethylenglykol auf die Struktur von Wasser. *Die Angewandte Makromolekulare chemie*, 1981. 96: p. 119-129.
412. Meluzova, L.A., Effect of mucopolysaccharide contents in intramuscular connective tissues on nutritive value of myofibrille proteins during meat storage at low temperature. *IIR*, 1977: p. 1-8.

413. Mesquida, a., Aportacion al estudio de los carbohidratos por espectroscopia infrarroja. Revista de la academia de ciencias exactas, fisico-quimicas y naturales: p. 121-127.
414. Meunier, A. and P.H. Millié, Structure électronique et conformation d'esters apparentés aux sucres. *Nouveau Journal de Chimie*, 1977. 2(2): p. 151-155.
415. Meyer, C., et al., Conformational analysis of 4,1',6'-trichloro-4,1',6'-trideoxy-galacto-sucrose (sucralose) by a combined molecular-modeling and NMR spectroscopy approach. *Journal of the american chemical society*: p. A-K.
416. Michell, A.J., Low-temperature infrared spectra of carbohydrates. *Aust. J. Chem.*, 1970. 23: p. 833-838.
417. Miller, D.G., On the stokes-robinson hydration model for solutions. *Journal of Phys.chem*, 1956. 60: p. 1296-1299.
418. Miller, G.L., J. Dean, and R. Blum, A study of methods for preparing oligosaccharides from cellulose. *Archives of Biochemistry and Biophysics*, 1960. 91: p. 21-26.
419. Mitchell, A.J., Molecular interactions and infrared dichroism of crystalline monosaccharides related to xylan. *Aust. J. Chem.*, 1968. 21: p. 2451-2466.
420. Moll, N., Schéma de principe des réactions de brunissement non enzymatique. *Industrie Alimentaire et Agricole*, 1993. Mai: p. 301-307.
421. Molyneux, P., Synthetic ploymers, in *Water a comprehensive treatine*, F. Franks, Editor. 1975, Plenum pub.: New York. p. 569-757.
422. Morel, J.P., C. Lhermet, and N. Desrosiers, Interactions between cations and sugars. II. Enthalpies, heat capacities, and volumes of aqueous solutions of Ca²⁺- D-ribose and Ca²⁺-D-arabinose at 25°C. *Canadian journal of chemistry*, 1986. 64(5): p. 996-1001.
423. Morel, J.P., C. Lhermet, and N. Morel-Desrosiers, Interactions between Ca²⁺ and small carbohydrates in water. *NP*: p. 65-68.
424. Morris, C.E., New applications for maltodextrins. *Food engineering*, 1984. July: p. 48-49.
425. Morris, E.R., Polysaccharide solution properties: origin, rheological characterization and implications for food systems, in *Frotiers in carbohydrate research-1*, M. BeMiller, Editor, Elsevier applied science.
426. Mullin J.W. and C.L. Leci, Some nucleation characteristics of aqueous citric acid solutions. *Journal of Crystal Growth*, 1969. 5: p. 75-76.
427. Murakami, M., Y. Konishi, and T. Shimidzu, Syntheses and properties of poly(iminoethylene) derivatives containing nucleoside moieties. *Makromol chem*, 1980. 181(11): p. 2229-2236.
428. Nayakama, H. and M. Hashimoto, Hydrates of organics compounds.V. The calthrate htdration of alcohols. *Bull. Chem. Soc.Jpn*, 1980. 53: p. 2427-2433.
429. Neal, J.L. and D.A.I. Gorin, Hydrophobic folding of maltose in aqueous solution. *Canadian journal of chemistry*, 1970. 48: p. 3745-3747.
430. Neuman, A. and H. Gillier-Pandraud, Structure cristalline du mélibiose monohydraté. *C.R. Acad. Sc. Paris*, 1976. 283: p. 667-670.
431. Newton, M.D., Ab initio studies of the hydrated H₃O⁺ ion. II. The energetics of proton motion in higher hydrates (n= 3-5)a). *J. Chem. Phys.*, 1977. 67(12): p. 5535-5546.

432. Newton, M.D., Theoretical aspects of the OH... O hydrogen bond and its role in structural and kinetic phenomena. *Acta Cryst.*, 1983. B39: p. 104-113.
433. Newton, M.D., G.A. Jeffrey, and S. Takagi, Application of ab initio molecular orbital calculations to the structural moieties of carbohydrates.
- 5.1 The geometry of the hydrogen bonds. *Journal of the american chemical society*, 1979. 101(8): p. 1997-2002.
434. Ngo, W.H. and M.V. Taranto, Effect of sucrose level on the rheological properties of cake batters. *Cereal food world*, 1986. 31(4): p. 317-322.
435. Nickerson, T.A. and E.E. Moore, Solubility interrelations of lactose and sucrose. *Journal of food science*, 1972. 37: p. 60-61.
436. Niemela, K. and E. Sjöström, Alkaline degradation of alginates to carboxylic acids. *Carbohydrate research*, 1985. 144: p. 241-249.
437. Nissan, A.H., H-bond dissociation in hydrogen bond dominated solids. *Macromolecules*, 1976. 9(5): p. 840-850.
438. O'Brien, J., Stability of trehalose, sucrose and glucose to nonenzymatic browning in model systems. *Journal of food science*, 1996. 61(4): p. 679-682.
439. Ockman, N., Interction of monolayers of Concanavalin A with mono and polysaccharides. A study by means of infrared-attenuated total reflectance spectroscopy. *Biochimica et Biophysica acta*, 1981. 643: p. 220-222.
440. Ogawa, K., X-ray diffraction analysis on polysaccharide conformations. *New food industry*, 1982. 24(6).
441. Olson, W.K., Configurational studies of the polynucleotides, in *Biomolecular, structure, conformation, function and evolution. Diffraction and related studies*, S. Srinivasan, Yathindra, Editor. 1981, Pergamon press. p. 365-379.
442. Olson, W.K., How flexible is the furanose ring ?
2. An updated potential energy estimate. *Journal of the american chemical society*, 1982. 104: p. 278-286.
443. Olson, W.K. and P.J. Flory, Spatial configurations of polynucleotide chains.
I. Steric interactions in polyribonucleotides a virtual bond model. *Biopolymers*, 1972. 11: p. 1-23.
444. Olson, W.K. and P.J. Flory, Spatial configurations of polynucleotide chains.
II. Conformational energies and the average dimensions of polyribonucleotides. *Biopolymers*, 1972. 11: p. 25-56.
445. Olson, W.K. and P.J. Flory, Spatial configurations of polynucleotide chains.
III. Polydeoxyribonucleotides. *Biopolymers*, 1972. 11: p. 57-66.
446. Olson, W.K. and J.L. Sussman, How flexible is the furanose ring ?
1. A comparison of experimental and theoretical studies. *Journal of the american chemical society*, 1982. 104: p. 270-278.
447. Ooshima, H. and Y. Harano, Optimal temperature operation for hydrolysis of sucrose by immobilized invertase. *Journal of chemical engineering of Japan*, 1980. 13(6): p. 484-89.
448. Ooshima, H., M. Sakimoto, and Y. Harano, Kinetic study on thermal stability immobilized invertase . *Biotechnology and Bioengineering*, 1980. XXII: p. 2169-2178.

449. Ooshima, H., M. Sakimoto, and Y. Harano, Characteristics of immobilized invertase. *Biotechnology and Bioengineering*, 1980. XXII: p. 2155-2167.
450. Orgel, L.E. and R. Lohrmann, Prebiotic chemistry and nucleic acid replication. *Accounts of Chemical Research*, 1974. 7: p. 368-377.
451. Painter, T.J., The exo-anomeric effect in relation to polysaccharide conformation in solution. *Carbohydrate polymers*, 1982. 2: p. 244-246.
452. Palmer, N.T., L.E. Macaskie, and K.K. Grewel, The unit-chain distribution profiles of branched (1 \rightarrow 4)- α -D-glucans. *Carbohydrate research*, 1983. 114: p. 338-342.
453. **Pan, S.C., L.W. Nicholson, and P. Kolachov, Isolation of a crystalline trisaccharide from unfermentable carbohydrate produced enzymically from maltose. 1951. 73: p. 2547-2550.
454. Parker, F.S., Carbohydrates, in *Applications of infrared, Raman and resonance Raman spectroscopy in biochemistry*. 1983: New York. p. 315-347.
455. **Parthasarathy, S., J.M. Ohrt, and G.B. Chheda, Modified nucleosides, conformation of anticodon loops of t-RNA, and codon-anticodon interaction. p. 303-312.
456. Patel, K.N. and T.A. Nickerson, Influence of sucrose, glucose, and lactose on loss of water from solutions. *Journal of food science*, 1971. 36: p. 495-497.
457. Patt, S.L., F. Sauriol, and A.S. Perlin, Determination of the positions of glycosidic linkages from ¹³C-¹³C connectivity plots. *Carbohydrate research*, 1982. 107: p. C1-C4.
458. Pattabiraman, N. and M. Jagannatha Rao, Flexibility of the furanose ring in nucleic acids: a compilation of crystal data. *Int J Biol Macromol*, 1982. 4: p. 91-98.
459. Pazur, J., *The carbohydrates*, ed. P. Horton. 1970: Academic Press. 74-99.
460. Pellerin, P., et al., Complexation du plomb dans les vins par les dimères de rhamnogalacturonane II, un polysaccharide du raisin. *J int sci vigne vin*, 1997. 31(1): p. 33-41.
461. Pellerin, P., et al., Effet de polysaccharides sur la formation de trouble protéique dans un vin blanc. *Journal international des sciences de la vigne et du vin*, 1994. 28(3): p. 213-225.
462. Pelmore, H. and M.C.R. Symons, NMR studies of complexes formed by D-fructose and borate ions in aqueous solutions. *Carbohydrate research*, 1986. 155: p. 206-211.
463. Pereira, M.C., P.L. Jobling, and E. Wyn-Jones, Ultrasonic relaxation of poly(N-vinylpyrrolidone) and dextran in aqueous solution. *J chem soc Faraday trans 2*, 1983. 79: p. 977-988.
464. Pérez, S., F. Taravel, and C. Vergelati, Experimental evidences of solvent induced conformational changes in maltose. *Nouveau Journal de Chimie*, 1985. 9(8/9): p. 561-564.
465. Perkins, S.J., L.N. Johnson, and D.C. Philipps, High-resolution ¹H- and ¹³C-N.M.R spectra of D-glucopyranose, 2-acetamido-2-deoxy-D-glucopyranose, and related compounds in aqueous media. *Carbohydrate research*, 1977. 59: p. 19-34.
466. Perlin, A.S., P. Hervé du Penhoat, and H.S. Isbell, Carbon-13 and hydroxyl proton NMR Spectra of ketoses, in *Carbohydrates in solution*, T.A.W.V. Koerner, R J/ Carry, L W/ Younathan, E S, Editor. 1978, *Biochem and biophys research comm*. p. 1273-1278.
467. Peyron, D., et al., Dosage des polysaccharides dans les vins rouges Interactions avec les composés phénoliques. *Science des aliments*, 1993. 13: p. 761-767. J.G.C.M., vVan de Rijdt.

468. Philippova, O.E., et al., Hydrogen bonds in dilute solutions of poly (ethylene glycol). *Macromolecules*, 1985. 18: p. 1628-1633.
469. Pilnik, W. and F.M. Rombouts, Polysaccharides and food processing. *Carbohydrate research*, 1985. 142: p. 93-105.
470. Pizzini, S., G. Bajo, and M. Abbate, Assessment of the values of the C³H-stretching force constants in sugar molecules. *Carbohydrate research*, 1988. 184: p. 1-11.
471. Podlahova, J. and J. Loub, Structure of 4-deoxy-4-fluoro-B-D-fructopyranose, C₆H₁₁FO₅. *Acta Cryst.*, 1984. C 40: p. 1284-1286.
472. Polosov, R.V., V.I. Poltev, and B.I. Sukhorukov, Relation of the interactions of nucleic acid bases to the helical conformations of polynucleotides. *Studia biophysica*, 1973. 40: p. 13-20.
473. Post, M.L., et al., α -nucleosides in biological systems. Crystal structure and conformation of α -cytidine. *Biochimica et Biophysica acta*, 1977. 479: p. 133-142.
474. Prelog, V., Chirality in chemistry. *Science*, 1976. 93: p. 17-24.
475. Pristoupil, T.I., S. Ulrych, and M. Kramlova, Study of hemoglobin stabilization during lyophilization with saccharides. *Collection of czechoslovak chemical communications*, 1980. 45: p. 2583-2586.
476. Prodoliet, J., E. Bugner, and M. Feinberg, Determination of carbohydrates in soluble coffee by anion-exchange chromatography with pulsed amperometric detection: interlaboratory study. *Journal of AOAC international*, 1995. 78(3): p. 768-782.
477. Prusiner, P. and M. Sundaralingam, Molecular and crystal structure of the modified nucleoside 2'-exo-3'-endo(2T3) sugar pucker. *Acta Cryst.*, 1976. B32: p. 161-169.
478. Pugazhendi, P. and C.V. Suryanarayana, Studies on internal pressure and free volume of aqueous solutions of sucrose. *NON PUBLIE*: p. 1-8.
479. Quinquenet, S., et al., Influence of water on pure sorbitol polymorphism. *NP*: p. 58-64.
480. Quinquenet, S., et al. Polymorphism of hydrated sorbitol. in *Journées de calorimétrie, d'analyse thermique et de thermodynamique chimique*. 1986. Ferrara (Italie): J. Cat.
481. Radwan, M.M. and H.R. Wilson, Fibre and molecular structure of thymidyl-3',5'-deoxyadenosine. *Int J macromol*, 1982. 4: p. 145-149.
482. Ramayya, S., et al., Acid-catalysed dehydration of alcohols in supercritical water. *Fuel*, 1987. 66: p. 1364-1371.
483. Rees, D.A., Conformational analysis of polysaccharides. Part V. The characterization of linkage conformations (chain conformations) by optical rotation at a single wavelength. Evidence for distortion of cyclohexa-amylose in aqueous solution. Optical rotation and the amylose conformation. *J. Chem. Soc. B*, 1970(877-884).
484. Rees, D.A. and P.J.C. Smith, Polysaccharide conformation. Part IX. Monte Carlo calculation of conformational energies for disaccharides and comparison with experiment. *J. Chem. Soc. Perkin Trans. II*, 1975: p. 836-840.
485. **Rees, R.E., Cuprammonium-glycoside complexes. V. The conformation of the pyranose ring in some D-hexoses<1,5>b<1,6>anhydrides. 71: p. 2116-2119.
486. Rees, T.A., Hexose phosphate metabolism by nonphotosynthetic tissues of higher plants. *The Biochem. of Plants*, 1988. 14: p. 1-33.

487. Reichert, C.M., Synthesis of p-nitrophenyl 2-O- α -D-mannopyranosyl- α -D-mannopyranoside and p-nitrophenyl 6-O- α -D-mannopyranosyl- α -D-mannopyranoside. *Carbohydrate research*, 1979. 77(141-147).
488. Reid, D.S., The low temperature phase behaviour of aqueous ribose. *Cryo-letters*1, 1979: p. 35-39.
489. Rhodes, N.J. and A. Klug, Sequence-dependent helical periodicity of DNA. *Nature*, 1981. 292: p. 378-380.
490. Rinaudo, M., Polysaccharide characterization in relation with some original properties. *Journal of applied polymer science*, 1993. 52: p. 11-17.
491. Rinaudo, M. and G. Ravanat, NMR investigation on oligo- and poly(galacturonic acid)s; gel formation in the presence of Ca²⁺ counterions. *Makromol chem*, 1980. 181: p. 1059-1070.
492. Rizzotti, R., Les agents de texture. Epaississants, gélifiants, stabilisants. *Industrie Alimentaire et Agricole*, 1994. Septembre: p. 563-573.
493. Roberts, E.J., M.A. Clarke, and M.A. Godshall. Analysis of dextran by a quantitative method. in *Carbohydrate symposium*. 1982. Vancouver, B.C.
494. Roche, M., La destruction des sucres réducteurs en milieu alcalin. *Industrie Alimentaire et Agricole*, 1971: p. 981-983.
495. Rogers, G.T. and T.L.V. Ulbricht, Optical properties and conformation of purine nucleosides in solution. *Biochemical and biophysical research communications*, 1970. 39(3): p. 419-422.
496. Rogers, G.T. and T.L.V. Ulbricht, Optical properties and conformation of pyrimidine nucleosides in solution. *Biochemical and biophysical research communications*, 1970. 39(3): p. 414-418.
497. *Roos, Y., Melting and glass transitions of low molecular weight carbohydrates. *Carbohydrate research*, 1993. 238: p. 39-48.
498. Roos, Y. and M. Karel, Amorphous state and delayed ice formation in sucrose solutions. *International journal of food science and technology*, 1991. 26: p. 553-566.
499. Rossion, P., L'ADN qui tourne à gauche. *Science et vie*, 1982. 774: p. 60-61.
500. Rubin, J., T. Brennan, and M. Sundaralingam, Nucleotide conformations. *Science*, 1972: p. 451-452.
501. Ryu, G.H. and C.E. Walker, Emulsifier effects on pasting properties of wheat flour extrudates with/without sucrose and shortening. *Starch/Stärke*, 1993. 45(2): p. 65-70.
502. **Sadron, C., et al., Repliement des doubles hélices de DNA dans les complexes nucléoprotéiques. p. 1187-1190.
503. **Saenger, w., On the factors determining the syn-anti conformation of nucleosides. p. 289-293.
504. Saenger, w., Structure and function of nucleosides and nucleotides. *Angewandte Chemie*. International edition in english, 1973. 12(8): p. 591-682.
505. Sahagian, M.E. and H.D. Goff, Thermal, mechanical and molecular relaxation properties of stabilized sucrose solutions at sub-zero temperatures. *International journal of food science and technology*, 1995. 28(1): p. 1-8.
506. Saini, H.S. and E.J. Knights, Chemical constitutions of starch and oligosaccharide components of "Desi" and "Kabuli" seed types. *J agric food chem*, 1984. 32: p. 940-944.
507. Saska, M., Modeling crystallization and inclusion formation in sucrose crystals. *Zuckerindustrie*, 1988. 113(3): p. 224-229.

508. Saska, M. and A. Myerson, The theoretical shape of sucrose crystals from energy calculations. *Journal of Crystal Growth*, 1983. 61: p. 546-555.
509. Sassone-Corsi, P., et al., Promotion of specific in vitro transcription by excised "TATA" box sequences inserted in a foreign nucleotides environment. *Nucleic acids research*, 1981. 9(16): p. 3941-3958.
510. Scheffers-Sap, M.M.E. and H.M. Buck, Effect of hydration and ribose ring puckering on the enthalpy of hydrolysis of cyclic adenosine 3',5'-monophosphate. A quantum-chemical study. *Journal of American chemical society*, 1980. 102: p. 6422-6424.
511. Schonert, H., Zur Hydratation von Nichteletkrolyten in wabrigen Löseungen. *Zeitschrift für physikalische chemie neue folge*, 1968. .61S: p. 262-270.
512. Schray, K.J. and S.J. Benkovic, Anomerization rates and enzyme specificity for biologically important sugars and sugar phosphates. *Accounts of Chemical Research*, 1978. 11: p. 136-141.
513. Scovell, W.M., Structural and conformational studies of polyriboadenylic acid in neutral and acid solution. *Biopolymers*, 1978. 17: p. 969-984.
514. Seliger, H. and H.H. Görtz, Specific separation of products in supported oligonucleotide syntheses using the triester method. *Angewandte Chemie. International edition in english*, 1981. 20(8): p. 683-684.
515. Serianni, A.S. and J.R. Snyder, The anomerization of monosaccharides: relationships between structure and rates of furanose and pyranose ring-opening and ring-closing. *NP*: p. 134-139.
516. Seymour, F.R. and R.L. Julian, Fourier-transform, infrared difference-spectrometry for structural analysis of dextrans. *Carbohydrate research*, 1979. 74: p. 63-75.
517. Seymour, F.R., et al., Structural analysis of Leuconostoc dextrans containing 3-O-a-D-glucosylated a-D-glucosyl residues in both linear-chain and branch-point positions, or only in branch-point positions, by methylation and by ¹³C-NMR spectroscopy. *Carbohydrate research*, 1979. 74: p. 41-62.
518. Shahidi, F., P.G. Farrell, and J.T. Edward, Partial molar volumes of organic compounds in water. III. Carbohydrates. *Journal of solution chemistry*, 1976. 5(2): p. 807-816.
519. Shakked, Z., et al., Crystalline A-DNA: the X-ray analysis of the fragment d(G-G-T-A-T-A-C-C). *Proc R soc London*, 1981. B213: p. 479-487.
520. Shallenberger, R.G., T.E. Acree, and K. Meyer, The identity of g-D-galactose. *Carbohydrate research*, 1966. 1: p. 495-497.
521. Shamblay, S.P., Bound water defined and determined at constant temperature by wide-line MNR. 1970. p. 94-98.
522. Sharman, W.R., E.L. Richards, and G.N. Malcom, Hydrodynamic properties if aqueous solutios of galactomannans. *Biopolymers*, 1978. 17: p. 2817-2833.
523. Shashkov, A.S., G.M. Lipkind, and N.K. Kochetkov, Nuclear overhauser effects for methyl b-maltose and the conformational states of maltose in aqueous solution. *Carbohydrate research*, 1986. 147: p. 175-182.
524. Shaw, G., Biological chemistry. Part (ii)a: Nucleosides and nucleotides. *Ann rep prog chem sect B*, 1980. 77: p. 299-309.
525. She, C.Y., H. Dinh, and A. Tu, Laser Raman scattering of glucosamine, N-acetylglucosamine, and glucuronic acid. *Biochimica et Biophysica acta*, 1974. 372: p. 345-357.

526. Sheldrick, B., The crystal structures of the α - and β -anomers of D-galactose. *Acta Cryst.*, 1976. B 32: p. 1016-1020.
527. Sheldrick, B., W. Mackie, and D. Akrigg, The crystal and molecular structure of O- β -D-mannopyranosyl-(1 \rightarrow 4)- α -D-mannopyranose (mannobiose). *Carbohydrate research*, 1984. 132: p. 1-6.
528. Shiomi, N., J. Yamada, and M. Izawa, Synthesis of several fructo-oligosaccharides by Asparagus fructosyltransferases. *Agric. Biol. Chem.*, 1979. 43: p. 2233-2244.
529. Sinagra, P., Production de sirop de sucre. *Bios*, 1978. 9: p. 27-33.
530. Singh, V. and A.K. Singh, Activation energies of transition for some electrolyte-sucrose-water systems, from conductance data. *Carbohydrate research*, 1979. 70: p. 13-18.
531. **Sivchik, V.V. and R.G. Zhibankov, Conformation of CH₂OH groups and vibrational spectra of carbohydrates. p. 622-624.
532. Sivchik, V.V. and R.G. Zhibankov, Theoretical investigation of the vibrational spectrum of cellobiose. *Zhurnal Prikladnoi Spektroskopii*, 1977. 27(5): p. 853-859.
533. **Skjak-Braek, G., E. Murano, and S. Paoletti, Alginate as immobilization material II. Determination of polyphenol contaminants by fluorescence spectroscopy, and evaluation of methods for their removal. p. 1-9.
534. Skjak-Braek, G., E. Murano, and S. Paoletti, Alginate as immobilization material. II: Determination of polyphenol contaminants by fluorescence spectroscopy and evaluation of methods for their removal. *Biotechnology and Bioengineering*, 1989. 33(1): p. 90-94.
535. Slessor, K.N. and A.S. Tracey, Conformational studies on the 2'-deoxy nucleosides. *Carbohydrate research*, 1973. 27: p. 407-414.
536. Smelik, A., et al., Die Löslichkeit der Saccharose. III. Mitteilung. *Zucker*, 1971. 24(5): p. 138-142.
537. Smiljanski, S. and S. Stankovic, Beech wood glucuronoxylan in the prehydrolysis kraft process. *Cellulose chemistry and technology*, 1974. 8: p. 283-294.
538. *Smith, K.N., et al., High-field, proton nuclear magnetic resonance study of hydration in concentrated solutions of monosaccharides. *Carbohydrate research*, 1982. 106: p. 160-165.
539. Snyder, R.L., et al., A comparison of the structures of the α -D-glucose-urea and D-glucitol -pyridine hydrogen-bond complexes. *Carbohydrate research*, 1970. 12: p. 153-156.
540. Söderholm, S., et al., Raman spectra of fructose and glucose in the amorphous crystalline states. NP.
541. **Söderling, E. and K.K. Mäkinen, Aggregation of human salivary Ca-proteinates in the presence of simple carbohydrates in vitro. p. 125-131.
542. **Somogyi, M., Notes on sugar determination. p. 19-23.
543. Spandidos, D.A., A unified theory for the development of cancer. *Bioscience reports*, 1986. 6(8): p. 691-708.
544. Spencer, M., The stereochemistry of deoxyribonucleic acid. I. Covalent bond lengths and angles. *Acta Cryst.*, 1959. 12: p. 59-65.
545. Spiro, T.G. and P. Saltman, Polynuclear complexes of iron and their biological implications, in *Structure and bonding*. 1969. p. 116-156.

546. Steele, D., J. Lall, and J. Pamnani, The vibrational spectrum and structure of D-fructose in solution. *Carbohydrate research*, 1984. 133: p. 313-318.
547. Steinbach, H., Uber die Assoziation des Wassers an gespreiteten Filmen. *Colloid & polymer sci.*, 1975. 253: p. 937-953.
548. Sterling, C., Solute-solute interactions in aqueous solutions. *Journal of chemical physics.*, 1968. 48: p. 675-690.
549. Stern, J.H. and L.R. Beeninga, Thermodynamics of transfert of hydrochloric acid from water to aqueous glucose at 25°C. *Journal of solution chemistry*, 1976. 5(9): p. 617-619.
550. Stern, J.H. and M.O. O'connor., Partial molar volumes and compressibilities of carbohydrates in water. *Journal of solution chemistry*, 1978. 7: p. 587 596.
551. Stewart, W.W. and H.E. Swaisgood, Characterization of calcium alginate pore diameter by size exclusion chromatography using protein standards. *Enz microb technol*, 1993. 15: p. 922-927.
552. **Stoddart, J.F., Molecular structure and conformations of carbohydrates. p. 1-30.
553. **Stoddart, J.F., Physical methods. p. 123-129.
554. Stoddart, J.F., Conformation, in *Stereochemistry of carbohydrates*, S. J.F., Editor. 1971, Wiley Intersciences. p. 47-122.
555. Stokes, R.H. and R.A. Robinson, Interactions in aqueous nonelectrolyte solutions.I.solute-solvent. *Journal of physical chemistry*, 1966. 70: p. 2126-2130.
556. Stokes, R.H. and R.A. Robinson, Semiial behavior of solutions of solvated monelectrolytes. *Journal of physical chemistry*, 1970. 48: p. 3745-3747.
557. Suami, T., Synthetic ventures in pseudo-sugar chemistry. *Pure & applied chemistry*, 1987. 59(11): p. 1509-1520.
558. Suggett, A., Polysacharides, in *Water*, F. Franks, Editor. p. 519-567.
559. Suggett, A., Molecular motion and interactions in aqueous solutions.
III. A combined nuclear magnetic and dielectric-relaxation strategy. *Journal of solution chemistry*, 1976. 5(1): p. 33-46.
560. Suggett, A. and A.H. Clark, Molecular motion and interactions in aqueous carbohydrate solutions. I.Dielectric relaxation studies. *Journal of solution chemistry*, 1976. 5(4): p. 1-46.
561. Sundaralingam, M., Conformations of the furanose ring in nucleic acids and other carbohydrate derivatives in the solid state. *Journal of the american chemical society*, 1965. 87(3): p. 599-606.
562. Sundaralingam, M., Some aspects of stereochemistry and hydrogen bonding of carbohydrates related to polysaccharide conformation. *Biopolymers*, 1968. 6: p. 189-213.
563. Sundaralingam, M., Stereochemistry of nucleic acids and their constituents.
XVIII. Conformational analysis of a nucleosides by X-ray crystallography. *Journal of American chemical society*, 1971. 93(24): p. 6644-6647.
564. Sundaralingam, M. and E. Westhof, Structural motifs of the nucleotidyl unit and handedness of polynucleotide helices. *International Journal of Quantum Chemistry*, 1981. Quantum biology symposium 8: p. 287-306.

565. Sundaralingam, M. and E. Westhof, The nature of the mobility of the sugar and its effects on the dynamics and functions of RNA and DNA. Proceedings of the second conversation in the discipline biomolecular stereodynamics, 1981. 1: p. 301-326.
566. Susi, H. and J.S. Ard, Sugars and sugar products. Journal of AOAC international, 1973. 56(1): p. 177-180.
567. Susi, H. and J.S. Ard, Laser-Raman spectra of lactose. Carbohydrate research, 1974. 37: p. 351-354.
568. Susi, H. and J.S. Ard, Planar valence force constants and assignments for pyrimidine derivatives. Spectrochimica acta, 1974. 30A: p. 1843-1853.
569. Symons, M.C.R., J.A. Benbow, and J.M. Harvey, Hydroxyl-proton resonance shifts for a range of aqueous sugar solutions. Carbohydrate research, 1980. 83: p. 9-20.
570. Symons, M.C.R., H. J.M., and R.J. Naftalin, Proton magnetic resonance study of the hydration of glucose. Nature, 1976. 261: p. 435-436.
571. Szarek, W.A., et al., A raman and infrared study of crystalline D-fructose, L-sorbose, and related carbohydrates. Hydrogen bonding and sweetness. Canadian journal of chemistry, 1984. 62(8): p. 1512-1518.
572. Tait, M.J., et al., Hydration of monosaccharides :a study by dielectric and nuclear magnetic relaxation. Journal of solution chemistry, 1972. 1(2): p. 131-151.
573. Tajmir-Riahi, H.-A., Sugar complexes with calcium ion: infrared spectra of crystalline D-glucuronic acid and its calcium complexes. Carbohydrate research, 1983. 122: p. 241-248.
574. Tajmir-Riahi, H.-A., Infrared spectra of crystalline b-D-glucuronic acid and its Na⁺, K⁺ and Rb⁺ salts. Carbohydrate research, 1984. 125: p. 13-20.
575. Tajmir-Riahi, H.-A., Infrared spectra of crystalline L-arabinose and two of its calcium complexes. Carbohydrate research, 1984. 127: p. 1-8.
576. *Tajmir-Riahi, M.A. and J.T. Agbebevi, Carbohydrate interaction with monovalent ions. The effects of Li⁺, Na⁺, K⁺, Nm⁴⁺, Rb⁺, and Cs⁺ on the solid state and solution structures of D-glucono-1,5 -lactone and D-gluconic acid. Carbohydrate research, 1993. 241: p. 25-35.
577. Tajmir-Riahi, M.A., R. Ahmad, and M. Naoui, Interaction of calf-thymus DNA with trivalent La, Eu, and Tb ions. Metal ion binding, DNA condensation and structural features. J. of Biomol. Structure & dynamics, 1993. 10: p. 865-877.
578. Takagi, S. and G.A. Jeffrey, A neutron diffraction study of the crystal structure of b-D-fructopyranose. Acta Cryst., 1977. B 33: p. 3510-3515.
579. Takagi, S. and G.A. Jeffrey, A neutron diffraction refinement of the crystal structures of b-L-arabinose and methyl b-D-xylopyranoside. Acta Cryst., 1977. B33: p. 3033-3040.
580. Takahashi, K., J.L. Casey, and J.M. Sturtevant, Thermodynamics of the binding of D-glucose to yeast hexokinase. Biochemistry, 1981. 20(4693-4697).
581. Takenaka, T. and T. Echigo, On 4G-a-isomaltosyl sucrose in honey. Nippon nogeikagaku kaishi, 1980. 54(11): p. 945-950.

582. *Talbert, W.F., Dehydration of juices, in Fruit and vegetable juice processing technology, T. Joslyn, Editor. 1961. p. 334-352.
583. Taniguchi, T., et al., Crystal structure of di-b-D-fructofuranose 2', 1:2,3', dianhydride. Carbohydrate research, 1988. 177: p. 13-20.
584. *Taylor, J.B. and J.S. Rowlinson, The thermodynamic properties of aqueous solutions of glucose. Trans.Farad.Soc., 1955. 51: p. 1183-1192.
585. Taylor, R. and O. Kennard, The molecular structures of nucleosides and nucleotides. Part 1. The influence of protonation on the geometries of nucleic acid constituents. Journal of molecular structure, 1982. 78: p. 1-28.
586. Thewalt, U., C.E. Bugg, and R.E. Marsh, The crystal structure of guanosine dihydrate and inosine dihydrate. Acta Cryst., 1970. B26: p. 1089-1101.
587. Thielecke, K., H.-P. Liecker, and T. Paskack, Analytische Erfassung von technisch hergestellten Oligosacchariden mittels Hochleistungs-Ionenchromatographie. Zuckerindustrie, 1989. 119(12): p. 953-961.
588. Thollier, M.T., Les méthodes actuelles de dosages des glucides. Ann. Nutr. Alim., 1979. 33: p. 343-359.
589. Timmermans, J.W., et al., Quantitive analysis of the molecular weight distribution of inulin by means of anion exchange HPLC with pulsed amperometric detection. J carbohydrate chemistry, 1994. 13(6): p. 881-888.
590. **Tipson, R.S., The chemistry of the nucleic acids. p. 193-245.
591. Tipson, R.S., H.S. Isbell, and J.E. Stewart, Infrared absorption spectra of some cyclic acetals of sugars. Journal of research of the national bureau of standards, 1959. 62(6): p. 257-282.
592. Tosi, C. and w. Saenger, The pseudorotational interconversion of the furanose ring conforms in nucleic acids. Chemical physics letters, 1982. 90(4): p. 277-281.
593. Tronchet, J.M.J. and O.R. Martin, Synthèse et propriétés physicochimiques de 5,6-didésoxy-6-halogéno-hept-5-éno-1,4-furanuronitriles. Carbohydrate research, 1980. 85: p. 187-200.
594. Ts'o, P.O.P., On the conformation and interaction of nucleic acids. Studia biophysica, 1970. 24/25: p. 1-8.
595. Tu, A.T., et al., Laser Raman scattering of a- and b-methyl-D-glucosides and hyaluronic acid. Studia biophysica, 1977. 63(2): p. 115-131.
596. Tu, A.T., J. Lee, and L.Y. C, Laser-Raman spectroscopic study of carbohydrates: 1-thio-b-D-hexopyranosides. Carbohydrate research, 1978. 67: p. 295-304.
597. Tu, A.T., J. Lee, and F.P. Milanovich, Laser-Raman spectroscopic study of cyclohexaamylose and related compounds: spectral analysis and structural implications. Carbohydrate research, 1979. 76: p. 239-244.
598. **Tu, A.T. and W.K. Liddle, Characterization of some anomeric pairs of per-O-acetylated aldohexopyranosyl cyanides by laser Raman spectroscopy. p. 1-8.
599. Tul'chinsky, V.M., S.E. Zurabayan, and K.A. Asankozhoev, Study of the infrared spectra of oligosaccharides in the region 1000-40 cm⁻¹. Carbohydrate research, 1976. 51: p. 1-8.

600. Tvaroska, I., An attempt to derive the potential function for evaluation of the energy associated with the exo-anomeric effect. *Carbohydrate research*, 1984. 125: p. 155-160.
601. Tvaroska, I., Calculations of the conformational properties of carbohydrates in solution. *Chimicaoggi*, 1988. Septembre: p. 21-26.
602. Tvaroska, I., Computational methods for studying oligo- and polysaccharide conformations. *Pure & applied chemistry*, 1989. 61(7): p. 1201-1216.
603. Tvaroska, I. and T. Bleha, Anomeric and exo-anomeric effects in carbohydrate chemistry, in *Advances in Carbohydrate Chem. and Biochem.* 1989, Academic press Inc. p. 45-120.
604. Tvaroska, I. and T. Kozar, The conformational properties of the glycosidic linkage. *Carbohydrate research*, 1981. 90: p. 173-185.
605. Tvaroska, I. and S. Pérez, Conformational-energy calculations for oligosaccharides: a comparison of methods and a strategy of calculation. *Carbohydrate research*, 1986. 149: p. 389-410.
606. Tvaroska, I. and L. Vaclavik, Stereochemistry of nonreducing disaccharides in solution. *Carbohydrate research*, 1987. 160: p. 137-146.
607. Uedaira, H. and H. Uedaira, The effects of sugars on the thermal denaturation of lysozyme. *Bulletin of the chemical society of Japan*, 1981. 53: p. 2451-2455.
608. Uesugi, S., T. Shida, and M. Ikehara, *Polynucleotides* 43. Solution conformation of oligodeoxyribonucleotides containing an alternating dC-dG sequence which can form a left-handed double helix. *Chem pharm bull*, 1981. 29(12): p. 3573-3585.
609. **Ulrich, J., Le sirop de fructose de chicorées, un produit naturel, quelques applications.
610. Umemura, J., et al., The correlation between O-H stretching frequencies and hydrogen bond distances in a crystalline sugar monohydrate. *Canadian journal of chemistry*, 1979. 57: p. 2640-2645.
611. Urquhart, R.M., R.J. Mc Cowage, and P.A. Inkerman, Dextran analysis of raw sugar. Part II. A comparison of analytical methods. *Int sugar jnl*, 1993. 95(1137): p. 344-346.
612. Vaccari, G., G. Lodi, and E. Dosi. Identification and determination of carbohydrates using instrumental planar chromatography. in *Sugar processing research*. 1996. New Orleans.
613. Van Duijneveldt-Van de Rijdt, J.G.C.M., et al., Calculations on vibrational properties of H-bonded OH groups, as a function of OH-geometry. *Journal of molecular structure*, 1984. 109: p. 351-366.
614. Van Eijck, B.P., R.W.W. Hooft, and J. Kroon, A molecular dynamics study of conformational and anomeric equilibria in aqueous D-glucose. *NP*, 1993: p. 2-34.
615. **Van Eijck, B.P. and J. Kroon, Simulation of b-D-ribose and b-D-deoxyribose by the molecular dynamics method. p. 1-12.
616. Van Hook, A., A note on the solubility of sucrose in water. *Zucherindindustrie*, 1979. 104(6): p. 511-512.
617. Van Hook, A., Growth of sucrose crystals. A review. *Sugar technology reviews*, 1981. 8: p. 41-79.
618. Van Hook, A., Observations on the dissolution of sucrose crystals. *Int sugar jnl*, 1988. 90(1072): p. 65-67.
619. Varo, P., et al., The baking behavior of different sugars and sugars alcohols as determined by high pressure liquid chromatography. *Lebens.Wiss.U.Technol.*, 1979. 12: p. 153-156.

620. Varughese, K.I., C.T. Lu, and G. Kartha, The crystal and molecular structure of cyclic adenosine 3',5'-monophosphate sodium salt, monoclinic form. *Journal of American chemical society*, 1982. 104: p. 3398-3401.
621. Vasatko, J., et al., Die Löslichkeit der saccharose IV. Mitteilung. *Zucker*, 1972. 25(3): p. 89-96.
622. Vasatko, J., et al., Die Löslichkeit der Saccharose II. Mitteilung. *Zucker*, 1970. 23(20): p. 595-599.
623. Vasko, P.D., J. Blackwell, and J.L. Koenig, Infrared and Raman spectroscopy of carbohydrates. *Carbohydrate research*, 1972. 23: p. 407-416.
624. Verstraeten, L.M.J., Infrared spectra of some 2-ketoses. *Analytical chemistry*, 1964. 36(6): p. 1040-1044.
625. **Viswamitra, M.A., et al., Crystal structure of d(A-T)₂ and sequence specific DNA-protein recognition. p. 465-470.
626. *Von Lauer, K., Technische herstellung von Fructose. *Starch/Stärke*, 1980. 32(1): p. 11-13.
627. Voss, P., Darstellung von Methyl-b-D-Fructopyranosid, Methyl-a-D-Fructofuranosid und Methyl-b-D-Fructofuranosid. *Starch/Stärke*, 1980. 32(1): p. 24-27.
628. Wagner, B.J., C.K. Mitra, and R.H. Sarma, Structure of DNA oligonucleotides. *International Journal of Quantum Chemistry*, 1981. Quantum biology symposium 8: p. 277-285.
629. Walkinshaw, M.D., Variation in the hydrophilicity of hexapyranose sugars explains features of the anomeric effect. *J. Chem. Soc. Perkin Trans. II*, 1987: p. 1903-1906.
630. Wallack, D.A. and C. Judson King, Sticking and agglomeration of hygroscopic, amorphous carbohydrate and food powders. *Biotechnology process*, 1988. 4(1): p. 31-35.
631. Wan, P., T.A. Modro, and K. Yates, The kinetics and mechanism of acid catalysed hydrolysis of lactams. *Canadian journal of chemistry*, 1980. 58: p. 2423-2432.
632. Wang, J.C., Interlocked deoxyribonucleic acid rings. *Accounts of Chemical Research*, 1973. 6: p. 252-256.
633. Wang, P., et al., New carbohydrate-based materials for the stabilization of proteins. *Journal of the american chemical society*, 1992. 114: p. 378-380.
634. Wang, Y. and Y. Tominaga, Dynamical structure of water in aqueous solutions of D-glucose and D-galactose bu low-frequency Raman scattering. *J chem phys*, 1994. 100(4): p. 2407-2412.
635. Wartman, A.M., T.D. Spawn, and M.A. Eliason, Relationship between density, temperature and dry substance of commercial corn syrups, high-fructose corn syrups, and blends with sucrose and invert sugar. *J agric food chem*, 1984. 32: p. 971-974.
636. Watson, J.D. and F.H. Crick, Molecular structure of nucleic acids. *Nature*, 1953. 13: p. 737-738.
637. Weis, W.I. and K. Drickamer, Structural basis of lectin-carbohydrate recognition. *Annu rev biochem*, 1996. 65: p. 441-473.
638. Westhof, E., et al., Ribose conformations in the common purine (b) ribosides, in some antibiotic nucleosides, and in some isopropylidene derivatives: a comparison. *Zeitschrift für Naturforschung*, 1975. 30c(3/4): p. 131-140.

639. Whistler, R.L., Solubility of polysaccharides and their behavior in solution, in Carbohydrates in solution. 1973, Am chem soc: Washington. p. 242-255.
640. Whistler, R.L., Direction of carbohydrate research in the future. Pure & applied chemistry, 1977. 49: p. 1229-1240.
641. White, G.W. and A.J. Shenton, Food microscopy Part IIF. Major ingredients: sugars. J Ass Publ Analysts, 1977. 15: p. 141-144.
642. Williams, R.M. and R.H. Atalla, Interactions of group II cations and borate anions with nonionic saccharides. Journal of the american chemical society, 1981. 150: p. 317-330.
643. Wilson, H.R., Changes in nucleosides conformation. Nature, 1970. 225: p. 545.
644. Wilson, H.R., A. Rahman, and P. Tollin, Furanose ring conformation in nucleosides and nucleic acids. J mol biol, 1969. 46: p. 585-589.
645. Wolfe, S., The gauche effect. Some stereochemical consequences of adjacent electron pairs and polar bonds. Accounts of Chemical Research, 1972. 5: p. 102-111.
646. Wolfrom, M.L. and A. Thompson, Degradation of glycogen to isomaltotriose and nigerose. 1957. 79: p. 4212-4215.
647. Wursch, P. and B. Koellreuter, Effect of maltotriitol on the uptake and metabolism of maltose in *Sterptococcus mutans*. NP.
648. Wyncke, B., et al., Spectre d'absorption dans l'infrarouge lointain d'un cristal pyroélectrique de saccharose. J phys C: solid state phys, 1978. 11: p. 2639-2643.
649. Yamada-Nosaka, A., et al., Dynamic structure of pyrimidine-polyribonucleotides in solution. ¹H NMR studies. Bulletin of the chemical society of Japan, 1982. 55: p. 1983-1987.
650. Yamana, S., Molecular rotations of steroids in relation to their structures III . A rade through which optical activity is produced in an organic cyclic compound. Bulletin of Kyoto university of Education . Ser. B., 1977: p. 16-26.
651. Yamana, S., Optical rotations of poly-O-acetyl carbohydrates in relation to their structures. IV. [M]_D20 change caused by the change of the substituent, attaching to any one of the ring -carbon atoms. Bulletin of Kyoto university of Education Ser.B, 1981. 58: p. 19-32.
652. Yang, Y. and M. Steup, Polysaccharide fraction from higher plants which strongly interacts with the cytosolic phosphorylase isozyme. I. Isolation and characterization. Plant.Physiol., 1990. 94: p. 960-969.
653. Yathindra, N. and M. Sundaralingam, Conformational studies on pyrimidine 5'-monophosphates and 3',5'-diphosphates. Effect of the phosphate groups on the backbone conformation of polynucleotides. Biopolymers, 1973. 12: p. 2261-2277.
654. Yoshida, M., et al., Continuous production of maltose using a dual immobilized enzyme system. Agric. Biol. Chem., 1989. 53(12): p. 3139-3142.
655. Young, D.W., P. Tollin, and H.R. Wilson, The crystal and molecular structure of thymidine. Acta Cryst., 1969. B25: p. 1423-1432.
656. Young, D.W. and H.R. Wilson, The crystal and molecular structure of 2'-deoxycytidine. Acta Cryst., 1975. B31: p. 961-965.

657. Young, F.E. and F.T. Jones, Sucrose hydrates. The sucrose-water phase diagram. J. Phys. Chem., 1949: p. 1334-1350.
658. Young, F.E. and F.T. Jones, Sucrose hydrates. The sucrose-water phase diagram. 1949: p. 1334-1350.
659. Young, F.E., F.T. Jones, and H.J. Lewis, D-fructose-water phase diagram. J. Phys. Chem., 1952. 56: p. 1093-1096.
660. Yunkler, M.B. and B. Fraser-Reid, The reaction of some carbohydrate α -enones with iron carbonyls^{1a,b}. J org chem, 1979. 44(15): p. 2742-2745.
661. Zeller, B.L. and F.Z. Saleeb, Production of microporous sugars for adsorption of volatile flavors. Journal of food science, 1996. 61(4): p. 749-752.
662. Ziderman, I. and J. Belayche, Using disaccharides as a kinetic model for alkaline degradation of celluloses and starches. Journal of applied polymer science, 1986. 32: p. 3255-3261.
663. Zittan, L., Enzymatic hydrolysis of inulin. An alternative way to fructose production. Starch/Stärke, 1981. 33(11): p. 373-377.
664. Zugenmaier, P. and A. Sarko, Packing analysis of carbohydrates and polysaccharides. I. Monosaccharides. Acta Cryst., 1972. B28: p. 3158-3166.